

**PRIME AND STATEWIDE IMPORTANT FARMLAND SOIL LIST
FOR MINNESOTA COUNTIES**

August 2002

<u>AITKIN COUNTY, MINNESOTA</u>	3	<u>HENNEPIN COUNTY UPDATE, MINNESOTA</u>	44
<u>ANOKA COUNTY, MINNESOTA</u>	4	<u>HENNEPIN COUNTY, MINNESOTA (1974 LEGEND)</u>	46
<u>BECKER COUNTY, MINNESOTA</u>	5	<u>HOUSTON COUNTY, MINNESOTA</u>	48
<u>BELTRAMI COUNTY, MINNESOTA</u>	7	<u>HUBBARD COUNTY, MINNESOTA</u>	50
<u>BENTON COUNTY, MINNESOTA</u>	8	<u>ISANTI COUNTY, MINNESOTA</u>	52
<u>BIG STONE COUNTY, MINNESOTA</u>	9	<u>ITASCA COUNTY, MINNESOTA</u>	53
<u>BLUE EARTH COUNTY, MINNESOTA</u>	10	<u>JACKSON COUNTY, MINNESOTA</u>	54
<u>BROWN COUNTY, MINNESOTA</u>	12	<u>KANABEC COUNTY, MINNESOTA</u>	55
<u>CARLTON COUNTY, MINNESOTA</u>	14	<u>KANDIYOHI COUNTY, MINNESOTA</u>	56
<u>CARVER COUNTY, MINNESOTA</u>	15	<u>KITTSOON COUNTY, MINNESOTA</u>	58
<u>CASS COUNTY, MINNESOTA</u>	17	<u>KOOCHICHING COUNTY, MINNESOTA</u>	59
<u>CHIPPEWA COUNTY, MINNESOTA</u>	18	<u>LAC QUI PARLE COUNTY, MINNESOTA</u>	60
<u>CHISAGO COUNTY, MINNESOTA</u>	19	<u>LAKE COUNTY, MINNESOTA</u>	62
<u>CLAY COUNTY, MINNESOTA</u>	20	<u>LAKE OF THE WOODS COUNTY, MINNESOTA</u>	63
<u>CLEARWATER COUNTY, MINNESOTA</u>	22	<u>LE SUEUR COUNTY, MINNESOTA</u>	64
<u>COOK COUNTY, MINNESOTA</u>	24	<u>LINCOLN COUNTY, MINNESOTA</u>	65
<u>COTTONWOOD COUNTY, MINNESOTA</u>	25	<u>LYON COUNTY, MINNESOTA</u>	67
<u>CROW WING COUNTY, MINNESOTA</u>	27	<u>MCLEOD COUNTY, MINNESOTA</u>	69
<u>DAKOTA COUNTY, MINNESOTA</u>	28	<u>MAHNOMEN COUNTY, MINNESOTA</u>	71
<u>DODGE COUNTY, MINNESOTA</u>	30	<u>MARSHALL COUNTY, MINNESOTA</u>	73
<u>DOUGLAS COUNTY, MINNESOTA</u>	32	<u>MARTIN COUNTY, MINNESOTA</u>	75
<u>FARIBAULT COUNTY, MINNESOTA</u>	34	<u>MEEKER COUNTY, MINNESOTA</u>	77
<u>FILLMORE COUNTY, MINNESOTA</u>	36	<u>MILLE LACS COUNTY, MINNESOTA</u>	79
<u>FREEBORN COUNTY, MINNESOTA</u>	38	<u>MORRISON COUNTY, MINNESOTA</u>	81
<u>GOODHUE COUNTY, MINNESOTA</u>	40	<u>MOWER COUNTY, MINNESOTA</u>	82
<u>GRANT COUNTY, MINNESOTA</u>	42	<u>MURRAY COUNTY, MINNESOTA</u>	84

<u>NICOLLET COUNTY, MINNESOTA</u>	86
<u>NOBLES COUNTY, MINNESOTA</u>	88
<u>NORMAN COUNTY, MINNESOTA</u>	90
<u>OLMSTED COUNTY, MINNESOTA</u>	92
<u>OTTER TAIL COUNTY, MINNESOTA</u>	94
<u>PENNINGTON COUNTY, MINNESOTA</u>	97
<u>PINE COUNTY, MINNESOTA</u>	98
<u>PIPESTONE COUNTY, MINNESOTA</u>	100
<u>POLK COUNTY, MINNESOTA</u>	102
<u>POPE COUNTY, MINNESOTA</u>	104
<u>RED LAKE COUNTY, MINNESOTA</u>	106
<u>REDWOOD COUNTY, MINNESOTA</u>	108
<u>RENVILLE COUNTY, MINNESOTA</u>	110
<u>RICE COUNTY, MINNESOTA</u>	112
<u>ROCK COUNTY, MINNESOTA</u>	114
<u>ROSEAU COUNTY, MINNESOTA</u>	115
<u>ST. LOUIS COUNTY, MINNESOTA</u>	117
<u>SCOTT COUNTY, MINNESOTA</u>	118
<u>SHERBURNE COUNTY UPDATE, MINNESOTA</u>	120
<u>SIBLEY COUNTY, MINNESOTA</u>	121
<u>STEARNS COUNTY, MINNESOTA</u>	122
<u>STEELE COUNTY, MINNESOTA</u>	124
<u>STEVENS COUNTY, MINNESOTA</u>	126
<u>SWIFT COUNTY UPDATE, MINNESOTA</u>	128
<u>SWIFT COUNTY, MINNESOTA (1973 LEGEND)</u>	130
<u>TODD COUNTY, MINNESOTA</u>	132
<u>TRAVERSE COUNTY, MINNESOTA</u>	134
<u>WABASHA COUNTY, MINNESOTA</u>	135
<u>WADENA COUNTY, MINNESOTA</u>	137

<u>WASECA COUNTY UPDATE, MINNESOTA</u>	138
<u>WASECA COUNTY, MINNESOTA (1965 LEGEND)</u> ..	140
<u>WASHINGTON AND RAMSEY COUNTIES, MINNESOTA</u>	141
<u>WATONWAN COUNTY, MINNESOTA</u>	143
<u>WILKIN COUNTY, MINNESOTA</u>	145
<u>WINONA COUNTY, MINNESOTA</u>	147
<u>WRIGHT COUNTY UPDATE, MINNESOTA</u>	149
<u>YELLOW MEDICINE COUNTY, MINNESOTA</u>	151

AITKIN COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
124	2	BRICKTON SILT LOAM
133B	1	DALBO VERY FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
142	2	NOKAY FINE SANDY LOAM
144B	1	FLAK SANDY LOAM, 3 TO 8 PERCENT SLOPES
146B	1	WABEDO SANDY LOAM, 1 TO 6 PERCENT SLOPES
147	2	SPOONER SILT LOAM
152B	1	MILACA FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
164B	1	MORA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
166	2	RONNEBY LOAM
167B	1	BAUDETTE SILT LOAM, 1 TO 5 PERCENT SLOPES
204B	1	BRANSTAD LOAM, 2 TO 6 PERCENT SLOPES
240B	1	WARBA VERY FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
243	2	STUNTZ VERY FINE SANDY LOAM
266	1	FREER SILT LOAM
292	2	ALSTAD LOAM
302B	1	ROSHOLT FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES^M
346	2	TALMOON FINE SANDY LOAM
464B	1	BRENNYVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES
469B	1	HILLCITY SILT LOAM, 1 TO 6 PERCENT SLOPES
502	2	DUSLER SILT LOAM
504B	1	DULUTH FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
615	2	COWHORN LOAMY VERY FINE SAND
618B	1	ITASCA SILT LOAM, 1 TO 6 PERCENT SLOPES
629B	1	WAWINA LOAMY VERY FINE SAND, 1 TO 10 PERCENT SLOPES
685	2	OESTERLE FINE SANDY LOAM
736	1	RONNEBY-MORA COMPLEX
759	2	WAUKENABO FINE SANDY LOAM
1150	2	JEVNE FINE SANDY LOAM
1375A	1	ALBAN FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
1375B	1	ALBAN FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
1982	3	BAUDETTE-SPOONER COMPLEX

=====

Aitkin State-Wide Important Farmland List

Symbol	Mapunit Name
144C	FLAK SANDY LOAM, 8 TO 15 PERCENT SLOPES
152C	MILACA FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
204C	CUSHING LOAM, 6 TO 12 PERCENT SLOPES
240C	CUSHING LOAM, 6 TO 12 PERCENT SLOPES
268B	CROMWELL FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
302C	ROSHOLT FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
504C	DULUTH FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
617B	GOODLAND SILT LOAM, 1 TO 10 PERCENT SLOPES
732B	BUSHVILLE LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES
738B	MILACA-MILLWARD COMPLEX, 2 TO 8 PERCENT SLOPES
738C	MILACA-MILLWARD COMPLEX, 8 TO 15 PERCENT SLOPES
870B	ITASCA-GOODLAND COMPLEX, 2 TO 6 PERCENT SLOPES
870C	ITASCA-GOODLAND COMPLEX, 6 TO 12 PERCENT SLOPES
1353B	CUTAWAY LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES

ANOKA COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
Ba	1	BECKER VERY FINE SANDY LOAM
Bx	2	BRICKTON SILT LOAM
DlA	1	DALBO SILT LOAM, 1 TO 5 PERCENT SLOPES
Du	2	DUNDAS LOAM
GrA	1	GROWTON FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
HdB	1	HAYDEN FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
HeB	1	HEYDER FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
KmB	1	KINGSLEY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
MoA	1	MORA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
NeA	1	NESSSEL FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
No	2	NOWEN SANDY LOAM
Ry	2	RONNEBY FINE SANDY LOAM
Wb	2	WEBSTER LOAM

=====

Anoka State-Wide Important Farmland List

8/99

Symbol	Mapunit Name
BtB	Braham loamy fine sand, 2 to 6 percent slopes
CkB	Chetek sandy loam, 2 to 6 percent slopes
DnA	Dickman sandy loam, 0 to 2 percent slopes
DnB	Dickman sandy loam, 2 to 6 percent slopes
HdC2	Hayden fine sandy loam, 6 to 12 percent slopes, eroded
HeC2	Heyder fine sandy loam, 6 to 12 percent slopes, eroded
HlC	Heyder complex, 4 to 12 percent slopes
KmC2	Kingsley fine sandy loam, 6 to 12 percent slopes, eroded
LgB	Langola loamy sand, 0 to 6 percent slopes

BECKER COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
20B	1	CHAPETT FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES
26	1	AAZDAHL CLAY LOAM
33B	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES
36	2	FLOM SILTY CLAY LOAM
38B	1	WAUKON LOAM, 2 TO 8 PERCENT SLOPES
40B	1	NEBISH LOAM, 2 TO 8 PERCENT SLOPES
47	2	COLVIN SILTY CLAY LOAM
63	2	ROCKWELL LOAM
108	1	MCINTOSH SILT LOAM
1129	2	LINDAAS SILTY CLAY LOAM, MORAINIC
1130	1	WOLVERTON FINE SANDY LOAM
1135	2	FOXLAKE SILTY CLAY LOAM
1137B	1	BIRCHLAKE SILTY CLAY LOAM, 1 TO 6 PERCENT SLOPES
1149	1	HAMERLY CLAY LOAM
1200	2	EGGLAKE LOAM
121	1	WYKEHAM FINE SANDY LOAM
1234B	1	FORMDALE-BUSE COMPLEX, 2 TO 6 PERCENT SLOPES
1246	2	WINGER SILTY CLAY LOAM
125	1	BELTRAMI LOAM
1317	2	VALLERS SILTY CLAY LOAM
1318	1	DARNEN LOAM
1319B	1	ROCKWOOD SANDY LOAM, 2 TO 6 PERCENT SLOPES, STONY
1320B	1	BLOWERS SANDY LOAM, 1 TO 5 PERCENT SLOPES, STONY
1321	2	PADDOCK FINE SANDY LOAM, STONY
133A	1	DALBO SILT LOAM, 0 TO 2 PERCENT SLOPES
133B	1	DALBO SILT LOAM, 2 TO 8 PERCENT SLOPES
1365	2	HILLVIEW FINE SANDY LOAM
141B	1	EGELAND FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
168B	1	FORMAN CLAY LOAM, 2 TO 6 PERCENT SLOPES
171B	1	FORMDALE CLAY LOAM, 2 TO 5 PERCENT SLOPES
180	1	GONVICK LOAM
184	1	HAMERLY LOAM
1938	2	LAKEPARK CLAY LOAM
1967	2	HAMERLY-VALLERS COMPLEX
1997	2	VALLERS-HAMERLY-WINGER, DEPRESSIONAL COMPLEX
267B	1	SNELLMAN SANDY LOAM, 2 TO 8 PERCENT SLOPES
339	1	FORDVILLE LOAM
375	2	FORADA LOAM
418	2	LAMOURE SILTY CLAY LOAM, OCCASIONALLY FLOODED
422B	1	BYGLAND SILTY CLAY LOAM, 1 TO 6 PERCENT SLOPES
503B	1	BALMLAKE FINE SANDY LOAM, 1 TO 8 PERCENT SLOPES
508	1	WYNDMERE FINE SANDY LOAM
624	1	ROSY SANDY LOAM
718B	1	NAYTAHWAUSH LOAM, 2 TO 8 PERCENT SLOPES
747B	1	AUDUBON SILTY CLAY LOAM, 0 TO 6 PERCENT SLOPES
765	2	SMILEY LOAM
767	2	AUGANAUSH LOAM
780B	1	AUDUBON-BOYERLAKE COMPLEX, 1 TO 6 PERCENT SLOPES
785	2	HAMERLY-WINGER COMPLEX
786	2	WINGER-HAMERLY-COLVIN, DEPRESSIONAL COMPLEX
903B	1	BARNES-LANGHEI COMPLEX, 2 TO 6 PERCENT SLOPES

=====

Becker State-Wide Important Farmland List

Symbol	Mapunit Name
20C2	CHAPETT FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, ERODED
38C	WAUKON LOAM, 8 TO 15 PERCENT SLOPES
40C	NEBISH LOAM, 8 TO 15 PERCENT SLOPES
133C	DALBO SILT LOAM, 8 TO 15 PERCENT SLOPES
137	DOVRAY SILTY CLAY
141C	EGELAND FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
168C2	FORMAN CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
267C	SNELLMAN SANDY LOAM, 8 TO 15 PERCENT SLOPES
315A	BOOTLAKE SANDY LOAM, 0 TO 2 PERCENT SLOPES
315B	BOOTLAKE SANDY LOAM, 2 TO 5 PERCENT SLOPES
332B	SUGARBUSH SANDY LOAM, 1 TO 8 PERCENT SLOPES
335	URNES MUCKY SILT LOAM
344	QUAM SILTY CLAY LOAM
351	COLVIN SILTY CLAY LOAM, DEPRESSIONAL
398	WINGER SILTY CLAY LOAM, DEPRESSIONAL
406A	DORSET SANDY LOAM, 0 TO 2 PERCENT SLOPES
406B	DORSET SANDY LOAM, 2 TO 6 PERCENT SLOPES
413	OSAKIS SANDY LOAM
422C	BYGLAND SILTY CLAY LOAM, 6 TO 15 PERCENT SLOPES
503C	BALMLAKE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
567A	VERNDAL SANDY LOAM, 0 TO 2 PERCENT SLOPES
567B	VERNDAL SANDY LOAM, 2 TO 6 PERCENT SLOPES
579C2	FORMDALE-LANGHEI-SANDBERG COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
718C	NAYTAHWAUSH LOAM, 8 TO 15 PERCENT SLOPES
775B	SUGARBUSH-TWO INLETS COMPLEX, 1 TO 8 PERCENT SLOPES
776B	SNELLMAN-SUGARBUSH COMPLEX, 2 TO 8 PERCENT SLOPES
776C	SNELLMAN-SUGARBUSH COMPLEX, 8 TO 15 PERCENT SLOPES
778B	DORSET-CORLISS COMPLEX, 1 TO 6 PERCENT SLOPES
780C2	AUDUBON-BOYERLAKE COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
903C2	BARNES-LANGHEI COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
931C2	FORMDALE-LANGHEI COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
951B	NEBISH-SUGARBUSH COMPLEX, 2 TO 8 PERCENT SLOPES
951C	NEBISH-SUGARBUSH COMPLEX, 8 TO 15 PERCENT SLOPES
1104B	WAUKON-DORSET COMPLEX, 1 TO 8 PERCENT SLOPES
1104C	WAUKON-DORSET COMPLEX, 8 TO 15 PERCENT SLOPES
1125B	SVERDRUP-ABBEYLAKE COMPLEX, 1 TO 6 PERCENT SLOPES
1126B	VERNDAL-NYMORE COMPLEX, 1 TO 6 PERCENT SLOPES
1127A	BOOTLAKE-GRAYCALM COMPLEX, 0 TO 2 PERCENT SLOPES
1127B	BOOTLAKE-GRAYCALM COMPLEX, 2 TO 8 PERCENT SLOPES
1131B	VERNDAL-ABBEYLAKE COMPLEX, 1 TO 6 PERCENT SLOPES
1132B	EAGLEVIEW-BALMLAKE COMPLEX, 1 TO 8 PERCENT SLOPES
1137C	BIRCHLAKE SILTY CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
1140B	EAGLEVIEW-SNELLMAN COMPLEX, 1 TO 8 PERCENT SLOPES
1140C	EAGLEVIEW-SNELLMAN COMPLEX, 8 TO 15 PERCENT SLOPES
1195B	SYBIL-EAGLEVIEW COMPLEX, 2 TO 8 PERCENT SLOPES
1196B	LIDA-TWO INLETS COMPLEX, 1 TO 8 PERCENT SLOPES
1201C	SUGARBUSH-SNELLMAN COMPLEX, 8 TO 15 PERCENT SLOPES
1210	PADDOCK-EPOUFETTE COMPLEX
1211	EGGLAKE-CATHRO COMPLEX
1225	WYKEHAM-KARLSTAD COMPLEX
1235B	FORMDALE-BUSE-SANDBERG COMPLEX, 2 TO 6 PERCENT SLOPES
1252B	BOOTLAKE-EAGLEVIEW, 1 TO 8 PERCENT SLOPES
1306	KARLSTAD SANDY LOAM
1319C	ROCKWOOD SANDY LOAM, 6 TO 12 PERCENT SLOPES, STONY
1878	HAMRE MUCK
1975	OYLEN SANDY LOAM

BELTRAMI COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
32B	1	NEBISH SANDY LOAM, 2 TO 6 PERCENT SLOPES
72	2	SHOOKER LOAM
77	1	GARNES LOAM
121	1	WYKEHAM FINE SANDY LOAM
125	1	BELTRAMI FINE SANDY LOAM
147	2	SPOONER SILT LOAM
167	1	BAUDETTE SILT LOAM
240B	1	WARBA FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
243	2	STUNTZ FINE SANDY LOAM
267B	1	SNELLMAN FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
404	2	CHILGREN LOAM
439	2	ROCKWELL FINE SANDY LOAM
503B	1	BALMLAKE FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
505B	1	DEBS SILT LOAM, 1 TO 6 PERCENT SLOPES
582	1	ROLISS LOAM
616	2	EFFIE SILT LOAM
621	2	MORPH FINE SANDY LOAM
624	1	ROSY SANDY LOAM
626B	1	SUOMI LOAM, 1 TO 6 PERCENT SLOPES
709B	1	LENGBY SANDY LOAM, 1 TO 6 PERCENT SLOPES
765	1	SMILEY LOAM
1991	2	STUNTZ LOAM
1993B	1	SNELLMAN-WYKEHAM FINE SANDY LOAMS, 1 TO 6 PERCENT SLOPES

=====

Beltrami State-Wide Important Farmland List

Symbol	Mapunit Name
32C	Nebish fine sandy loam, 6 to 12 percent slopes
240C	Warba fine sandy loam, 6 to 12 percent slopes
267C	Snellman fine sandy loam, 6 to 12 percent slopes
272	Bemidji loamy sand
280	Pelan sandy loam
432	Strandquist loam
481	Kratka fine sandy loam
496B	Andrusia loamy sand, 1 to 6 percent slopes
496C	Andrusia loamy sand, 6 to 12 percent slopes
503C	Balmlake fine sandy loam, 6 to 12 percent slopes
505C	Debs silt loam, 6 to 12 percent slopes
565	Eckvoll loamy fine sand
620B	Cutaway loamy fine sand, 1 to 6 percent slopes
620C	Cutaway loamy fine sand, 6 to 12 percent slopes
625	Sandwick loamy fine sand
626C	Suomi loam, 6 to 12 percent slopes
653	Smiley muck
709C	Lengby sandy loam, 6 to 12 percent slopes
712	Rosewood fine sandy loam
1878	Hamre muck
1959	Nary cobbly fine sandy loam

BENTON COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
38B	1	WAUKON FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
142	2	NOKAY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
144B	1	FLAK SANDY LOAM, 3 TO 6 PERCENT SLOPES
147	2	SPOONER SILT LOAM, 0 TO 2 PERCENT SLOPES
152B	1	MILACA FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES
163A	1	BRAINERD SANDY LOAM, 0 TO 3 PERCENT SLOPES
163B	1	BRAINERD SANDY LOAM, 3 TO 5 PERCENT SLOPES
164A	1	MORA LOAM, 0 TO 3 PERCENT SLOPES
164B	1	MORA FINE SANDY LOAM, 3 TO 5 PERCENT SLOPES
165	2	PARENT LOAM, 0 TO 2 PERCENT SLOPES
166	2	RONNEBY LOAM, 0 TO 2 PERCENT SLOPES
266	2	FREER SILT LOAM, 0 TO 2 PERCENT SLOPES
464A	1	BRENNYVILLE SILT LOAM, 1 TO 3 PERCENT SLOPES
464B	1	BRENNYVILLE SILT LOAM, 3 TO 6 PERCENT SLOPES
466	2	OGILVIE SILT LOAM, 0 TO 2 PERCENT SLOPES
623A	1	PIERZ SANDY LOAM, 0 TO 2 PERCENT SLOPES
717A	1	NOVAK SILT LOAM, 0 TO 2 PERCENT SLOPES
717B	1	NOVAK SILT LOAM, 2 TO 6 PERCENT SLOPES
725	1	KRATKA FINE SANDY LOAM, STRATIFIED SUBSTRATUM, 0 TO 3 PERCENT SLOPES
727B	1	MILACA VERY FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES
756A	1	DALBO VERY FINE SANDY LOAM, SILTY SUBSTRATUM, 0 TO 2 PERCENT SLOPES
756B	1	DALBO VERY FINE SANDY LOAM, SILTY SUBSTRATUM, 2 TO 6 PERCENT SLOPES

=====

Benton State-Wide Important Farmland List

8/99

Symbol	Mapunit Name
144C	Flak sandy loam, 6 to 12 percent slopes
152C	Milaca fine sandy loam, 6 to 12 percent slopes
179A	Langola loamy fine sand, 0 to 2 percent slopes
179B	Langola loamy fine sand, 2 to 6 percent slopes
445B	Braham loamy fine sand, lacustrine substratum, 2 to 6 percent slopes
567A	Verndale sandy loam, 0 to 2 percent slopes
730A	Sanburn fine sandy loam, 0 to 2 percent slopes
730B	Sanburn fine sandy loam, 2 to 6 percent slopes
732A	Bushville fine sand, 0 to 2 percent slopes
732B	Bushville fine sand, 2 to 6 percent slopes
776B	Sanburn-Milaca complex, 3 to 8 percent slopes

BIG STONE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
26	1	AAZDAHL CLAY LOAM
34	2	PARNELL SILTY CLAY LOAM
36	2	FLOM SILTY CLAY LOAM
51	1	LA PRAIRIE SILT LOAM
60	1	GLYNDON SILTY CLAY LOAM
70	1	SVEA LOAM
137	2	DOVRAY SILTY CLAY
141A	1	EGELAND FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
141B	1	EGELAND FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
171B	1	FORMDALE CLAY LOAM, 2 TO 4 PERCENT SLOPES
180	1	GONVICK LOAM
184A	1	HAMERLY LOAM, 1 TO 3 PERCENT SLOPES
184B	1	HAMERLY LOAM, 3 TO 6 PERCENT SLOPES
185B	1	HATTIE SILTY CLAY, 1 TO 4 PERCENT SLOPES
192A	1	ESTELLINE SILT LOAM, 0 TO 2 PERCENT SLOPES
192B	1	ESTELLINE SILT LOAM, 2 TO 6 PERCENT SLOPES
210	2	FULDA SILTY CLAY
236	2	VALLERS CLAY LOAM
246	2	MARYSLAND CLAY LOAM
276	2	OLDHAM SILTY CLAY
293A	1	SWENODA SANDY LOAM, 0 TO 2 PERCENT SLOPES
293B	1	SWENODA SANDY LOAM, 2 TO 6 PERCENT SLOPES
296B	1	FRAM LOAM, 1 TO 4 PERCENT SLOPES
314	1	SPOTTSWOOD LOAM
339	1	FORDVILLE LOAM
344	2	BIGSTONE SILTY CLAY LOAM
347	1	MALACHY LOAM
410	1	ATHELWOLD SILT LOAM
418	2	LAMOURE SILTY CLAY LOAM
494B	1	DARNEN LOAM, 1 TO 6 PERCENT SLOPES
694B	1	ZELL SILT LOAM, 2 TO 8 PERCENT SLOPES
698	1	DORAN CLAY LOAM
787	2	FRAM-VALLERS-PARNELL COMPLEX
814	2	HAMERLY-LINDAAS COMPLEX
827B	1	ESMOND-HEIMDAL LOAMS, 2 TO 6 PERCENT SLOPES
900	2	HAMERLY-AAZDAHL-LINDAAS COMPLEX
915B	1	FORMDALE-BUSE CLAY LOAMS, 4 TO 6 PERCENT SLOPES
922	2	HAMERLY-PARNELL COMPLEX
1916	2	LINDAAS SILTY CLAY LOAM
1949	1	GARDENA SILT LOAM
1994	1	EMBDEN LOAM

=====

Bigstone State-Wide Important Farmland List

5/02

Symbol	Mapunit Name
-----	-----

127A	Sverdrup fine sandy loam, 1 to 6 percent slopes
185C	Hattie silty clay, 4 to 10 percent slopes
341	Arvilla loam, 0 to 2 percent slopes
827C2	Esmond-heimdal loams, 6 to 12 percent slopes, eroded
915C2	Buse-formdale clay loams, 6 to 12 percent slopes, eroded

BLUE EARTH COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
18	3	COMFREY CLAY LOAM
27	1	DICKINSON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
27B	1	DICKINSON FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
39	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
39B	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
62	1	BARRINGTON SILT LOAM, 1 TO 3 PERCENT SLOPES
84	2	BROWNTON SILTY CLAY LOAM
85	3	CALCO SILTY CLAY LOAM
86	2	CANISTEO SILTY CLAY LOAM
94	1	TERRIL LOAM, 0 TO 2 PERCENT SLOPES
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
96	2	COLLINWOOD SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
96B	1	COLLINWOOD SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
101B	1	TRUMAN SILT LOAM, 2 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES
105B	1	KAMRAR SILTY CLAY, 2 TO 6 PERCENT SLOPES
106B	1	LESTER LOAM, 2 TO 6 PERCENT SLOPES
109	2	CORDOVA CLAY LOAM
113	2	WEBSTER SILTY CLAY LOAM
128	1	GROGAN SILT LOAM, 1 TO 3 PERCENT SLOPES
128B	1	GROGAN SILT LOAM, 3 TO 6 PERCENT SLOPES
130	1	NICOLLET CLAY LOAM, 1 TO 3 PERCENT SLOPES
136	2	MADELIA SILTY CLAY LOAM
138B2	1	LERDAL SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
140	2	SPICER SILTY CLAY LOAM
160	2	FIELDON LOAM
1801B	1	GROGAN LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES
197	1	KINGSTON SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
229	2	WALDORF SILTY CLAY LOAM
230	2	GUCKEEN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES
238B	1	KILKENNY CLAY LOAM, 2 TO 6 PERCENT SLOPES
239	1	LE SUEUR CLAY LOAM, 1 TO 3 PERCENT SLOPES
248	1	LOMAX LOAM, 1 TO 3 PERCENT SLOPES
259B	1	GRAYS SILT LOAM, 2 TO 8 PERCENT SLOPES
275B	1	OCHEYEDAN LOAM, 2 TO 8 PERCENT SLOPES
281	2	DARFUR LOAM
286	1	SHOREWOOD SILTY CLAY LOAM, 1 TO 6 PERCENT SLOPES
287	2	MINNETONKA SILTY CLAY
310	2	BEAUFORD CLAY
311	1	SHOREWOOD SILTY CLAY, 1 TO 6 PERCENT SLOPES
316	2	BARODA SILTY CLAY LOAM
329	3	CHASKA LOAM
354	1	DORCHESTER LOAM, OCCASIONALLY FLOODED
364	2	MINNETONKA SILTY CLAY LOAM, SILTY SUBSTRATUM
414	2	HAMEL CLAY LOAM, 1 TO 4 PERCENT SLOPES

448	1	SHOREWOOD SILTY CLAY LOAM, SILTY SUBSTRATUM, 1 TO 3 PERCENT SLOPES
451	1	DORCHESTER LOAM, 1 TO 3 PERCENT SLOPES
919	2	CANISTEO-FIELDON LOAMS
926	2	DARFUR-WEBSTER LOAMS
929	2	FIELDON-CANISTEO LOAMS
941	1	KINGSTON-NICOLLET COMPLEX, 1 TO 3 PERCENT SLOPES
947	2	MADELIA-WEBSTER SILTY CLAY LOAMS
968	2	WEBSTER-DARFUR-GRANBY COMPLEX

=====

Blue Earth State-Wide Important Farmland List

Symbol	Mapunit Name
17	MINNEOPA SANDY LOAM
35	BLUE EARTH MUCKY SILT LOAM (where drained)
41	ESTHERVILLE SANDY LOAM, 0 TO 2 PERCENT SLOPES
41B	ESTHERVILLE SANDY LOAM, 2 TO 6 PERCENT SLOPES
69	FEDJI LOAMY FINE SAND, 1 TO 3 PERCENT SLOPES
69B	FEDJI LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES
94C	TERRIL LOAM, 6 TO 15 PERCENT SLOPES
96C	COLLINWOOD SILTY CLAY LOAM, 6 TO 12 PERCENT SLOPES
100	COPASTON LOAM, 1 TO 4 PERCENT SLOPES
101C	TRUMAN SILT LOAM, 6 TO 12 PERCENT SLOPES
102C	CLARION LOAM, 6 TO 12 PERCENT SLOPES
105C	KAMRAR SILTY CLAY, 6 TO 12 PERCENT SLOPES
106C	LESTER LOAM, 6 TO 12 PERCENT SLOPES
138C2	LERDAL SILTY CLAY LOAM, 6 TO 15 PERCENT SLOPES, ERODED
181	LITCHFIELD LOAMY FINE SAND, 1 TO 3 PERCENT SLOPES
222B	LASA FINE SAND, 2 TO 8 PERCENT SLOPES
238C	KILKENNY CLAY LOAM, 6 TO 12 PERCENT SLOPES
363	MINNEOPA LOAMY FINE SAND, OCCASIONALLY FLOODED
524	CARON MUCK (where drained)
525	MUSKEGO MUCK (where drained)
539	PALMS MUCK (where dreained)
548	PALMS MUCK, SANDY SUBSTRATUM (where drained)
856C	TERRIL-URBAN LAND COMPLEX, 6 TO 15 PERCENT SLOPES
909C	BOLD-TRUMAN SILT LOAMS, 6 TO 12 PERCENT SLOPES
920B	CLARION-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES
920C	CLARION-ESTHERVILLE COMPLEX, 6 TO 12 PERCENT SLOPES
921C	CLARION-STORDEN LOAMS, 6 TO 12 PERCENT SLOPES
923	COPASTON-ROCK OUTCROP COMPLEX, 1 TO 4 PERCENT SLOPES
946	LITCHFIELD-NICOLLET COMPLEX, 1 TO 3 PERCENT SLOPES

BROWN COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27A	1	DICKINSON SANDY LOAM, 0 TO 2 PERCENT SLOPES
27B	1	DICKINSON SANDY LOAM, 2 TO 6 PERCENT SLOPES
85	2	CALCO SILTY CLAY LOAM
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, 1 TO 4 PERCENT SLOPES
102B2	1	CLARION LOAM, 3 TO 6 PERCENT SLOPES, ERODED
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE CLAY LOAM
128B	1	GROGAN SILT LOAM, 1 TO 6 PERCENT SLOPES
130	1	NICOLLET CLAY LOAM
134	2	OKOBOJI SILTY CLAY LOAM
136	2	MADELIA SILTY CLAY LOAM
140	2	SPICER SILTY CLAY LOAM
1833	2	COLAND LOAM
1887	2	MILLINGTON CLAY LOAM, SANDY SUBSTRATUM
1912	2	TILFER VARIANT CLAY LOAM
1928	2	HANSKA LOAM, GRAVELLY SUBSTRATUM
1929	2	LEMOND LOAM, GRAVELLY SUBSTRATUM
227	2	LEMOND LOAM
247	1	LINDER SANDY LOAM
269	2	MILLINGTON CLAY LOAM
281	2	DARFUR LOAM
282	2	HANSKA SANDY LOAM
313	1	SPILLVILLE LOAM
336	2	DELFT CLAY LOAM
421B	1	VES LOAM, 1 TO 4 PERCENT SLOPES
421B2	1	VES LOAM, 3 TO 6 PERCENT SLOPES, ERODED
423	1	SEAFORTH LOAM
446	1	NORMANIA LOAM
463	1	MINNEISKA SANDY LOAM
487	1	HOOPESTON SANDY LOAM
518	2	KALMARVILLE SANDY LOAM
574	1	DU PAGE LOAM
603	1	HANLON SANDY LOAM
639	1	RIDGEPORT SANDY LOAM
919	2	LEMOND-CANISTEO COMPLEX
921B2	1	CLARION-STORDEN LOAMS, 3 TO 6 PERCENT SLOPES, ERODED
929	2	FIELDON-CANISTEO COMPLEX
954B2	1	VES-STORDEN LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
968	2	HANSKA-WEBSTER COMPLEX

=====

Brown State-Wide Important Farmland List

Symbol	Mapunit Name
35	BLUE EARTH MUCKY SILT LOAM (where drained)
41A	ESTHERVILLE SANDY LOAM, 0 TO 2 PERCENT SLOPES
41B	ESTHERVILLE SANDY LOAM, 2 TO 6 PERCENT SLOPES
94C	TERRIL LOAM, 6 TO 12 PERCENT SLOPES
1829B	RIDGEPORT VARIANT LOAM, 0 TO 6 PERCENT SLOPES
1930	DICKMAN SANDY LOAM, MODERATELY WET

247	LINDER SANDY LOAM
327A	DICKMAN SANDY LOAM, 0 TO 2 PERCENT SLOES
327B	DICKMAN SANDY LOAM, 2 TO 6 PERCENT SLOPES
386	OKOBOJI MUCK (where drained)
495	ZUMBRO LOAMY SAND
539	PALMS MUCK (where drained)
639	RIDGEPORT SANDY LOAM
820B	DICKMAN-CLARION COMPLEX, 2 TO 6 PERCENT SLOPES
920B	CLARION-ESTHERVILLE-STORDEN COMPLEX, 2 TO 6 PERCENT SLOPES
920C	CLARION-ESTHERVILLE-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES
921C2	CLARION-STORDEN LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
946	DICKMAN-NICOLLET COMPLEX
954C2	VES-STORDEN LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
999B	VES-STORDEN-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES
999C	VES-STORDEN-ESTHERVILLE COMPLEX, 6 TO 12 PERCENT SLOPES

CARLTON COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
21	1	AHMEEK LOAM, 0 TO 2 PERCENT SLOPES
43	1	AUTOMBA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
43B	1	AUTOMBA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
147	2	SPOONER SILT LOAM
204	1	CUSHING FINE SANDY LOAM
254	1	HIBBING SILT LOAM, 0 TO 2 PERCENT SLOPES
292	1	ALSTAD FINE SANDY LOAM
367	1	CAMPIA SILT LOAM, 0 TO 2 PERCENT SLOPES
502	2	DUSLER SILT LOAM
504	1	DULUTH VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
975	1	AHMEEK-OMEGA COMPLEX, 0 TO 2 PERCENT SLOPES

=====

Carlton State-Wide Important Farmland List

Symbol	Mapunit Name
21C	AHMEEK LOAM, 2 TO 12 PERCENT SLOPES
254C	HIBBING SILT LOAM, 2 TO 12 PERCENT SLOPES
268	CROMWELL SANDY LOAM, 0 TO 2 PERCENT SLOPES
268B	CROMWELL SANDY LOAM, 2 TO 6 PERCENT SLOPES
303	ONTONAGON SILTY CLAY, 0 TO 2 PERCENT SLOPES
303C	ONTONAGON SILTY CLAY, 2 TO 12 PERCENT SLOPES
355	CLOQUET FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
367C	CAMPIA SILT LOAM, 2 TO 12 PERCENT SLOPES
504C	DULUTH VERY FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
975C	AHMEEK-OMEGA COMPLEX, 2 TO 12 PERCENT SLOPES
976C	CAMPIA-ONTONAGON COMPLEX, 2 TO 12 PERCENT SLOPES

CARVER COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
AA	1	KASOTA SANDY LOAM, 0 TO 2 PERCENT SLOPES
AB2	1	KASOTA SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
BA	1	KASOTA LOAM, 0 TO 2 PERCENT SLOPES
BB2	1	KASOTA LOAM, 2 TO 6 PERCENT SLOPES, ERODED
BY	2	BISCAY LOAM
CH	3	CHASKA LOAM, OCCASIONALLY FLOODED
CL	2	COLAND CLAY LOAM, OCCASIONALLY FLOODED
CO	2	CORDOVA CLAY LOAM
CS	2	CANISTEO SILTY CLAY LOAM, DEPRESSIONAL
CT	2	CANISTEO CLAY LOAM
CW	2	CORDOVA-WEBSTER COMPLEX
FA	1	FAIRHAVEN SILT LOAM, 0 TO 2 PERCENT SLOPES
FB	1	FAIRHAVEN SILT LOAM, 2 TO 6 PERCENT SLOPES
GL	2	GLENCOE CLAY LOAM
HM	2	HAMEL LOAM
HN	1	HANLON LOAM
KB	1	KILKENNY-LESTER LOAMS, 2 TO 6 PERCENT SLOPES
KB2	1	LESTER-KILKENNY LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
LA	1	LE SUEUR-LESTER LOAMS, 1 TO 4 PERCENT SLOPES
LB2	1	LESTER LOAM, 2 TO 6 PERCENT SLOPES
LS	1	LE SUEUR LOAM
MN	1	MINNEISKA LOAM
MY	2	MAYER LOAM
RW	1	RICHWOOD SILT LOAM
SV	1	SPILLVILLE LOAM, OCCASIONALLY FLOODED
TB	1	TERRIL LOAM, 0 TO 6 PERCENT SLOPES
TT	2	TALCOT SILTY CLAY LOAM
WA	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
WB	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES

=====

Carver State-Wide Important Farmland List

8/99

Symbol	Mapunit Name
CC3	Lester clay loam, 6 to 12 percent slopes, severely eroded
DA	Dakota and Rasset sandy loams, 0 to 2 percent slopes
DB	Dakota and Rasset sandy loams, 2 to 6 percent slopes
EA	Estherville sandy loam, 0 to 2 percent slopes
EB	Estherville sandy loam, 2 to 6 percent slopes
EB2	Estherville sandy loam, 2 to 6 percent slopes, eroded
FC2	Fairhaven silt loam, 6 to 12 percent slopes, eroded
IA	Dickman sandy loam, 0 to 2 percent slopes
IB2	Dickman sandy loam, 2 to 6 percent slopes, eroded
KC	Lester-Kilkenny loams, 6 to 12 percent slopes
KC2	Lester-Kilkenny loams, 6 to 12 percent slopes, eroded
LC	Lester loam, 6 to 12 percent slopes
LC2	Lester loam, 6 to 12 percent slopes, eroded
NC3	Lester-Kilkenny clay loams, 6 to 12 percent slopes, severely eroded
RB	Rasset sandy loam, 0 to 6 percent slopes
SC2	Lester-Storden complex, 6 to 12 percent slopes, eroded

TC	Terril loam, 6 to 12 percent slopes
WC2	Wadena loam, 6 to 12 percent slopes, eroded
XB	Rasset-Lester complex, 2 to 6 percent slopes
XC	Rasset-Lester complex, 6 to 12 percent slopes
XC2	Rasset-Lester complex, 6 to 12 percent slopes, eroded
YB	Rasset-Lester-Kilkenny complex, 2 to 6 percent slopes
YC	Rasset-Lester-Kilkenny complex, 6 to 12 percent slopes
YC2	Rasset-Lester-Kilkenny complex, 6 to 12 percent slopes, eroded

CASS COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
142	2	NOKAY LOAM
144B	1	FLAK SANDY LOAM, 3 TO 8 PERCENT SLOPES
146B	1	WABEDO SANDY LOAM, 1 TO 6 PERCENT SLOPES
147	2	SPOONER VERY FINE SANDY LOAM
167B	1	BAUDETTE SILT LOAM, 1 TO 6 PERCENT SLOPES
204B	1	CUSHING LOAM, 2 TO 8 PERCENT SLOPES
240A	1	WARBA VERY FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES MODERATELY WET
240B	1	WARBA VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
243	2	STUNTZ VERY FINE SANDY LOAM
292	2	ALSTAD FINE SANDY LOAM
684	1	BERGKELLER SANDY LOAM, MODERATELY WET
703	2	PADDOCK LOAMS
720B	1	BLOWERS SANDY LOAM, 1 TO 5 PERCENT SLOPES
870B	1	ITASCA-GOODLAND COMPLEX, 1 TO 8 PERCENT SLOPES
1151B	1	BLOWERS SANDY LOAM, ACID SUBSTRATUM, 1 TO 5 PERCENT SLOPES
1157	2	PADDOCK LOAM, ACID SUBSTRATUM

=====

Cass State-Wide Important Farmland List

Symbol	Mapunit Name
82B	Redeye loamy sand, 1 to 6 percent slopes
82C	Redeye loamy sand, 6 to 12 percent slopes
119B	Pomroy loamy sand, 3 to 8 percent slopes
139B	Huntersville loamy fine sand, 1 to 6 percent slopes
144C	Flak sandy loam, 8 to 15 percent slopes
204C	Cushing loam, 8 to 15 percent slopes
218	Watab loamy sand
240C	Warba very fine sandy loam, 8 to 15 percent slopes
268B	Cromwell sandy loam, 8 to 15 percent slopes
453B	Demontreville loamy sand, 2 to 8 percent slopes
620B	Cutaway loamy sand, 1 to 10 percent slopes
730A	Sanburn sandy loam, 1 to 3 percent slopes
730B	Sanburn sandy loam, 3 to 8 percent slopes
731A	Sanburn loamy sand, 0 to 3 percent slopes
731B	Sanburn loamy sand, 3 to 8 percent slopes
732	Bushville loamy sand, 1 to 3 percent slopes
773B	Warba-Cromwell complex, 1 to 8 percent slopes
870C	Itasca-Goodland complex, 8 to 15 percent slopes
928B	Demontreville-Mahtomedi-Cushing complex, 2 to 8 percent slopes
928C	Demontreville-Mahtomedi-Cushing complex, 8 to 15 percent slopes
1141	Runeburg loam, acid substratum, depressional
1153B	Huntersville loamy sand, acid substratum, 1 to 6 percent slopes
1155	Staples loamy sand, acid substratum
1160B	Redeye loamy sand, acid substratum, 1 to 6 percent slopes
1160C	Redeye loamy sand, acid substratum, 6 to 12 percent slopes
1956	Staples loamy sand
1957B	Friendship loamy sand, loamy substratum, 1 to 6 percent slopes
1995B	Bergkeller sandy loam, 1 to 6 percent slopes
1996	Cromwell sandy loam, moderately wet

CHIPPEWA COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
60	1	GLYNDON SILT LOAM
85	2	CALCO SILTY CLAY LOAM
89	2	MCDONALDSVILLE SILTY CLAY
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
113	2	WEBSTER SILTY CLAY LOAM
141A	1	EGELAND SANDY LOAM, 0 TO 2 PERCENT SLOPES
141B	1	EGELAND SANDY LOAM, 2 TO 6 PERCENT SLOPES
234	2	TONKA SILTY CLAY LOAM
246	2	MARYSLAND LOAM
290B	1	ROTHSAY LOAM, 2 TO 6 PERCENT SLOPES
324B	1	TORNING VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
338	1	WAUBAY SILTY CLAY LOAM
339A	1	FORDVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES
339B	1	FORDVILLE LOAM, 2 TO 6 PERCENT SLOPES
344	2	QUAM SILTY CLAY LOAM
371	1	CLONTARF FINE SANDY LOAM
421B	1	VES LOAM, 2 TO 6 PERCENT SLOPES
423	1	SEAFORTH SILT LOAM
434	2	PERELLA SILTY CLAY LOAM
444	2	CANISTEO SILTY CLAY LOAM
574	3	DU PAGE LOAM
591B	1	DOLAND SILT LOAM, 2 TO 6 PERCENT SLOPES
597	1	TARA SILTY CLAY LOAM
847	2	COLVIN-SPICER SILTY CLAY LOAMS
881	2	GLYNDON-QUAM SILTY CLAY LOAMS
891B2	1	DOLAND-SWANLAKE COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED
957B2	1	ROTHSAY-ZELL COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED
1802	2	SPICER-QUAM SILTY CLAY LOAMS
1866	2	PERELLA-COLVIN SILTY CLAY LOAMS

=====

Chippewa State-Wide Important Farmland List

Symbol	Mapunit Name
127A	Sverdrup fine sandy loam, 0 to 2 percent slopes
127B	Sverdrup fine sandy loam, 2 to 6 percent slopes
341B	Arvilla sandy loam, 1 to 6 percent slopes
891C2	Doland-swanlake complex, 6 to 12 percent slopes, eroded
957C2	Rothsay-zell complex, 6 to 12 percent slopes, eroded

CHISAGO COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
40B	1	NEBISH LOAM, 2 TO 6 PERCENT SLOPES
182	2	HALDER SANDY LOAM
204B	1	CUSHING LOAM, 2 TO 6 PERCENT SLOPES
292	1	ALSTAD LOAM
346	2	TALMOON LOAM
677	2	SIREN SILT LOAM
678	1	BELTRAMI LOAM, THICK SOLUM
717B	1	NOVAK SILT LOAM, 0 TO 6 PERCENT SLOPES

=====

Chisago State-Wide Important Farmland List

July, 1999

Symbol	Mapunit Name
40C	NEBISH LOAM, 6 TO 12 PERCENT SLOPES
119B	POMROY LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES
155B	CHETEK SANDY LOAM, 1 TO 6 PERCENT SLOPES
159B	ANOKA LOAMY VERY FINE SAND, 1 TO 6 PERCENT SLOPES
162	LINO LOAMY FINE SAND
169B	BRAHAM LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES
204C	CUSHING LOAM, 6 TO 12 PERCENT SLOPES
265	SODERVILLE LOAMY FINE SAND
565	ECKVOLL LOAMY SAND
928B	MAHTOMEDI-CUSHING COMPLEX, 2 TO 6 PERCENT SLOPES

CLAY COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
33B	1	BARNES LOAM, 1 TO 3 PERCENT SLOPES
33B2	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES, ERODED
36	2	FLOM CLAY LOAM
38B	1	WAUKON FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
38B2	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES, ERODED
46	2	BORUP LOAM
47	2	COLVIN SILTY CLAY LOAM
50	3	CASHEL SILTY CLAY
52	2	AUGSBURG SILT LOAM
56	2	FARGO SILTY CLAY LOAM
57A	2	FARGO SILTY CLAY, 0 TO 2 PERCENT SLOPES
57B	2	FARGO SILTY CLAY, 2 TO 6 PERCENT SLOPES
58A	1	KITTSO FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
58B	1	KITTSO LOAM, 1 TO 5 PERCENT SLOPES
59	2	GRIMSTAD FINE SANDY LOAM
60A	2	GLYNDON LOAM, 0 TO 2 PERCENT SLOPES
60B2	2	GLYNDON LOAM, 2 TO 6 PERCENT SLOPES, ERODED
63	2	ROCKWELL CLAY LOAM
67A	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
67B2	1	BEARDEN SILT LOAM, 2 TO 6 PERCENT SLOPES, ERODED
93	1	BEARDEN SILTY CLAY LOAM
157A	1	WAHPETON SILTY CLAY, 0 TO 2 PERCENT SLOPES
157B	1	WAHPETON SILTY CLAY, 2 TO 6 PERCENT SLOPES
180B	1	GONVICK CLAY LOAM, 1 TO 4 PERCENT SLOPES
184B	2	HAMERLY LOAM, 1 TO 4 PERCENT SLOPES
236	2	VALLERS LOAM
293B	1	SWENODA SANDY LOAM, 1 TO 4 PERCENT SLOPES
343A	2	WHEATVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES
343B2	2	WHEATVILLE LOAM, 2 TO 6 PERCENT SLOPES, ERODED
403	2	VIKING SANDY CLAY LOAM
425	1	DONALDSON FINE SANDY LOAM
429	2	NORTHCOTE CLAY
494	1	DARNEN LOAM
506	1	OVERLY SILTY CLAY LOAM
508	2	WYNDMERE FINE SANDY LOAM
510	1	ELMVILLE FINE SANDY LOAM
903B	1	BARNES-LANGHEI LOAMS, 1 TO 6 PERCENT SLOPES
908	2	BEARDEN-FARGO COMPLEX
935	2	HEGNE-FARGO SILTY CLAYS
967B2	1	WAUKON-LANGHEI LOAMS, 1 TO 6 PERCENT SLOPES, ERODED
1819	2	GLYNDON SILTY CLAY LOAM
1871	2	FARGO SILTY CLAY, SWALES
1872	2	FARGO SILTY CLAY, SILTY SUBSTRATUM
1873	2	FARGO SILTY CLAY, SILTY SUBSTRATUM, SWALES
1876	1	DIVIDE LOAM, LOAMY SUBSTRATUM

=====

Clay State-Wide Important Farmland List

Symbol	Mapunit Name
33C2	BARNES LOAM, 6 TO 12 PERCENT SLOPES, ERODED
38C	WAUKON FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES

38C2	WAUKON LOAM, 6 TO 12 PERCENT SLOPES, ERODED
61	ARVESON CLAY LOAM
64	ULEN FINE SANDY LOAM
65	FOXHOME FINE SANDY LOAM
127B	SVERDRUP SANDY LOAM, 1 TO 4 PERCENT SLOPES
157C	WAHPETON SILTY CLAY, 6 TO 12 PERCENT SLOPES
335	URNESS MUCKY SILT LOAM
344	QUAM CLAY LOAM
413	OSAKIS LOAM
426	FOLDAHL LOAMY FINE SAND
609	DICKEY LOAMY FINE SAND
892B	SIOUX-SVERDRUP COMPLEX, 1 TO 6 PERCENT SLOPES
942C2	LANGHEI-BARNES LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
966C	WAUKON-SIOUX SANDY LOAMS, 4 TO 12 PERCENT SLOPES
979C2	LANGHEI-WAUKON LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
987	ROCKWELL LOAM, DEPRESSIONAL
1875	FLOM CLAY LOAM, DEPRESSIONAL

CLEARWATER COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
20B	1	CHAPETT FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
38B	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES
40B	1	NEBISH LOAM, 2 TO 8 PERCENT SLOPES
63	2	ROCKWELL LOAM
121	1	WYKEHAM FINE SANDY LOAM
125	1	BELTRAMI LOAM
133B	1	DALBO SILT LOAM, 2 TO 8 PERCENT SLOPES
167A	1	BAUDETTE SILT LOAM
180	1	GONVICK LOAM
267B	1	SNELLMAN SANDY LOAM, 2 TO 8 PERCENT SLOPES
346	2	TALMOON LOAM
439	2	STRATHCONA FINE SANDY LOAM
505B	1	DEBS SILT LOAM, 2 TO 8 PERCENT SLOPES
582	2	ROLISS LOAM
650	1	REINER FINE SANDY LOAM
672	2	WILLOSIPPI LOAM
709B	1	LENGBY FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES
713	1	LINVELDT FINE SANDY LOAM
718B	1	NAYTAHWAUSH LOAM, 2 TO 8 PERCENT SLOPES
737	1	MAHKONCE LOAM
765	2	SMILEY LOAM
767	2	AUGANAUSH LOAM
1164	1	ZERKEL LOAM
1166B	1	MOOSECREEK FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES
1200	2	EGGLAKE LOAM
1272B	1	SOL FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
1294	1	NARY FINE SANDY LOAM

=====

Clearwater State-Wide Important Farmland List

Symbol	Mapunit Name
20C2	CHAPETT FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
38C2	WAUKON LOAM, 6 TO 12 PERCENT SLOPES, ERODED
40C	NEBISH LOAM, 8 TO 15 PERCENT SLOPES
133C	DALBO SILT LOAM, 8 TO 15 PERCENT SLOPES
169B	BRAHAM LOAMY FINE SAND, 2 TO 8 PERCENT SLOPES
205	KARLSTAD SANDY LOAM
267C	SNELLMAN SANDY LOAM, 8 TO 15 PERCENT SLOPES
272	BEMIDJI LOAMY SAND
426	FOLDAHL LOAMY FINE SAND
481	KRATKA FINE SANDY LOAM
496B	ANDRUSIA LOAMY SAND, 1 TO 6 PERCENT SLOPES
496C	ANDRUSIA LOAMY SAND, 6 TO 12 PERCENT SLOPES
505C	DEBS SILT LOAM, 8 TO 15 PERCENT SLOPES
565	ECKVOLL LOAMY FINE SAND
709C	LENGBY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
712	ROSEWOOD FINE SANDY LOAM
718C	NAYTAHWAUSH LOAM, 8 TO 15 PERCENT SLOPES
775B	SUGARBUSH-TWO INLETS COMPLEX, 1 TO 8 PERCENT SLOPES

776B	SNELLMAN-SUGARBUSH COMPLEX, 2 TO 8 PERCENT SLOPES
776C	SNELLMAN-SUGARBUSH COMPLEX, 8 TO 15 PERCENT SLOPES
1152B	SUGARBUSH LOAMY SAND, 1 TO 8 PERCENT SLOPES
1272C	SOL FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
1878	HAMRE MUCK, drained

COOK COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
21A	1	AHMEEK LOAM, 0 TO 2 PERCENT SLOPES
21B	1	AHMEEK LOAM, 2 TO 6 PERCENT SLOPES
254B	1	HIBBING LOAM, 2 TO 6 PERCENT SLOPES
502	2	DUSLER SILT LOAM
504A	1	DULUTH VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
504B	1	DULUTH VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
512A	1	AMASA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
512B	1	AMASA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
695B	1	FINLAND LOAM, 2 TO 6 PERCENT SLOPES
696	2	HERMANTOWN SILT LOAM
714	2	BUHL LOAM

=====

Cook State-Wide Important Farmland List

Symbol	Mapunit Name
21BC	AHMEEK LOAM, 2 TO 12 PERCENT SLOPES
21C	AHMEEK LOAM, 6 TO 12 PERCENT SLOPES
254BC	HIBBING LOAM, 2 TO 12 PERCENT SLOPES
254C	HIBBING LOAM, 6 TO 12 PERCENT SLOPES
303A	ONTONAGON SILTY CLAY, 0 TO 2 PERCENT SLOPES
303B	ONTONAGON SILTY CLAY, 2 TO 6 PERCENT SLOPES
303BC	ONTONAGON SILTY CLAY, 2 TO 12 PERCENT SLOPES
303C	ONTONAGON SILTY CLAY, 6 TO 12 PERCENT SLOPES
355A	CLOQUET FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
355B	CLOQUET FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
355BC	CLOQUET FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
504BC	DULUTH VERY FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
504C	DULUTH VERY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
512C	AMASA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
695C	FINLAND LOAM, 6 TO 12 PERCENT SLOPES
697B	TOIMI SANDY LOAM, 2 TO 6 PERCENT SLOPES
1340A	ONTONAGON-OMEGA COMPLEX, 0 TO 2 PERCENT SLOPES
1340B	ONTONAGON-OMEGA COMPLEX, 2 TO 6 PERCENT SLOPES
1340C	ONTONAGON-OMEGA COMPLEX, 6 TO 12 PERCENT SLOPES

COTTONWOOD COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
101B	1	TRUMAN SILT LOAM, 2 TO 8 PERCENT SLOPES
102B	1	CLARION LOAM, 2 TO 4 PERCENT SLOPES
110	2	MARNA SILTY CLAY
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE CLAY LOAM
128B	1	GROGAN FINE SANDY LOAM, 1 TO 8 PERCENT SLOPES
130	1	NICOLLET CLAY LOAM
136	2	MADELIA SILTY CLAY LOAM
140	2	SPICER SILT LOAM
149B	1	EVERLY CLAY LOAM, 2 TO 6 PERCENT SLOPES
197	1	KINGSTON SILT LOAM
211	2	LURA SILTY CLAY
214	2	TALCOT SILTY CLAY LOAM
230	1	GUCKEEN SILTY CLAY LOAM
241	2	LETRI CLAY LOAM
247	1	LINDER LOAM
255	2	MAYER LOAM
291	1	RANSOM SILTY CLAY LOAM
304	2	RUSHMORE SILTY CLAY LOAM
313	3	SPILLVILLE LOAM, OCCASSIONALLY FLOODED
319	2	BARBERT SILT LOAM
345	1	WILMONTON CLAY LOAM
392	2	BISCAY LOAM
421B	1	VES LOAM, 2 TO 6 PERCENT SLOPES
446	1	NORMANIA LOAM
588B	1	CLARION VARIANT LOAM, 2 TO 6 PERCENT SLOPES
589	2	ROMNELL CLAY LOAM
590B	1	JEFFERS VARIANT CLAY LOAM, 2 TO 4 PERCENT SLOPES
594	2	JEFFERS CLAY LOAM
595B	1	SWANLAKE LOAM, 2 TO 6 PERCENT SLOPES
884	2	WEBSTER-DELFT CLAY LOAMS
886	1	NICOLLET-CRIPPIN CLAY LOAMS
887B	1	CLARION-SWANLAKE LOAMS, 3 TO 6 PERCENT SLOPES
1833	3	COLAND CLAY LOAM, OCCASIONALLY FLOODED
1835B	1	GERMANTOWN CLAY LOAM, 1 TO 6 PERCENT SLOPES

=====

Cottonwood State-Wide Important Farmland List

Symbol	Mapunit Name
41A	Estherville sandy loam, 0 to 2 percent slopes
41B	Estherville sandy loam, 2 to 6 percent slopes
327A	Dickman sandy loam, 0 to 2 percent slopes
327B	Dickman sandy loam, 2 to 6 percent slopes
595C	Swanlake loam, 6 to 12 percent slopes
885B	Swanlake-salida complex, 2 to 6 percent slopes
885C	Swanlake-salida complex, 6 to 12 percent slopes
887C	Clarion-swanlake loams, 6 to 12 percent slopes

CROW WING COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
BbA	1	BRAINERD SANDY LOAM, 0 TO 2 PERCENT SLOPES
BbB	1	BRAINERD SANDY LOAM, 2 TO 7 PERCENT SLOPES
Ha	1	HALDER LOAM
HbB	1	HIBBING SILT LOAM, 2 TO 7 PERCENT SLOPES
NoA	2	NOKAY SANDY LOAM, 0 TO 2 PERCENT SLOPES
NoB	2	NOKAY SANDY LOAM, 2 TO 7 PERCENT SLOPES

=====

Crow Wing State-Wide Important Farmland List

Symbol	Mapunit Name
BbC	BRAINERD SANDY LOAM, 7 TO 13 PERCENT SLOPES
BcB	BRAINERD-CHETEK COMPLEX, 2 TO 7 PERCENT SLOPES
BcC	BRAINERD-CHETEK COMPLEX, 7 TO 13 PERCENT SLOPES
BuA	BURKHARDT SANDY LOAM, 0 TO 2 PERCENT SLOPES
BuB	BURKHARDT SANDY LOAM, 2 TO 7 PERCENT SLOPES
ChA	CHETEK SANDY LOAM, 0 TO 2 PERCENT SLOPES
ChB	CHETEK SANDY LOAM, 2 TO 7 PERCENT SLOPES
Lo	LINO LOAMY SAND
PoA	POMROY LOAMY SAND, 0 TO 2 PERCENT SLOPES
PoB	POMROY LOAMY SAND, 2 TO 7 PERCENT SLOPES

DAKOTA COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
2B	1	OSTRANDER LOAM, 1 TO 6 PERCENT SLOPES
27A	1	DICKINSON SANDY LOAM, 0 TO 2 PERCENT SLOPES
27B	1	DICKINSON SANDY LOAM, 2 TO 6 PERCENT SLOPES
39A	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
39B	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
39B2	1	WADENA LOAM, 1 TO 6 PERCENT SLOPES, ERODED
49B	1	ANTIGO SILT LOAM, 1 TO 8 PERCENT SLOPES
98	3	COLO SILT LOAM, OCCASIONALLY FLOODED
106B	1	LESTER LOAM, 2 TO 6 PERCENT SLOPES
109	2	CORDOVA SILTY CLAY LOAM
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE SILTY CLAY LOAM
129	1	CYLINDER LOAM
150B	1	SPENCER SILT LOAM, 2 TO 6 PERCENT SLOPES
176	2	GARWIN SILTY CLAY LOAM
1816	1	KENNEBEC VARIANT SILT LOAM
1827A	1	WAUKEGAN SILT LOAM, BEDROCK SUBSTRATUM, 0 TO 2 PERCENT SLOPES
1827B	1	WAUKEGAN SILT LOAM, BEDROCK SUBSTRATUM, 2 TO 6 PERCENT SLOPES
1894B	1	WINNEBAGO LOAM, 2 TO 6 PERCENT SLOPES
1895B	1	CARMI LOAM, 2 TO 8 PERCENT SLOPES
1896B	1	OSTRANDER-CARMI LOAMS, 2 TO 6 PERCENT SLOPES
1902B	1	JEWETT SILT LOAM, 1 TO 6 PERCENT SLOPES
203B	1	JOY SILT LOAM, 1 TO 5 PERCENT SLOPES
208	2	KATO SILTY CLAY LOAM
213B	1	KLINGER SILT LOAM, 1 TO 5 PERCENT SLOPES
226	1	LAWSON SILT LOAM
239	1	LE SUEUR LOAM
250	1	KENNEBEC SILT LOAM
252	2	MARSHAN SILTY CLAY LOAM
253	2	MAXCREEK SILTY CLAY LOAM
255	2	MAYER SILT LOAM
279B	1	OTTERHOLT SILT LOAM, 1 TO 6 PERCENT SLOPES
285A	1	PORT BYRON SILT LOAM, 0 TO 2 PERCENT SLOPES
285B	1	PORT BYRON SILT LOAM, 2 TO 6 PERCENT SLOPES
299A	1	ROCKTON LOAM, 0 TO 2 PERCENT SLOPES
299B	1	ROCKTON LOAM, 2 TO 6 PERCENT SLOPES
301B	1	LINDSTROM SILT LOAM, 1 TO 4 PERCENT SLOPES
313	1	SPILLVILLE LOAM, OCCASIONALLY FLOODED
318	2	MAYER LOAM, SWALES
320B	1	TALLULA SILT LOAM, 2 TO 6 PERCENT SLOPES
342B	1	KINGSLEY SANDY LOAM, 3 TO 8 PERCENT SLOPES
377B	1	MERTON SILT LOAM, 1 TO 6 PERCENT SLOPES
378	2	MAXFIELD SILTY CLAY LOAM
382B	1	BLOOMING SILT LOAM, 1 TO 6 PERCENT SLOPES
409B	1	ETTER FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
411A	1	WAUKEGAN SILT LOAM, 0 TO 1 PERCENT SLOPES
411B	1	WAUKEGAN SILT LOAM, 1 TO 6 PERCENT SLOPES
414	2	HAMEL SILT LOAM
449B	1	CRYSTAL LAKE SILT LOAM, 1 TO 8 PERCENT SLOPES
463	1	MINNEISKA LOAM, OCCASIONALLY FLOODED
888B	1	KINGSLEY-LESTER COMPLEX, 2 TO 6 PERCENT SLOPES
895B	1	KINGSLEY-MAHTOMEDI-SPENCER COMPLEX, 3 TO 8 PERCENT SLOPES

=====

Dakota State-Wide Important Farmland List

8/99

Symbol	Mapunit Name
-----	-----
2C	Ostrander loam, 6 to 12 percent slopes
39C	Wadena loam, 6 to 12 percent slopes
39C2	Wadena loam, 6 to 12 percent slopes
41A	Estherville sandy loam, 0 to 2 percent slopes
41B	Estherville sandy loam, 2 to 6 percent slopes
94C	Terril loam, 4 to 12 percent slopes
100A	Copaston loam, 0 to 2 percent slopes
100B	Copaston loam, 2 to 6 percent slopes
106C	Lester loam, 6 to 12 percent slopes
106C2	Lester loam, 6 to 12 percent slopes
155B	Chetek sandy loam, 3 to 8 percent slopes
279C	Otterholt silt loam, 6 to 15 percent slopes
285C	Port Byron silt loam, 6 to 12 percent slopes
299C	Rockton loam, 6 to 12 percent slopes
320C2	Tallula silt loam, 6 to 12 percent slopes, eroded
342C	Kingsley sandy loam, 8 to 15 percent slopes
411C	Waukegan silt loam, 6 to 12 percent slopes
415A	Kanaranzi loam, 0 to 2 percent slopes
415B	Kanaranzi loam, 2 to 6 percent slopes
888C	Kingsley-Lester complex, 6 to 12 percent slopes
889B	Wadena-Hawick complex, 2 to 6 percent slopes
889C	Wadena-Hawick complex, 6 to 12 percent slopes
895C	Kingsley-Mahtomedi-Spencer complex, 8 to 15 percent slopes
963C2	Timula-Bold silt loams, 6 to 12 percent slopes, eroded
1827C	Waukegan silt loam, bedrock substratum, 6 to 12 percent slopes

Dodge County, Minnesota

Prime Farmland List

Symbol	Mapunit Name
Ad	Alluvial land
BbA	Bixby loam, 0 to 2 percent slopes
BbB2	Bixby loam, 2 to 6 percent slopes, eroded
BxA	Bixby loam, shallow, 0 to 2 percent slopes
BxB2	Bixby loam, shallow, 2 to 6 percent slopes, eroded
Ca	Canisteo silty clay loam (where drained)
Cb	Canisteo silty clay loam, coarse substratum (where drained)
ChA	Chaseburg silt loam, 0 to 2 percent slopes
ChB	Chaseburg silt loam, 2 to 6 percent slopes
CsA	Clyde silty clay loam, 0 to 2 percent slopes (where drained)
DaA	Dakota sandy loam, 0 to 2 percent slopes
DaB2	Dakota sandy loam, 2 to 6 percent slopes, moderately eroded
DoA	Downs silt loam, 0 to 2 percent slopes
DoB	Downs silt loam, 2 to 6 percent slopes
DoB2	Downs silt loam, 2 to 6 percent slopes, moderately eroded
FaA	Fayette silt loam, 0 to 2 percent slopes
FaB	Fayette silt loam, 2 to 6 percent slopes
FaB2	Fayette silt loam, 2 to 6 percent slopes, moderately eroded
FtB	Floyd silty clay loam, 2 to 6 percent slopes
Fy	Floyd and Clyde silty clay loams
HaA	Hayfield silt loam, 0 to 2 percent slopes
HaB	Hayfield silt loam, 2 to 6 percent slopes
JuA	Judson silt loam, 0 to 2 percent slopes
JuB	Judson silt loam, 2 to 6 percent slopes
KaA	Kasson silt loam, 0 to 2 percent slopes
KaB	Kasson silt loam 2 to 6 percent slopes
KaB2	Kasson silt loam, 2 to 6 percent slopes, moderately eroded
Kc	Kato silty clay loam (where drained)
KnA	Kenyon silt loam, 0 to 2 percent slopes
KnB	Kenyon silt loam, 2 to 6 percent slopes
KnB2	Kenyon silt loam, 2 to 6 percent slopes, moderately eroded
Lo	Lawson and Orion silt loams
Ma	Marshan silty clay loam (where drained)
OsA	Ostrander silt loam, 0 to 2 percent slopes
OsB	Ostrander silt loam, 2 to 6 percent slopes
OsB2	Ostrander silt loam, 2 to 6 percent slopes, moderately eroded
RaA	Racine silt loam, 0 to 2 percent slopes
RaB	Racine silt loam, 2 to 6 percent slopes
RaB2	Racine silt loam, 2 to 6 percent slopes, moderately eroded
RcB3	Racine soils, 2 to 6 percent slopes, severely eroded
ReA	Renova silt loam, 0 to 2 percent slopes
ReB	Renova silt loam, 2 to 6 percent slopes
ReB2	Renova silt loam, 2 to 6 percent slopes, moderately eroded
RfB3	Renova soils, 2 to 6 percent slopes, severely eroded
RoB2	Rockton silt loam, 2 to 6 percent slopes, moderately eroded
RpA	Rockton silt loam, moderately deep, 0 to 2 percent slopes
RpB	Rockton silt loam, moderately deep, 2 to 6 percent slopes
SaA	Sargeant silt loam, 0 to 2 percent slopes (where drained)
SeB	Seaton silt loam, 2 to 6 percent slopes
SeB2	Seaton silt loam, 2 to 6 percent slopes, moderately eroded
SkA	Skyberg silt loam, 0 to 2 percent slopes (where drained)
SkB	Skyberg silt loam, 2 to 6 percent slopes
TaA	Tama silt loam, 0 to 2 percent slopes
TaB	Tama silt loam, 2 to 6 percent slopes

TaB2	Tama silt loam, 2 to 6 percent slopes, moderately eroded
ThB2	Thurston loam, 2 to 6 percent slopes, moderately eroded
ThB3	Thurston loam, 2 to 6 percent slopes, severely eroded
TtA	Thurston and Dickinson loams, 0 to 2 percent slopes
TtB	Thurston and Dickinson loams, 2 to 6 percent slopes
Ud	Udolpho silt loam (where drained)
VaA	Vlasaty silt loam, 0 to 2 percent slopes
VaB	Vlasaty silt loam, 2 to 6 percent slopes
VaB2	Vlasaty silt loam, 2 to 6 percent slopes, moderately eroded
WaA	Waukegan silt loam, 0 to 2 percent slopes
WaB	Waukegan silt loam, 2 to 6 percent slopes
WaB2	Waukegan silt loam, 2 to 6 percent slopes, moderately eroded
WdA	Waukegan silt loam, deep, 0 to 2 percent slopes
WkA	Waukegan silt loam, thick surface variant, 0 to 2 percent slopes
WnB	Whalan silt loam, 2 to 6 percent slopes
WnB2	Whalan silt loam, 2 to 6 percent slopes, moderately eroded
WoB	Whalan silt loam, moderately deep, 2 to 6 percent slopes
WoB2	Whalan silt loam, moderately deep, 2 to 6 percent slopes, moderately eroded
WsB3	Whalan soils, moderately deep, 2 to 6 percent slopes, severely eroded
WuA	Wykoff loam, 0 to 2 percent slopes
WuB	Wykoff loam, 2 to 6 percent slopes
WuB2	Wykoff loam, 2 to 6 percent slopes, moderately eroded
WyB	Wykoff soils, 2 to 6 percent slopes
WyB2	Wykoff soils, 2 to 6 percent slopes, moderately eroded

=====

Dodge State-Wide Important Farmland List

Symbol	Mapunit Name
DoC2	DOWNS SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
DoC3	DOWNS SILT LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
FaC	FAYETTE SILT LOAM, 6 TO 12 PERCENT SLOPES
FaC2	FAYETTE SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
FaC3	FAYETTE SILT LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
OsC2	OSTRANDER SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
RaC	RACINE SILT LOAM, 6 TO 12 PERCENT SLOPES
RaC2	RACINE SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
RcC3	RACINE SOILS, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
ReC	RENOVA SILT LOAM, 6 TO 12 PERCENT SLOPES
ReC2	RENOVA SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
RfC3	RENOVA SOILS, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
RpC	ROCKTON SILT LOAM, MODERATELY DEEP, 6 TO 12 PERCENT SLOPES
SeC	SEATON SILT LOAM, 6 TO 12 PERCENT SLOPES
SeC2	SEATON SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
SeC3	SEATON SILT LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
ThC	THURSTON LOAM, 6 TO 12 PERCENT SLOPES
ThC2	THURSTON LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
ThC3	THURSTON LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
TsB3	THURSTON SOILS, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED
TuA	THURSTON AND DICKINSON SOILS, 0 TO 2 PERCENT SLOPES
TuB	THURSTON AND DICKINSON SOILS, 2 TO 6 PERCENT SLOPES
TuB2	THURSTON AND DICKINSON SOILS, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
WmC2	WAUKEGAN-BIXBY SILT LOAMS, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
WoC	WHALAN SILT LOAM, MODERATELY DEEP, 6 TO 12 PERCENT SLOPES
WoC2	WHALAN SILT LOAM, MODERATELY DEEP, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
WsC3	WHALAN SOILS, MODERATELY DEEP, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
WuC	WYKOFF LOAM, 6 TO 12 PERCENT SLOPES
WuC2	WYKOFF LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
WuC3	WYKOFF LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED

DOUGLAS COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
AaA	1	AASTAD CLAY LOAM, 1 TO 3 PERCENT SLOPES
Ao	2	ARVESON SANDY CLAY LOAM
AtA	1	ARVILLA SANDY LOAM, THICK SOLUM, 0 TO 3 PERCENT SLOPES
BaB2	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES, ERODED
BlB2	1	BARNES-LANGHEI LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
BmA	1	BELTRAMI LOAM, 1 TO 3 PERCENT SLOPES
ClB2	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES, ERODED
CmA	1	CLONTARF SANDY LOAM, 0 TO 2 PERCENT SLOPES
Co	2	COLVIN SILT LOAM
DaA	1	DARNEN LOAM, 1 TO 4 PERCENT SLOPES
Dd	2	DASSEL SANDY LOAM
DpA	1	DORSET SANDY LOAM, THICK SOLUM, 0 TO 2 PERCENT SLOPES
DpB	1	DORSET SANDY LOAM, THICK SOLUM, 2 TO 6 PERCENT SLOPES
Fa	2	FLOM SILTY CLAY LOAM
Fd	2	FORADA SANDY LOAM
Ff	2	FORADA SANDY LOAM, SANDY SUBSOIL
FoB	1	FORMAN-AASTAD CLAY LOAMS, 1 TO 5 PERCENT SLOPES
Fu	2	FULDA SILTY CLAY
GoA	1	GONVICK LOAM, 1 TO 3 PERCENT SLOPES
HhA	1	HANTHO SILT LOAM, 1 TO 3 PERCENT SLOPES
Mm	2	MARYSLAND LOAM
NbB	1	NEBISH SANDY LOAM, 2 TO 6 PERCENT SLOPES
NeB	1	NEBISH LOAM, 2 TO 6 PERCENT SLOPES
NeB2	1	NEBISH LOAM, 2 TO 6 PERCENT SLOPES, ERODED
NlA	1	NICOLLET CLAY LOAM, 1 TO 4 PERCENT SLOPES
RoB	1	ROTHSAY SILT LOAM, 2 TO 6 PERCENT SLOPES
Sh	1	SHOOKER LOAM
SlA	1	SINAI CLAY, 0 TO 2 PERCENT SLOPES
SlB	1	SINAI CLAY, 2 TO 6 PERCENT SLOPES
SvA	1	SVERDRUP LOAM, THICK SOLUM, 0 TO 3 PERCENT SLOPES
VaA	2	VALLERS CLAY LOAM, 0 TO 3 PERCENT SLOPES
WaB	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES
WaB2	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES, ERODED
WcB	1	WAUKON CLAY LOAM, 2 TO 6 PERCENT SLOPES
WlB2	1	WAUKON-LANGHEI LOAMS, 2 TO 6 PERCENT SLOPES, ERODED

=====

Douglas State-Wide Important Farmland List

Symbol	Mapunit Name
AsA	ARVILLA SANDY LOAM, 0 TO 2 PERCENT SLOPES
AsB	ARVILLA SANDY LOAM, 2 TO 6 PERCENT SLOPES
BaC2	BARNES LOAM, 6 TO 12 PERCENT SLOPES, ERODED
BlC2	BARNES-LANGHEI LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
ClC2	CLARION LOAM, 6 TO 12 PERCENT SLOPES, ERODED
DoA	DORSET SANDY LOAM, 0 TO 2 PERCENT SLOPES
DoB	DORSET SANDY LOAM, 2 TO 6 PERCENT SLOPES
DpC	DORSET SANDY LOAM, THICK SOLUM, 6 TO 12 PERCENT SLOPES
NbC	NEBISH SANDY LOAM, 6 TO 12 PERCENT SLOPES
NeC	NEBISH LOAM, 6 TO 12 PERCENT SLOPES
NeC2	NEBISH LOAM, 6 TO 12 PERCENT SLOPES, ERODED

NhB	NEBISH-DORSET COMPLEX, 2 TO 6 PERCENT SLOPES
NhC	NEBISH-DORSET COMPLEX, 6 TO 12 PERCENT SLOPES
OsA	OSAKIS LOAM, 0 TO 3 PERCENT SLOPES
SpA	SVERDRUP SANDY LOAM, 0 TO 2 PERCENT SLOPES
SpB	SVERDRUP SANDY LOAM, 2 TO 6 PERCENT SLOPES
WaC	WAUKON LOAM, 6 TO 12 PERCENT SLOPES
WaC2	WAUKON LOAM, 6 TO 12 PERCENT SLOPES, ERODED
WcC2	WAUKON CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
WlC2	WAUKON-LANGHEI LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
WsC2	WAUKON-LANGHEI-SIOUX COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
ZoC2	ZELL-ROTHSAY SILT LOAMS, 6 TO 12 PERCENT SLOPES, ERODED

FARIBAULT COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27B	1	DICKINSON FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES
37B	1	FARRAR FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
84	2	BROWNTON SILTY CLAY LOAM
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
96A	1	COLLINWOOD SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES
96B	1	COLLINWOOD SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES
101B	1	TRUMAN SILT LOAM, 1 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, 1 TO 6 PERCENT SLOPES
110	2	MARNA SILTY CLAY LOAM
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE CLAY LOAM
118	1	CRIPPIN LOAM
128B	1	GROGAN SILT LOAM, 1 TO 6 PERCENT SLOPES
130	1	NICOLLET CLAY LOAM
134	2	OKOBOJI SILTY CLAY LOAM
136	2	MADELIA SILTY CLAY LOAM
140	2	SPICER SILT LOAM
160	2	FIELDON LOAM
181	1	LITCHFIELD FINE SANDY LOAM
197	1	KINGSTON SILT LOAM
211	2	LURA SILTY CLAY
229	2	WALDORF SILTY CLAY LOAM
230A	1	GUCKEEN SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES
230B	1	GUCKEEN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES
247	1	LINDER LOAM
248	1	LOMAX LOAM
255	2	MAYER LOAM
269	3	MILLINGTON CLAY LOAM
275B	1	OCHEYEDAN LOAM, 2 TO 6 PERCENT SLOPES
281	2	DARFUR LOAM
286A	1	SHOREWOOD SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES
286B	1	SHOREWOOD SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES
287	2	MINNETONKA SILTY CLAY LOAM
310	2	BEAUFORD SILTY CLAY
313	1	SPILLVILLE LOAM
319	2	BARBERT SILTY CLAY LOAM
336	2	DELFT LOAM
392	2	BISCAY LOAM
887B	1	CLARION-SWANLAKE COMPLEX, 2 TO 6 PERCENT SLOPES
929	2	FIELDON-CANISTEO COMPLEX
956	2	CANISTEO-GLENCOE COMPLEX
1833	3	COLAND SILTY CLAY LOAM, OCCASIONALLY FLOODED
1877	1	FOSTORIA LOAM
1907	1	LAKEFIELD SILT LOAM

=====

Faribault State-Wide Important Farmland List

Symbol	Mapunit Name
27C	DICKINSON FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES

35	BLUE EARTH MUCKY SILTY CLAY LOAM (where drained)
41B	ESTHERVILLE SANDY LOAM, 0 TO 6 PERCENT SLOPES
275C2	OCHEYEDAN LOAM, 6 TO 12 PERCENT SLOPES, ERODED
286C2	SHOREWOOD SILTY CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
525	MUSKEGO MUCK (where drained)
539	KLOSSNER MUCK (where drained)
909C2	TRUMAN-BOLD COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
920B	CLARION-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES
920C2	CLARION-STORDEN-ESTHERVILLE COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
921C2	CLARION-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED

Fillmore County

Prime Farmland List

Symbol	Mapunit Name
Ab	Alluvial land, medium-textured, well drained
Ca	Chaseburg and Judson silt loams, 0 to 1 percent slopes
Cb	Chaseburg and Judson silt loam, 2 to 6 percent slopes
Cg	Clyde silty clay loam (where drained)
Ch	Clyde silty clay loam, overwash (where drained)
De	Dakota loam, 0 to 1 percent slopes
Df	Dakota loam, 2 to 6 percent slopes
Dg	Dickinson fine sandy loam, 0 to 6 percent slopes
Dh	Dickinson fine sandy loam, eroded, 2 to 6 percent slopes
Dl	Dickinson fine sandy loam, moderately deep, 2 to 6 percent slopes
Do	Dickinson loam, 2 to 6 percent slopes
Dp	Dickinson loam, eroded, 2 to 6 percent slopes
Fa	Fayette silt loam, 0 to 1 percent slopes
Fb	Fayette silt loam, 2 to 6 percent slopes
Fc	Fayette silt loam, eroded, 2 to 6 percent slopes
Fk	Fayette silt loam, terrace, 2 to 6 percent slopes
Fl	Fayette silt loam, terrace, eroded, 2 to 6 percent slopes
Fn	Floyd and Clyde silty clay loams, overwash, 0 to 3 percent slopes
Ka	Kasson silt loam, 0 to 1 percent slopes
Kb	Kasson silt loam, 2 to 6 percent slopes
Kc	Kato silty clay loam (where drained)
Kd	Kenyon silt loam, 0 to 1 percent slopes
Ke	Kenyon silt loam, 2 to 6 percent slopes
La	Lindstrom silt loam and fine sandy loam, 2 to 6 percent slopes
Ma	Marshan silty clay loam (where drained)
Mb	Meridian fine sandy loam, 0 to 1 percent slopes
Mc	Meridian fine sandy loam, slightly or moderately eroded, 2 to 6 percent slopes
Ra	Racine and Ostrander silt loams and loams, 0 to 1 percent slopes
Rb	Racine and Ostrander silt loams and loams, 2 to 6 percent slopes
Rc	Racine and Ostrander silt loams and loams, eroded, 2 to 6 percent slopes
Rf	Renova silt loam and loam, 0 to 1 percent slopes
Rg	Renova silt loam and loam, 2 to 6 percent slopes
Rh	Renova silt loam and loam, eroded, 2 to 6 percent slopes
Sa	Schapville silt loam and silty clay loam, 2 to 6 percent slopes
Sd	Seaton and Port Byron silt loams, eroded, 2 to 6 percent slopes
Sg	Skyberg silt loam, 0 to 3 percent slopes (where drained)
Ta	Tama and Downs silt loams, 0 to 1 percent slopes
Tb	Tama and Downs silt loams, 2 to 6 percent slopes
Tc	Tama and Downs silt loams, eroded, 2 to 6 percent slopes
Tl	Thurston and Wykoff loams, moderately deep, 0 to 1 percent slopes
Tm	Thurston and Wykoff loams, moderately deep, eroded, 2 to 6 percent slopes
Wa	Waukegan silt loam, 0 to 1 percent slopes
Wb	Waukegan silt loam, 2 to 6 percent slopes

=====

Fillmore State-Wide Important Farmland List

Symbol	Mapunit Name
Aa	ALLUVIAL LAND, MEDIUM-TEXTURED, POORLY DRAINED (WHERE DRAINED)
Ac	ALLUVIAL LAND, COARSE TEXTURED, WELL DRAINED
Da	DAKOTA FINE SANDY LOAM, SHALLOW, 0 TO 1 PERCENT SLOPES
Db	DAKOTA FINE SANDY LOAM, SHALLOW, 2 TO 6 PERCENT SLOPES

Dc	DAKOTA FINE SANDY LOAM, ERODED, SHALLOW, 2 TO 6 PERCENT SLOPES
Dm	DICKINSON FINE SANDY LOAM, MODERATELY DEEP, ERODED, 2 TO 6 PERCENT SLOPES
Ds	DUBUQUE AND WHALAN SILT LOAMS, SHALLOW, 2 TO 6 PERCENT SLOPES
Dt	DUBUQUE AND WHALAN SILT LOAMS, SHALLOW, ERODED, 2 TO 6 PERCENT SLOPES
Fd	FAYETTE SILT LOAM, ERODED, 7 TO 11 PERCENT SLOPES
Fm	FAYETTE SILT LOAM, TERRACE, ERODED, 7 TO 17 PERCENT SLOPES
Lb	LINDSTROM SILT LOAM AND FINE SANDY LOAM, 7 TO 11 PERCENT SLOPES
Rd	RACINE AND OSTRANDER SILT LOAMS AND LOAMS, ERODED, 7 TO 11 PERCENT SLOPES
Rk	RENOVA SILT LOAM AND LOAM, ERODED, 7 TO 11 PERCENT SLOPES
Rm	ROCKTON AND DODGEVILLE SILT LOAMS, SHALLOW, 2 TO 6 PERCENT SLOPES
Rn	ROCKTON AND DODGEVILLE SILT LOAMS, SHALLOW, ERODED, 2 TO 6 PERCENT SLOPES
Se	SEATON AND PORT BYRON SILT LOAMS, ERODED, 7 TO 11 PERCENT SLOPES
Td	TAMA AND DOWNS SILT LOAMS, 7 TO 11 PERCENT SLOPES
Te	TAMA AND DOWNS SILT LOAMS, ERODED, 7 TO 11 PERCENT SLOPES
To	THURSTON AND WYKOFF SANDY LOAMS, SHALLOW, 0 TO 1 PERCENT SLOPES
Tp	THURSTON AND WYKOFF SANDY LOAMS, SHALLOW, ERODED, 2 TO 6 PERCENT SLOPES

Freeborn County

Prime Farmland List

Symbol	Mapunit Name
5	Dakota loam, 0 to 2 percent slopes
5B	Dakota loam, 2 to 6 percent slopes
23	Skyberg silt loam (where drained)
24B	Kasson silt loam, 1 to 4 percent slopes
27	Dickinson fine sandy loam, 0 to 2 percent slopes
27B	Dickinson fine sandy loam, 2 to 6 percent slopes
62	Barrington silt loam, 1 to 3 percent slopes
83	Maxcreek silty clay loam, swales (where drained)
84	Brownton silty clay loam (where drained)
86	Canisteo clay loam (where drained)
94B	Terril loam, 3 to 8 percent slopes
102B	Clarion loam, 2 to 6 percent slopes
104B	Hayden loam, 2 to 6 percent slopes
106B	Lester loam, 2 to 6 percent slopes
110	Marna silty clay loam (where drained)
112	Harps clay loam (where drained)
113	Webster clay loam (where drained)
114	Glencoe clay loam (where drained)
123	Dundas silt loam (where drained)
129	Cylinder loam
130	Nicollet clay loam, 1 to 3 percent slopes
134	Okoboji silty clay loam (where drained)
136	Madelia silty clay loam (where drained)
138B	Lerdal silty clay loam, 2 to 6 percent slopes
140	Spicer silt loam (where drained)
156	Fairhaven loam, 0 to 2 percent slopes
156B	Fairhaven loam, 2 to 6 percent slopes
160	Fieldon loam (where drained)
183	Dassel loam (where drained)
190	Hayfield silt loam, 1 to 3 percent slopes
216B	Lamont fine sandy loam, 2 to 6 percent slopes
227	Lemond loam (where drained)
229	Waldorf silty clay loam (where drained)
238B	Kilkenny clay loam, 2 to 6 percent slopes
239	Le Sueur loam, 1 to 3 percent slopes
247	Linder sandy loam, 0 to 3 percent slopes
252	Marshan silt loam (where drained)
253	Maxcreek silty clay loam (where drained)
255	Mayer loam (where drained)
259B	Grays silt loam, 1 to 6 percent slopes
282	Hanska loam (where drained)
286B	Shorewood silty clay loam, 1 to 6 percent slopes
287	Minnetonka silty clay loam (where drained)
300	Dassel mucky loam (where drained)
318	Mayer loam, swales (where drained)
350	Canisteo clay loam, depressional (where drained)
376B	Moland silt loam, 2 to 6 percent slopes
377	Merton silt loam, 1 to 3 percent slopes
378	Maxfield silty clay loam (where drained)
380	Havana silt loam (where drained)
381	Newry silt loam, 1 to 3 percent slopes
382B	Blooming silt loam, 2 to 6 percent slopes
386	Wacousta mucky silt loam (where drained)
392	Biscay loam (where drained)

393	Udolpho silt loam (where drained)
400	Wacousta silt loam (where drained)
414	Hamel loam (where drained)
444	Canisteo silty clay loam (where drained)
447	Harpster silty clay loam (where drained)
517	Shandep loam (where drained)
518	Kalmarville loam, occasionally flooded (where drained)
921B	Clarion-Storden loams, 2 to 6 percent slopes
925	Cordova-Barbert complex (where drained)
940	Maxcreek-Barbert complex (where drained)
1806	Lerdal silty clay loam, silty substratum, 0 to 2 percent slopes (where drained)
1806B	Lerdal silty clay loam, silty substratum, 2 to 10 percent slopes (where drained)

=====

Freeborn State-Wide Important Farmland List

Symbol	Mapunit Name
-----	-----
5C	DAKOTA LOAM, 6 TO 14 PERCENT SLOPES
35	BLUE EARTH SILT LOAM (WHERE DRAINED)
41	ESTHERVILLE SANDY LOAM, 0 TO 2 PERCENT SLOPES
41B	ESTHERVILLE SANDY LOAM, 2 TO 6 PERCENT SLOPES
102C	CLARION LOAM, 6 TO 12 PERCENT SLOPES
104C	HAYDEN LOAM, 6 TO 12 PERCENT SLOPES
106C2	LESTER LOAM, 6 TO 12 PERCENT SLOPES, ERODED
138C2	LERDAL SILTY CLAY LOAM, 6 TO 15 PERCENT SLOPES, ERODED
154	BLUE EARTH MUCK (WHERE DRAINED)
238C2	KILKENNY CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
259C	GRAYS SILT LOAM, 6 TO 12 PERCENT SLOPES
286C2	SHOREWOOD SILTY CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
382C	BLOOMING SILT LOAM, 6 TO 12 PERCENT SLOPES
391	SPICER SILT LOAM, DEPRESSIONAL (WHERE DRAINED)
920B	CLARION-ESTHERVILLE-STORDEN COMPLEX, 2 TO 6 PERCENT SLOPES
920C	CLARION-STORDEN-ESTHERVILLE COMPLEX, 6 TO 12 PERCENT SLOPES
921C	CLARION-STORDEN LOAMS, 6 TO 12 PERCENT SLOPES
944B	LESTER-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES
944C2	LESTER-ESTHERVILLE COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1805	BLUE EARTH VARIANT SILT LOAM (WHERE DRAINED)

Goodhue County

Prime Farmland List

Symbol Mapunit Name

Ava	Alvin fine sandy loam, 0 to 3 percent slopes
AxA	Ankeny sandy loam. 0 to 3 percent slopes
BbB	Billett sandy loam, 2 to 6 percent slopes
Bc	Biscay loam (where drained)
Bm	Bremer silty clay loam, wet (where drained)
Ca	Canisteo silty clay loam (where drained)
ChA	Chaseburg silt loam, 0 to 3 percent slopes
Co	Colo silty clay loam (where drained)
CwB	Copaston loam, moderately deep, 0 to 6 percent slopes
DaA	Dakota loam, 0 to 3 percent slopes
DkA	Dickinson sandy loam, 0 to 2 percent slopes
DkB	Dickinson sandy loam, 2 to 6 percent slopes
DoB	Dodgeville silt loam, 1 to 6 percent slopes
DuB2	Dubuque silt loam, 2 to 6 percent slopes, eroded
EeB	Eleva sandy loam, 2 to 6 percent slopes
FaA	Fairhaven silt loam, 0 to 3 percent slope
GaA	Gale silt loam, 0 to 3 percent slopes
Gm	Garwin silty clay loam (where drained)
Gr	Garwin silty clay loam, swales
JoA	Joy silt loam, 0 to 3 percent slopes
KaA	Kasson silt loam, 1 to 3 percent slopes
KeA	Kegonsa silt loam, 0 to 3 percent slopes
KnA	Klinger silty clay loam, 1 to 3 percent slopes
La	Lawson silt loam
LnB	Lindstrom silt loam, 2 to 6 percent slopes
Mf	Maxfield silty clay loam (where drained)
Mo	Maxfield silty clay loam, swales (where drained)
Mp	McPaul silt loam
MrA	Mt. Carroll silt loam, 0 to 2 percent slopes
MrB	Mt. Carroll silt loam, 2 to 6 percent slopes
MxA	Mt. Carroll silt loam, benches, 0 to 3 percent slopes
Or	Orion silt loam, wet
OtB	Ostrander silt loam, 1 to 6 percent slopes
PbA	Port Byron silt loam, 0 to 2 percent slopes
PbB	Port Byron silt loam, 2 to 6 percent slopes
PoA	Port Byron silt loam, benches, 0 to 3 percent slopes
RaB	Racine silt loam, 1 to 6 percent slopes
Rd	Radford silt loam
SfA	Seaton silt loam, 0 to 2 percent slopes
SfB	Seaton silt loam, 2 to 6 percent slopes
Sn	Skyberg silt loam (where drained)
TeB	Terril sandy loam, 2 to 6 percent slopes
TmB	Timula silt loam, 2 to 6 percent slopes
VaA	Vasa silt loam, 0 to 3 percent slopes
WaA	Waukegan silt loam, 0 to 3 percent slopes
WhB	Whalan silt loam, 1 to 6 percent slopes

=====

Goodhue State-Wide Important Farmland List

Symbol Mapunit Name

BbC	BILLETT SANDY LOAM, 6 TO 12 PERCENT SLOPES
-----	--

BrA	BURKHARDT LOAM, 0 TO 3 PERCENT SLOPES
CvB	COPASTON LOAM, 1 TO 6 PERCENT SLOPES
CwC2	COPASTON LOAM, MODERATELY DEEP, 6 TO 12 PERCENT SLOPES, ERODED
DeC2	DERINDA SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED
DoC2	DODGEVILLE SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
DuC2	DUBUQUE, SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
EsA	ESTHERVILLE LOAM, 0 TO 6 PERCENT SLOPES
KfD	KEGONSA AND FAIRHAVEN SILT LOAMS, 6 TO 18 PERCENT SLOPES
LnC	LINDSTROM SILT LOAM, 6 TO 12 PERCENT SLOPES
MrC2	MT. CARROLL SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
OtC2	OSTRANDER SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
PbC2	PORT BYRON SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
RaC	RACINE SILT LOAM, 6 TO 12 PERCENT SLOPES
RaC2	RACINE SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
ScC	SCHAPVILLE SILTY CLAY LOAM, 2 TO 12 PERCENT SLOPES
SfC2	SEATON SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
ShC2	SEATON SILT LOAM, VALLEYS, 6 TO 12 PERCENT SLOPES, ERODED
SkC2	SEATON COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
SmC	SHULLSBURG SILTY CLAY LOAM, 2 TO 14 PERCENT SLOPES
TeC	TERRIL SANDY LOAM, 6 TO 12 PERCENT SLOPES
TmC	TIMULA SILT LOAM, 6 TO 12 PERCENT SLOPES
WhC2	WHALAN SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
WsB	WHALAN SILT LOAM, MODERATELY SHALLOW, 1 TO 6 PERCENT SLOPES
Zu	ZUMBRO LOAMY SAND

GRANT COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
26	1	AAZDAHL CLAY LOAM, 1 TO 3 PERCENT SLOPES
33B	1	BARNES LOAM, 2 TO 5 PERCENT SLOPES
34	2	PARNELL SILTY CLAY LOAM
36	2	FLOM SILTY CLAY LOAM
57	2	FARGO SILTY CLAY
58	1	KITTSOON VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
60	1	GLYNDON SILT LOAM, 0 TO 2 PERCENT SLOPES
63	2	ROCKWELL LOAM
67	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
70	1	SVEA LOAM, 1 TO 3 PERCENT SLOPES
108	1	MCINTOSH SILT LOAM, 0 TO 2 PERCENT SLOPES
171B	1	FORMDALE CLAY LOAM, 2 TO 5 PERCENT SLOPES
184	1	HAMERLY CLAY LOAM, 1 TO 3 PERCENT SLOPES
212B	1	SINAI SILTY CLAY, 1 TO 6 PERCENT SLOPES
236	2	VALLERS CLAY LOAM
276	2	OLDHAM SILTY CLAY LOAM
290B	1	ROTHSAY SILT LOAM, 2 TO 6 PERCENT SLOPES
339	1	FORDVILLE LOAM, 0 TO 2 PERCENT SLOPES
343	1	WHEATVILLE VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
344	2	QUAM SILTY CLAY LOAM
375	2	FORADA SANDY LOAM
418	2	LAMOURE SILT LOAM
419	2	VALLERS CLAY LOAM, FIRM SUBSOIL
494B	1	DARNEN LOAM, 1 TO 4 PERCENT SLOPES
582	2	ROLISS LOAM
900	1	AAZDAHL-HAMERLY-PARNELL COMPLEX, 0 TO 2 PERCENT SLOPES
903B	1	BARNES-LANGHEI LOAMS, 3 TO 6 PERCENT SLOPES
907B	1	BARNES-SVEA LOAMS, 1 TO 3 PERCENT SLOPES
912B	2	FORMDALE-AAZDAHL-FLOM COMPLEX, 1 TO 4 PERCENT SLOPES
922	2	HAMERLY-PARNELL COMPLEX, 0 TO 3 PERCENT SLOPES
931B	1	FORMDALE-LANGHEI CLAY LOAMS, 3 TO 6 PERCENT SLOPES
962	1	SVEA-HAMERLY LOAMS, 1 TO 3 PERCENT SLOPES
970	2	ROCKWELL-VALLERS COMPLEX
971	2	ROLISS COMPLEX
972	2	ROLISS-VALLERS COMPLEX

=====

Grant State-Wide Important Farmland List

Symbol	Mapunit Name
38C	WAUKON LOAM, 4 TO 12 PERCENT SLOPES
V58	KITTSOON FINE SANDY LOAM, GRAY SUBSOIL VARIANT
61	ARVESON FINE SANDY LOAM
64	ULEN LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES
127B	SVERDRUP SANDY LOAM, 2 TO 6 PERCENT SLOPES
212C	SINAI SILTY CLAY, 6 TO 12 PERCENT SLOPES
330	TOWNER FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
335	URNESS MUCKY SILT LOAM
341A	ARVILLA SANDY LOAM, 0 TO 2 PERCENT SLOPES
341B	ARVILLA SANDY LOAM, 2 TO 6 PERCENT SLOPES
914	GRIMSTAD-TOWNER COMPLEX, 0 TO 2 PERCENT SLOPES

942C2 LANGHEI-BARNES LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
943C2 LANGHEI-FORMDALE CLAY LOAMS, 6 TO 12 PERCENT SLOPES, ERODED

Hennepin County Update, Minnesota

Map Symbol	Prime Farmland Code	Soil Mapunit Name
D2A	1	Elkriver fine sandy loam, 0 to 2 percent slopes, rarely flooded
D3A	3	Elkriver fine sandy loam, 0 to 2 percent slopes, occasionally flooded
D10A	2	Forada sandy loam, 0 to 2 percent slopes
D11A	2	Lindaas silt loam, 0 to 2 percent slopes
D12A	1	Bygland silt loam, map>25, 0 to 2 percent slopes
D12B	1	Bygland silt loam, map>25, 2 to 6 percent slopes
D23A	1	Southhaven loam, 0 to 2 percent slopes
D24A	5	Sedgeville loam, 0 to 2 percent slopes, occasionally flooded
D43A	1	Gonvick loam, terrace, 1 to 3 percent slopes
L3A	1	Rasset sandy loam, 0 to 2 percent slopes
L3B	1	Rasset sandy loam, 2 to 6 percent slopes
L6A	2	Biscay loam, 0 to 2 percent slopes
L8A	2	Darfur sandy loam, 0 to 2 percent slopes
L9A	2	Minnetonka silty clay loam, 0 to 2 percent slopes
L10B	1	Kasota silty clay loam, 1 to 6 percent slopes
L11B	1	Grays very fine sandy loam, 2 to 8 percent slopes
L17B	1	Angus-Malardi complex, 2 to 6 percent slopes
L18A	2	Shields silty clay loam, 0 to 3 percent slopes
L21A	2	Canisteo loam, 0 to 2 percent slopes
L23A	2	Cordova loam, 0 to 2 percent slopes
L24A	2	Glencoe loam, depressional, 0 to 1 percent slopes
L25A	1	LeSueur loam, 1 to 3 percent slopes
L26A	1	Shorewood silty clay loam, 0 to 3 percent slopes
L26B	1	Shorewood silty clay loam, 3 to 6 percent slopes
L28A	5	Suckercreek fine sandy loam, 0 to 2 percent slopes, occasionally flooded
L29A	3	Hanlon fine sandy loam, 0 to 2 percent slopes, occasionally flooded
L35A	1	Lerdal loam, 1 to 3 percent slopes
L36A	2	Hamel overwash-Hamel complex, 1 to 4 percent slopes
L37B	1	Angus loam, morainic, 2 to 5 percent slopes
L38A	5	Rushriver very fine sandy loam, 0 to 2 percent slopes, occasionally flooded
L39A	3	Minneiska fine sandy loam, 0 to 2 percent slopes, occasionally flooded
L40B	1	Angus-Kilkenny complex, 2 to 6 percent slopes
L43A	3	Brouillett loam, 0 to 2 percent slopes, occasionally flooded
L44A	1	Nessel loam, 1 to 3 percent slopes
L45A	2	Dundas-Cordova complex, 0 to 3 percent slopes
L46A	1	Tomall loam, 0 to 2 percent slopes
L58B	1	Koronis-Kingsley complex, 2 to 6 percent slopes
L59A	2	Forestcity-Lundlake depressional complex, 0 to 3 percent slopes
L60B	1	Angus-Moon complex, 2 to 5 percent slopes
L62B	1	Koronis-Kingsley-Malardi complex, 2 to 6 percent slopes
L72A	2	Lundlake loam, depressional, 0 to 1 percent slopes
L132A	2	Hamel-Glencoe, depressional complex, 0 to 3 percent slopes

=====

Hennepin Updated State-Wide Important Farmland List
2002

Symbol	Mapunit Name
--------	--------------

D4A Dorset sandy loam, 0 to 2 percent slopes
D4B Dorset sandy loam, 2 to 6 percent slopes
D5B Dorset-Two Inlets complex, 2 to 6 percent slopes
D6A Verndale sandy loam, acid substratum, 0 to 2 percent slopes
D6B Verndale sandy loam, acid substratum, 2 to 6 percent slopes
D12C2 Bygland silt loam, map>25, 6 to 12 percent slopes, eroded
D13A Langola loamy fine sand, terrace, 0 to 2 percent slopes
D13B Langola loamy fine sand, terrace, 2 to 6 percent slopes
D15A Seelyevile-Markey complex, depressional, 0 to 1 percent slopes
D18B Braham loamy fine sand, terrace, 2 to 5 percent slopes
D26A Foldahl loamy sand, map>25, 0 to 3 percent slopes
D27A Dorsett sandy loam, loamy substratum, 0 to 2 percent slopes
L2B Malardi-Hawick complex, 1 to 6 percent slopes
L3C Rasset sandy loam, 6 to 12 percent slopes
L13A Klossner muck, depressional, 0 to 1 percent slopes
L14A Houghton muck, depressional, 0 to 1 percent slopes
L19B Moon loamy fine sand, 2 to 5 percent slopes
L20B Fedji loamy fine sand, silty substratum, 2 to 8 percent slopes
L22C2 Lester loam, morainic, 6 to 12 percent slopes, eroded
L26C2 Shorewood silty clay loam, 6 to 12 percent slopes, eroded
L41C2 Lester-Kilkenny complex, 6 to 12 percent slopes, eroded
L42B Kingsley-Gotham complex, 2 to 6 percent slopes
L42C Kingsley-Gotham complex, 6 to 12 percent slopes
L47A Edin Prairie sandy loam, 0 to 2 percent slopes
L47B Edin Prairie sandy loam, 2 to 6 percent slopes
L58C2 Koronis-Kingsley complex, 6 to 12 percent slopes, eroded
L61C2 Lester-Metea complex, 6 to 12 percent slopes, eroded
L62C2 Koronis-Kingsley-Malardi complex, 6 to 12 percent slopes, eroded
L70C2 Lester-Malardi complex, 6 to 12 percent slopes, eroded

HENNEPIN COUNTY, MINNESOTA (1974 Legend)

Map Symbol	Prime Farmland Code	Soil Mapunit Name
Ba	1	BECKER FINE SANDY LOAM
Bb	1	BECKER LOAM
Bc	2	BISCAY CLAY LOAM
Bd	2	BISCAY CLAY LOAM, DEPRESSIONAL
Ca	2	CANISTEO CLAY LOAM
Ch	3	CHASKA CLAY LOAM, OCCASIONALLY FLOODED
Co	2	CORDOVA SILTY CLAY LOAM
DaA	1	DAKOTA LOAM, 0 TO 2 PERCENT SLOPES
DaB	1	DAKOTA LOAM, 2 TO 6 PERCENT SLOPES
DbA	1	DAKOTA LOAM, LOAMY SUBSTRATUM, 0 TO 2 PERCENT SLOPES
DiA	1	DALBO SILT LOAM, 0 TO 2 PERCENT SLOPES
DiB	1	DALBO SILT LOAM, 2 TO 6 PERCENT SLOPES
Dm	2	DASSEL SANDY LOAM
Do	1	DORCHESTER LOAM
Du	2	DUNDAS SILT LOAM
EnB	1	ERIN LOAM, 2 TO 6 PERCENT SLOPES
ErB2	1	ERIN CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
Gc	2	GLENCOE SILTY CLAY LOAM
GyB	1	GRAYS VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
Ha	2	HAMEL LOAM
HbB	1	HAYDEN LOAM, 2 TO 6 PERCENT SLOPES
HcB2	1	HAYDEN CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
HeB	1	HEYDER SANDY LOAM, 2 TO 6 PERCENT SLOPES
HlB	1	HEYDER COMPLEX, 2 TO 6 PERCENT SLOPES
KaB	1	KASOTA SILTY CLAY LOAM, 1 TO 5 PERCENT SLOPES
Ke	1	KENNEBEC SILT LOAM
KkB	1	KILKENNY LOAM, 2 TO 6 PERCENT SLOPES
KnB	1	KINGSLEY COMPLEX, 2 TO 6 PERCENT SLOPES
LmB	1	LERDAL LOAM, 1 TO 4 PERCENT SLOPES
LrB	1	LESTER LOAM, 2 TO 6 PERCENT SLOPES
LsB2	1	LESTER CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
LtB	1	LE SUEUR LOAM, 1 TO 4 PERCENT SLOPES
Mt	2	MINNETONKA SILTY CLAY LOAM
Mu	1	MIXED ALLUVIAL LAND
NeB	1	NESSSEL LOAM, 1 TO 4 PERCENT SLOPES
Sh	2	SHIELDS SILTY CLAY LOAM
SwA	1	SHOREWOOD SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
SwB	1	SHOREWOOD SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES

=====

Hennepin State-Wide Important Farmland List

1974 legend

Symbol	Mapunit Name
BsB	Braham loamy sand, silty subsoil, 2 to 6 percent slopes
BtB	Braham loamy fine sand, 2 to 6 percent slopes
BuB	Burnsville sandy loam, 2 to 6 percent slopes
BxB	Burnsville sandy loam, thick solum variant, 2 to 6 percent slopes
BxC	Burnsville sandy loam, thick solum variant, 6 to 12 percent slopes
DiC	Dalbo silt loam, 6 to 12 percent slopes
DnA	Dickman sandy loam, 0 to 2 percent slopes
DnB	Dickman sandy loam, 2 to 6 percent slopes

EnC	Erin loam, 6 to 12 percent slopes
ErC2	Erin clay loam, 6 to 12 percent slopes eroded
EtA	Estherville sandy loam, 0 to 2 percent slopes
EtB	Estherville sandy loam, 2 to 6 percent slopes
GyC	Grays very fine sandy loam, 6 to 12 percent slopes
HbC	Hayden loam, 6 to 12 percent slopes
HcC2	Hayden clay loam, 6 to 12 percent slopes, eroded
HeC	Heyder sandy loam, 6 to 12 percent slopes
HlC	Heyder complex, 6 to 12 percent slopes
KkC	Kilkenny loam, 6 to 12 percent slopes
KlC2	Kilkenny clay loam, 6 to 12 percent slopes, eroded
KnC	Kingsley complex, 6 to 12 percent slopes
LgA	Langola loamy sand, 1 to 2 percent slopes
LgB	Langola loamy sand, 2 to 12 percent slopes
Lh	Langola loamy sand, moderately well drained, 0 to 2 percent slopes
LrC	Lester loam, 6 to 12 percent slopes
LsC2	Lester clay loam, 6 to 12 percent slopes, eroded
Lu	Litchfield loamy fine sand
RsB	Rasset sandy loam, 2 to 6 percent slopes

Houston County, Minnesota

Prime Farmland List

Symbol	Soil Mapunit Name
16	Arenzville silt loam
18	Comfrey silt loam, occasionally flooded (where drained)
25	Becker sandy loam
27B	Dickinson sandy loam, 1 to 6 percent slopes
76A	Bertrand silt loam, 0 to 2 percent slopes
76B	Bertrand silt loam, 2 to 6 percent slopes
79B	Billett sandy loam, 1 to 6 percent slopes
103A	Seaton silt loam, 1 to 3 percent slopes
103B	Seaton silt loam, 3 to 6 percent slopes
131B	Massbach silt loam, 3 to 6 percent slopes
136	Madelia silt loam (where drained)
194	Huntsville silt loam, occasionally flooded
216B	Lamont fine sandy loam, 1 to 6 percent slopes
250	Kennebec silt loam, occasionally flooded
273	Muscatine silt loam
285A	Port Byron silt loam, 1 to 3 percent slopes
285B	Port Byron silt loam, 3 to 6 percent slopes
298	Richwood silt loam
301B	Lindstrom silt loam, 1 to 6 percent slopes
312B	Shullsburg silt loam, 1 to 6 percent slopes
401B	Mt. Carroll silt loam, 3 to 6 percent slopes
455A	Festina silt loam, 0 to 2 percent slopes
455B	Festina silt loam, 2 to 6 percent slopes
463	Minneiska fine sandy loam, occasionally flooded
476B	Frankville silt loam, 3 to 6 percent slopes
477	Littleton silt loam
492B	Nasset silt loam, 3 to 6 percent slopes
518	Kalmarville silty clay loam, occasionally flooded (where drained)
576	Newalbin silt loam (where drained)
580B	Blackhammer-Southridge silt loams, 3 to 6 percent slopes
608	Rawles silt loam, occasionally flooded
1812	Terril loam, sandy substratum
1830	Eitzen silt loam, occasionally flooded
1838	Colo silt loam, overwash (where drained)
1862	Zwingle Variant silty clay (where drained)
1886	Minneiska Variant loamy fine sand
1888	Moundprairie silty clay loam, occasionally flooded (where drained)
1890	Walford silt loam (where drained)

=====

Houston State-Wide Important Farmland List

Symbol	Mapunit Name
79C	BILLETT SANDY LOAM, 6 TO 12 PERCENT SLOPES
103C2	SEATON SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
131C	MASSBACH SILT LOAM, 6 TO 12 PERCENT SLOPES
285C	PORT BYRON SILT LOAM, 6 TO 12 PERCENT SLOPES
301C	LINDSTROM SILT LOAM, 6 TO 12 PERCENT SLOPES
312C	SHULLSBURG SILT LOAM, 6 TO 12 PERCENT SLOPES
388C2	SEATON SILT LOAM, VALLEYS, 6 TO 12 PERCENT SLOPES, ERODED
401C	MT. CARROLL SILT LOAM, 6 TO 12 PERCENT SLOPES
455C2	FESTINA SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED

476C2	FRANKVILLE SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
492C	NASSET SILT LOAM, 6 TO 12 PERCENT SLOPES
580C2	BLACKHAMMER-SOUTHRIDGE SILT LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
585C	NEWHOUSE-VALTON SILT LOAMS, 6 TO 12 PERCENT SLOPES
586C2	NODINE-ROLLINGSTONE SILT LOAMS, 4 TO 12 PERCENT SLOPES, ERODED
1822B	ABSCOTA VARIANT SAND, 2 TO 6 PERCENT SLOPES
1893C	BEAVERCREEK VARIANT SILT LOAM, 3 TO 8 PERCENT SLOPES

HUBBARD COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
133B	1	DALBO SILT LOAM, 2 TO 8 PERCENT SLOPES
147	2	SPOONER SILT LOAM, 0 TO 2 PERCENT SLOPES
167A	1	BAUDETTE SILT LOAM, 1 TO 3 PERCENT SLOPES
267B	1	SNELLMAN SANDY LOAM, 2 TO 8 PERCENT SLOPES
346	2	TALMOON LOAM, 0 TO 2 PERCENT SLOPES
672	2	WILLOSIPPI LOAM, 0 TO 2 PERCENT SLOPES
709B	1	LENGBY FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES
820B	1	POTATOLAKE VERY FINE SANDY LOAM, 1 TO 8 PERCENT SLOPES
1164	1	ZERKEL LOAM, 1 TO 3 PERCENT SLOPES
1200	2	EGGLAKE LOAM, 0 TO 2 PERCENT SLOPES
1272B	1	SOL FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
1294	1	NARY FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES
1319B	1	ROCKWOOD SANDY LOAM, 2 TO 6 PERCENT SLOPES, STONY
1320B	1	BLOWERS SANDY LOAM, 1 TO 5 PERCENT SLOPES, STONY
1321	2	PADDOCK-BECIDA COMPLEX, 0 TO 2 PERCENT SLOPES, STONY
1332B	1	ROCKWOOD FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, STONY
1336	1	BLOWERS FINE SANDY LOAM, MORANIC, 1 TO 3 PERCENT SLOPES, STONY
1447	1	BELTRAMI VERY FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES
1460B	1	NEBISH VERY FINE SANDY LOAM, MODERATELY WET, 2 TO 6 PERCENT SLOPES

=====

Hubbard State-Wide Important Farmland List 2001

Symbol	Mapunit Name
82B	Redeye loamy sand, 1 to 6 percent slopes
82C	Redeye loamy sand, 6 to 12 percent slopes
133C	Dalbo silt loam, 8 to 15 percent slopes
139B	Huntersville loamy fine sand, 1 to 6 percent slopes
170	Blomford loamy fine sand, 0 to 2 percent slopes
406A	Dorset sandy loam, 0 to 2 percent slopes
488	Becida fine sandy loam, morainic, 0 to 2 percent slopes, stony
567A	Verndale sandy loam, 0 to 2 percent slopes
709C	Lengby fine sandy loam, 8 to 15 percent slopes
731A	Sanburn loamy sand, 0 to 3 percent slopes
744B	Debs-Akeley complex, 1 to 8 percent slopes
775B	Surgarbush-Two Inlets complex, 1 to 8 percent slopes
778B	Dorset-Corliss complex, 1 to 6 percent slopes
820C	Potatolake very fine sandy loam, 8 to 15 percent slopes
831C	Akeley-Debs complex, 8 to 15 percent slopes
844B	Sanburn-Graycalm complex, 3 to 8 percent slopes
1126B	Verndale-Nymore complex, 1 to 6 percent slopes
1127A	Bootlake-Graycalm complex, 0 to 2 percent slopes
1127B	Bootlake-Graycalm complex, 2 to 8 percent slopes
1319C	Rockwood sandy loam, 6 to 12 percent slopes, stony
1332C	Rockwood fine sandy loam, morainic, 8 to 15 % slopes, stony
1334	Huntersville loamy sand, 1 to 3 percent slopes
1421B	Rockwood-Two Inlets, morainic, complex, 3 to 8 % slopes, stony
1438B	Braham loamy fine sand, moderately wet, 2 to 6 percent slopes
1440B	Redeye loamy sand, morainic, 3 to 8 percent slopes
1440C	Redeye loamy sand, morainic, 8 to 15 percent slopes

1444	Wurtsmith loamy sand, MAP 22-30, 0 to 3 percent slopes
1460C	Nebish very fine sandy loam, 6 to 12 percent slopes
1956	Staples loamy sand, 0 to 2 percent slopes

ISANTI COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
B	1	HAYDEN SILT LOAM, 2 TO 7 PERCENT SLOPES
Bc	2	BLUFFTON LOAM AND SILTY CLAY LOAM
Bk	2	BRICKTON SILT LOAM
Bu	1	HAYDEN SILT LOAM, 2 TO 7 PERCENT SLOPES, MODERATELY ERODED
Bv	2	BRICKTON SILT LOAM, CLAYEY SUBSOIL VARIANT
D	1	DALBO SILT LOAM, 2 TO 7 PERCENT SLOPES
F	2	FREER SILT LOAM
K	1	KANABEC VERY FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES
M	1	MILACA SILT LOAM, 2 TO 7 PERCENT SLOPES
Mf	1	MILACA FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES
R	2	RUMRIVER LOAM
T	1	HAYDEN FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES
Tu	1	HAYDEN FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES, MODERATELY ERODED
X	1	GREENBUSH SILT LOAM, 0 TO 2 PERCENT SLOPES
Xu	1	GREENBUSH SILT LOAM, 2 TO 7 PERCENT SLOPES
Y	2	AMES SILT LOAM
Ys	2	AMES FINE SANDY LOAM

=====

Isanti State-Wide Important Farmland List

Symbol	Mapunit Name
Bd	HAYDEN SILT LOAM, 7 TO 12 PERCENT SLOPES, MODERATELY ERODED
Bp	HAYDEN SILT LOAM, 7 TO 12 PERCENT SLOPES
C	CHETEK LOAMY SAND, 2 TO 7 PERCENT SLOPES
Cw	CROWN LOAMY SAND
Df	DALBO FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
Dp	DALBO SILT LOAM, 7 TO 12 PERCENT SLOPES
G	ANOKA LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES
Gu	ANOKA LOAMY FINE SAND, 2 TO 7 PERCENT SLOPES
Kp	KANABEC VERY FINE SANDY LOAM, 7 TO 12 PERCENT SLOPES
Md	MILACA FINE SANDY LOAM, 7 TO 12 PERCENT SLOPES, MODERATELY ERODED
Mn	MILACA FINE SANDY LOAM, 7 TO 12 PERCENT SLOPES
Mp	MILACA SILT LOAM, 7 TO 12 PERCENT SLOPES
N	BLOMFORD LOAMY FINE SAND
Nu	BRAHAM LOAMY FINE SAND, 2 TO 7 PERCENT SLOPES
ON	ONAMIA FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
S	SCANDIA FINE SANDY LOAM, 2 TO 7 PERCENT SLOPES
Td	HAYDEN FINE SANDY LOAM, 7 TO 12 PERCENT SLOPES, MODERATELY ERODED
Tp	HAYDEN FINE SANDY LOAM, 7 TO 12 PERCENT SLOPES
V	BURNSVILLE-RODMAN COMPLEX, 2 TO 7 PERCENT SLOPES

ITASCA COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
32B	1	NEBISH VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
72	2	SHOOKER VERY FINE SANDY LOAM
147	2	SPOONER SILT LOAM
167B	1	BAUDETTE SILT LOAM, 0 TO 5 PERCENT SLOPES
240B	1	WARBA FINE SANDY LOAM, 1 TO 8 PERCENT SLOPES
243	2	STUNTZ VERY FINE SANDY LOAM
615	2	COWHORN LOAMY VERY FINE SAND
616	2	EFFIE LOAM
617B	1	GOODLAND SILT LOAM, 1 TO 10 PERCENT SLOPES
618B	1	ITASCA SILT LOAM, 1 TO 10 PERCENT SLOPES
619	2	KEEWATIN SILT LOAM
621	2	MORPH VERY FINE SANDY LOAM
622B	1	NASHWAUK FINE SANDY LOAM, 1 TO 10 PERCENT SLOPES
624B	1	ROSY VERY FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES
626B	1	SUOMI SILT LOAM, 1 TO 8 PERCENT SLOPES
629B	1	WAWINA LOAMY VERY FINE SAND, 0 TO 10 PERCENT SLOPES
801B	1	TAYLOR AND DALBO SILT LOAMS, 0 TO 6 PERCENT SLOPES
871	2	INDUS AND BRICKTON SOILS

=====

Itasca State-Wide Important Farmland List

Symbol	Mapunit Name
158B	ZIMMERMAN LOAMY FINE SAND, 1 TO 8 PERCENT SLOPES
268B	CROMWELL FINE SANY LOAM, 1 TO 10 PERCENT SLOPES
620B	CUTAWAY LOAMY SAND, 0 TO 8 PERCENT SLOPES
656B	THISTLEDEW LOAMY SAND, 0 TO 6 PERCENT SLOPES
655	BEARVILLE LOAMY SAND
803B	WARBA-MENAHGA COMPLEX, 1 TO 8 PERCENT SLOPES
870C	ITASCA-GOODLAND COMPLEX, 2 TO 12 PERCENT SLOPES
1826B	NESHWAWUK-MENAHGA COMPLEX, 1 TO 10 PERCENT SLOPES

JACKSON COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27B	1	DICKINSON SANDY LOAM, 1 TO 6 PERCENT SLOPES
39A	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
39B	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
96	1	COLLINWOOD SILTY CLAY
101B	1	TRUMAN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE CLAY LOAM
118	1	CRIPPIN CLAY LOAM
130	1	NICOLLET CLAY LOAM
197	1	KINGSTON SILTY CLAY LOAM
211	2	LURA SILTY CLAY
229	2	WALDORF SILTY CLAY
255	2	MAYER LOAM
313	3	SPILLVILLE LOAM, OCCASIONALLY FLOODED
336	2	DELFT CLAY LOAM
392	2	BISCAY CLAY LOAM
813	2	SPICER-LURA COMPLEX
956	2	CANISTEO-GLENCOE CLAY LOAMS
1833	5	COLAND CLAY LOAM, OCCASIONALLY FLOODED
1907	1	LAKEFIELD SILTY CLAY LOAM
1914	2	LURA SILTY CLAY, NEARLY LEVEL

=====

Jackson State-Wide Important Farmland List 2002

Symbol	Mapunit Name
35	Blue Earth mucky silt loam
41A	Estherville sandy loam, 0 to 2 percent slopes
41B	Estherville sandy loam, 2 to 6 percent slopes
102B2	Clarion loam, 4 to 8 percent slopes, eroded
327B	Dickman sandy loam, 1 to 6 percent slopes
539	Palms muck
887C	Clarion-swanlake loams, 6 to 12 percent slopes
921C2	Clarion-storden loams, 6 to 12 percent slopes, eroded

KANABEC COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
43B	1	AUTOMBA LOAM, 2 TO 6 PERCENT SLOPES
49A	1	ANTIGO SILT LOAM, 0 TO 2 PERCENT SLOPES
49B	1	ANTIGO SILT LOAM, 2 TO 6 PERCENT SLOPES
124	2	BRICKTON SILT LOAM
133A	1	DALBO SILT LOAM, 0 TO 2 PERCENT SLOPES
133B	1	DALBO SILT LOAM, 2 TO 6 PERCENT SLOPES
152B	1	MILACA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
153A	1	SANTIAGO SILT LOAM, 0 TO 2 PERCENT SLOPES
153B	1	SANTIAGO SILT LOAM, 2 TO 6 PERCENT SLOPES
164A	1	MORA LOAM, 0 TO 2 PERCENT SLOPES
164B	1	MORA LOAM, 2 TO 6 PERCENT SLOPES
166	2	RONNEBY LOAM
182	2	HALDER LOAM
204B	1	CUSHING LOAM, 2 TO 6 PERCENT SLOPES
264A	1	FREEON SILT LOAM, 0 TO 2 PERCENT SLOPES
264B	1	FREEON SILT LOAM, 2 TO 6 PERCENT SLOPES
266	2	FREER SILT LOAM
302A	1	ROSHOLT SANDY LOAM, 0 TO 2 PERCENT SLOPES
466	2	OGILVIE SILT LOAM
685	2	OESTERLE FINE SANDY LOAM
949B	1	MILACA-CHETEK COMPLEX, 2 TO 6 PERCENT SLOPES

=====

Kanabec State-Wide Important Farmland List

Symbol	Mapunit Name
43BC	Automba loam, 2 to 12 Percent Slopes
43C	Automba loam, 6 to 12 Percent Slopes
49BC	Antigo silt loam, 2 to 12 Percent Slopes
49C	Antigo silt loam, 6 to 12 Percent Slopes
119B	Pomroy fine sand, 2 to 6 Percent Slopes
133BC	Dalbo silt loam, 2 to 12 Percent Slopes
133C	Dalbo silt loam, 6 to 12 Percent Slopes
152BC	Milaca fine sandy loam, 2 to 12 Percent Slopes
152C	Milaca fine sandy loam, 6 to 12 Percent Slopes
153C	Santiago silt loam, 6 to 12 Percent Slopes
155A	Chetek sandy loam, 0 to 2 Percent Slopes
155B	Chetek sandy loam, 2 to 6 Percent Slopes
162	Lino loam fine sand
169A	Braham loamy fine sand, 0 to 2 Percent Slopes
169B	Braham loamy fine sand, 2 to 6 Percent Slopes
302BC	Rosholt sandy loam, 2 to 12 Percent Slopes
302C	Rosholt sandy loam, 6 to 12 Percent Slopes
565	Eckvoll loamy sand, 0 to 3 Percent Slopes
732A	Bushville fine sand, 0 to 2 Percent Slopes
949C	Milaca-Chetek Complex, 6 to 12 Percent Slopes

KANDIYOHI COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27B	1	DICKINSON FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
39	1	WADENA LOAM
84	2	BROWNTON SILTY CLAY LOAM
94	1	TERRIL LOAM
106B	1	LESTER LOAM, 2 TO 8 PERCENT SLOPES
110	2	MARNA SILTY CLAY
112	2	HARPS CLAY LOAM
113	2	WEBSTER SILTY CLAY LOAM
114	2	GLENCOE CLAY LOAM
130A	1	NICOLLET SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
130B	1	NICOLLET CLAY LOAM, 2 TO 5 PERCENT SLOPES
134	2	OKOBOJI SILTY CLAY LOAM
140	2	SPICER SILTY CLAY LOAM
1900	2	OKOBOJI-CANISTEO SILTY CLAY LOAMS, DEPRESSIONAL
230A	1	GUCKEEN CLAY LOAM, 0 TO 2 PERCENT SLOPES
230B	1	GUCKEEN CLAY LOAM, 2 TO 6 PERCENT SLOPES
238B	1	KILKENNY CLAY LOAM, 2 TO 6 PERCENT SLOPES
336	2	DELFT LOAM
392	2	BISCAY LOAM
423	1	SEAFORTH LOAM
444	2	CANISTEO SILTY CLAY LOAM
446A	1	NORMANIA LOAM, 0 TO 2 PERCENT SLOPES
446B	1	NORMANIA LOAM, 2 TO 5 PERCENT SLOPES
447	2	HARPS SILTY CLAY LOAM
613	1	GROVE CITY LOAM
805B	1	WADENILL-SUNBURG LOAMS, 2 TO 6 PERCENT SLOPES
807B	1	KORONIS-SUNBURG COMPLEX, 2 TO 6 PERCENT SLOPES
810	2	CORIFF-FIELDON COMPLEX
817	2	CANISTEO-SEAFORTH COMPLEX
897B	1	SEAFORTH-SWANLAKE LOAMS, 2 TO 6 PERCENT SLOPES
899	2	HARPS-OKOBOJI COMPLEX
927	2	HARPS-SEAFORTH-OKOBOJI COMPLEX
954B	1	VES-SWANLAKE LOAMS, 2 TO 6 PERCENT SLOPES
981	2	CANISTEO-HARPS LOAMS

=====

Kandiyohi State-Wide Important Farmland List

Symbol	Mapunit Name
35	BLUE EARTH MUCKY SILT LOAM (where drained)
41A	ESTHERVILLE COARSE SANDY LOAM, 0 TO 3 PERCENT SLOPES
238C	KILKENNY CLAY LOAM, 6 TO 12 PERCENT SLOPES
413	OSAKIS SANDY LOAM
523	HOUGHTON MUCK (where drained)
525	MUSKEGO MUCK (where drained)
539	PALMS MUCK (where drained)
548	PALMS MUCK, SANDY SUBSTRATUM (where drained)
559	LENA MUCK (where drained)
804B	KORONIS-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
804C	KORONIS-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES
805C	SUNBURG-WADENILL COMPLEX, 6 TO 12 PERCENT SLOPES

806C	GUCKEEN-ARTON COMPLEX, 4 TO 12 PERCENT SLOPES
807C	KORONIS-SUNBURG COMPLEX, 6 TO 12 PERCENT SLOPES
809	LOWLEIN-ESTHERVILLE SANDY LOAMS
819	REGAL-HAWICK COMPLEX, 0 TO 4 PERCENT SLOPES
833B	WADENILL-SUNBURG-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
833C	SUNBURG-WADENILL-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES
875B	ESTHERVILLE-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
954C	SWANLAKE-VES LOAMS, 6 TO 12 PERCENT SLOPES
999B	VES-SWANLAKE-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
999C	SWANLAKE-VES-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES

KITTSON COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
46	2	BORUP LOAM
47	2	COLVIN SILTY CLAY LOAM
52	2	AUGSBURG SOILS
59	1	GRIMSTAD SOILS, 0 TO 2 PERCENT SLOPES
60	1	GLYNDON SOILS, 0 TO 2 PERCENT SLOPES
63	2	ROCKWELL SOILS
67	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
77	1	GARNES SOILS, 0 TO 2 PERCENT SLOPES
93	1	BEARDEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
93B	1	BEARDEN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
157	1	WAHPETON SILTY CLAY 0 TO 2 PERCENT SLOPES
157B	1	WAHPETON SILTY CLAY, 2 TO 6 PERCENT SLOPES
296	1	FRAM SOILS, 0 TO 2 PERCENT SLOPES
343	1	WHEATVILLE SOILS, 0 TO 2 PERCENT SLOPES
383	2	PERCY SOILS, CALCAREOUS SURFACE
403	2	VIKING SOILS
425	1	DONALDSON SOILS, 0 TO 2 PERCENT SLOPES
426	1	FOLDAHL SOILS, 0 TO 2 PERCENT SLOPES
427	1	FRAM SOILS, LEACHED, 0 TO 3 PERCENT SLOPES
429	2	NORTHCOTE CLAY, 0 TO 2 PERCENT SLOPES
429B	2	NORTHCOTE CLAY, 2 TO 6 PERCENT SLOPES
430	2	NOYES SOILS
581	2	PERCY SOILS
582	2	ROLISS SOILS
583	1	NERESON SOILS, 0 TO 2 PERCENT SLOPES
908	1	BEARDEN-FARGO COMPLEX
937	2	HEGNE-NORTHCOTE COMPLEX
991	2	NORTHCOTE AND WAHPETON SOILS

=====

Kittson State-Wide Important Farmland List

Symbol	Mapunit Name
50	CASHEL CLAY
61	ARVESON SOILS
64	ULEN SOILS, 0 TO 2 PERCENT SLOPES
65	FOXHOME SOILS, 0 TO 2 PERCENT SLOPES
145	ENSTROM LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES
187	HAUG MUCK (where drained)
280	PELAN SOILS, 0 TO 2 PERCENT SLOPES
384	PERCY, DEPRESSIONAL (where drained)
412	MAVIE SOILS
424	AUGSBURG SOILS, DEPRESSIONAL (where drained)
432	STRANDQUIST SOILS
438	NORTHCOTE CLAY, DEPRESSIONAL (where drained)

KOOCHICHING COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
40B	1	NEBISH LOAM, 2 TO 6 PERCENT SLOPES
72	2	SHOOKER SILT LOAM
77	1	GARNES LOAM
122A	1	TAYLOR SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
122B	1	TAYLOR SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
125	1	BELTRAMI LOAM
147	2	SPOONER VERY FINE SANDY LOAM
167A	1	BAUDETTE VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
167B	1	BAUDETTE VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
404	2	CHILGREN FINE SANDY LOAM
616	2	EFFIE LOAM
626B	1	SUOMI LOAM, 2 TO 6 PERCENT SLOPES
1982	3	BAUDETTE-SPOONER SILT LOAMS, RARELY FLOODED, 0 TO 2 PERCENT SLOPES

=====

Koochiching State-Wide Important Farmland List

Symbol	Mapunit Name
40BC	NEBISH LOAM, 2 TO 12 PERCENT SLOPES
40C	NEBISH LOAM, 6 TO 12 PERCENT SLOPES
122BC	TAYLOR SILTY CLAY LOAM, 2 TO 12 PERCENT SLOPES
122C	TAYLOR SILTY CLAY LOAM, 6 TO 12 PERCENT SLOPES
169A	BRAHAM LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES
169B	BRAHAM LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES
169BC	BRAHAM LOAMY FINE SAND, 2 TO 12 PERCENT SLOPES
169C	BRAHAM LOAMY FINE SAND, 6 TO 12 PERCENT SLOPES
505BC	DEBS VERY FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
505C	DEBS VERY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
565	ECKVOLL LOAMY SAND, 0 TO 3 PERCENT SLOPES
620A	CUTAWAY LOAMY SAND, 0 TO 2 PERCENT SLOPES
620B	CUTAWAY LOAMY SAND, 2 TO 6 PERCENT SLOPES
620C	CUTAWAY LOAMY SAND, 6 TO 12 PERCENT SLOPES
626C	SUOMI LOAM, 6 TO 12 PERCENT SLOPES
655	BEARVILLE LOAMY SAND
656B	THISTLEDEW LOAMY SAND, 2 TO 6 PERCENT SLOPES

LAC QUI PARLE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
34	2	PARNELL SILTY CLAY LOAM, DEPRESSIONAL
47	2	COLVIN SILTY CLAY LOAM
51	3	LA PRAIRIE LOAM, OCCASIONALLY FLOODED
60	1	GLYNDON SILT LOAM
67	1	BEARDEN SILTY CLAY LOAM
70	1	SVEA LOAM
85	5	CALCO SILTY CLAY LOAM, OCCASIONALLY FLOODED
108	1	MCINTOSH SILT LOAM
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE SILTY CLAY LOAM
137	2	DOVRAY SILTY CLAY
141A	1	EGELAND SANDY LOAM, 0 TO 2 PERCENT SLOPES
141B	1	EGELAND SANDY LOAM, 2 TO 6 PERCENT SLOPES
168B	1	FORMAN CLAY LOAM, 2 TO 6 PERCENT SLOPES
184	1	HAMERLY LOAM
210	2	FULDA SILTY CLAY
212A	1	SINAI SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
212B	1	SINAI SILTY CLAY, 3 TO 6 PERCENT SLOPES
219	2	ROLFE SILT LOAM
236	2	VALLERS CLAY LOAM
246	2	MARYSLAND LOAM
276	2	OLDHAM SILTY CLAY
284B	1	POINSETT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES
290B	1	ROTHSAY SILT LOAM, 1 TO 4 PERCENT SLOPES
293B	1	SWENODA LOAM, 2 TO 6 PERCENT SLOPES
314	1	SPOTTSWOOD LOAM
338	1	WAUBAY SILTY CLAY LOAM
339	1	FORDVILLE LOAM
344	2	QUAM SILTY CLAY LOAM
347	1	MALACHY LOAM
375	2	FORADA LOAM
418	5	LAMOURE SILTY CLAY LOAM, OCCASIONALLY FLOODED
421B	1	VES LOAM, 1 TO 4 PERCENT SLOPES
423	1	SEAFORTH LOAM
434	2	PERELLA SILTY CLAY LOAM
446	1	NORMANIA CLAY LOAM
494B	1	DARNEN LOAM, 2 TO 6 PERCENT SLOPES
497	1	HANTHO SILT LOAM
574	3	DU PAGE LOAM, OCCASIONALLY FLOODED
597	1	TARA SILT LOAM
680	2	PARNELL SILTY CLAY LOAM
724	2	BIGSTONE SILTY CLAY LOAM
741B	1	POINSETT-BUSE COMPLEX, 2 TO 6 PERCENT SLOPES
748B	1	HAMLET LOAM, 1 TO 4 PERCENT SLOPES
769A	1	MEHURIN CLAY LOAM, 0 TO 2 PERCENT SLOPES
769B	1	MEHURIN CLAY LOAM, 2 TO 6 PERCENT SLOPES
883	3	DU PAGE-ZUMBRO COMPLEX, OCCASIONALLY FLOODED
891B	1	DOLAND-BUSE COMPLEX, 3 TO 6 PERCENT SLOPES
902B	1	BARNES-BUSE COMPLEX, 2 TO 6 PERCENT SLOPES
954B	1	VES-SWANLAKE COMPLEX, 3 TO 6 PERCENT SLOPES
969B	1	ZELL-ROTHSAY COMPLEX, 3 TO 6 PERCENT SLOPES
1108	2	HARPS-GLENCOE-SEAFORTH COMPLEX
1222	2	PARLE CLAY LOAM

1233B	1	ESMOND-HEIMDAL COMPLEX, 2 TO 6 PERCENT SLOPES
1295B	1	DOLAND SILT LOAM, 2 TO 4 PERCENT SLOPES, MODERATELY WET
1296	1	SWENODA SANDY LOAM, 0 TO 2 PERCENT SLOPES, MODERATELY WET
1870	3	BURR-CALCO COMPLEX, OCCASIONALLY FLOODED
1938	2	LAKEPARK LOAM
1994	1	EMBDEN SANDY LOAM

=====

Lac qui Parle State-Wide Important Farmland List
2002

Symbol	Mapunit Name
127A	Sverdrup sandy loam, 0 to 2 percent slopes
127B	Sverdrup sandy loam, 2 to 6 percent slopes
141C	Egeland loam, 6 to 12 percent slopes
341A	Arvilla sandy loam, 0 to 2 percent slopes
341B	Arvilla sandy loam, 2 to 6 percent slopes

LAKE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
21A	1	AHMEEK LOAM, 0 TO 2 PERCENT SLOPES
21B	1	AHMEEK LOAM, 2 TO 6 PERCENT SLOPES
254B	1	HIBBING LOAM, 2 TO 6 PERCENT SLOPES
502	2	DUSLER SILT LOAM
504A	1	DULUTH VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
504B	1	DULUTH VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
512A	1	AMASA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
512B	1	AMASA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
695B	1	FINLAND LOAM, 2 TO 6 PERCENT SLOPES
696	2	HERMANTOWN SILT LOAM
714	2	BUHL LOAM
975A	1	AHMEEK-OMEGA COMPLEX, 0 TO 2 PERCENT SLOPES

=====

Lake State-Wide Important Farmland List

Symbol	Mapunit Name
21BC	AHMEEK LOAM, 2 TO 12 PERCENT SLOPES
21C	AHMEEK LOAM, 6 TO 12 PERCENT SLOPES
254BC	HIBBING LOAM, 2 TO 12 PERCENT SLOPES
254C	HIBBING LOAM, 6 TO 12 PERCENT SLOPES
303A	ONTONAGON SILTY CLAY, 0 TO 2 PERCENT SLOPES
303B	ONTONAGON SILTY CLAY, 2 TO 6 PERCENT SLOPES
303BC	ONTONAGON SILTY CLAY, 2 TO 12 PERCENT SLOPES
303C	ONTONAGON SILTY CLAY, 6 TO 12 PERCENT SLOPES
355A	CLOQUET FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
355B	CLOQUET FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
504BC	DULUTH VERY FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
504C	DULUTH VERY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
512C	AMASA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
695C	FINLAND LOAM, 6 TO 12 PERCENT SLOPES
697B	TOIMI SANDY LOAM, 2 TO 6 PERCENT SLOPES
1340A	ONTONAGON-OMEGA COMPLEX, 0 TO 2 PERCENT SLOPES
1340B	ONTONAGON-OMEGA COMPLEX, 2 TO 6 PERCENT SLOPES
1340C	ONTONAGON-OMEGA COMPLEX, 6 TO 12 PERCENT SLOPES

LAKE OF THE WOODS COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
52	2	AUGSBURG LOAM
77B	1	GARNES FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
122B	1	TAYLOR LOAM, 1 TO 8 PERCENT SLOPES
147	2	SPOONER VERY FINE SANDY LOAM
167B	1	BAUDETTE FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
195B	1	TAYLOR LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES
404	2	CHILGREN FINE SANDY LOAM
425	1	DONALDSON LOAMY VERY FINE SAND
568	2	ZIPPEL VERY FINE SANDY LOAM
569	2	WABANICA SILT LOAM
581	2	PERCY FINE SANDY LOAM
582	2	ROLISS CLAY LOAM
616	2	EFFIE LOAM
626	1	SUOMI LOAM, 1 TO 4 PERCENT SLOPES
641	2	CLEARWATER CLAY
644	2	BOASH CLAY LOAM
1059	2	WEGA SILT LOAM

=====

Lake of the Woods State-Wide Important Farmland List

Symbol	Mapunit Name
172	INDUS CLAY LOAM
280	PELAN SANDY LOAM
387	ROLISS LOAM, DEPRESSIONAL
432	STRANDQUIST SANDY LOAM
481	KRATKA FINE SANDY LOAM
565	ECKVOLL LOAMY FINE SAND
655	BEARVILLE LOAMY FINE SAND
755	WOODSLAKE CLAY

LE SUEUR COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27A	1	DICKINSON SANDY LOAM, 0 TO 2 PERCENT SLOPES
27B	1	DICKINSON SANDY LOAM, 2 TO 6 PERCENT SLOPES
39A	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
39B	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 1 TO 8 PERCENT SLOPES
106B	1	LESTER LOAM, 2 TO 6 PERCENT SLOPES
109	2	CORDOVA CLAY LOAM
114	2	GLENCOE CLAY LOAM
123	2	DUNDAS LOAM
129	1	CYLINDER LOAM, 1 TO 4 PERCENT SLOPES
138B	2	LERDAL CLAY LOAM, 2 TO 6 PERCENT SLOPES
156A	1	FAIRHAVEN SILT LOAM, 0 TO 2 PERCENT SLOPES
156B	1	FAIRHAVEN SILT LOAM, 2 TO 6 PERCENT SLOPES
1855B	1	DICKINSON SANDY LOAM, LOAMY SUBSTRATUM, 2 TO 6 PERCENT SLOPES
1901B	1	LE SUEUR-LESTER COMPLEX, 1 TO 6 PERCENT SLOPES
1962	2	MAZASKA-ROLFE COMPLEX
206B	1	KASOTA SILT LOAM, 1 TO 6 PERCENT SLOPES
238B	1	KILKENNY LOAM, 2 TO 6 PERCENT SLOPES
239B	1	LE SUEUR CLAY LOAM, 1 TO 4 PERCENT SLOPES
256	2	MAZASKA SILTY CLAY LOAM
323	2	SHIELDS SILTY CLAY LOAM
329	2	CHASKA SILT LOAM
392	2	BISCAY LOAM
414	2	HAMEL CLAY LOAM
463	1	MINNEISKA FINE SANDY LOAM, OCCASIONALLY FLOODED
468	5	OTTER SILT LOAM
945B	1	LESTER-STORDEN LOAMS, 2 TO 6 PERCENT SLOPES
978	2	CORDOVA-ROLFE COMPLEX

=====

LeSueur State-Wide Important Farmland List

Symbol	Mapunit Name
35	BLUE EARTH MUCKY SILT LOAM (where drained)
41B	ESTHERVILLE SANDY LOAM, 1 TO 6 PERCENT SLOPES
106C2	LESTER LOAM, 6 TO 12 PERCENT SLOPES, ERODED
138C	LERDAL CLAY LOAM, 6 TO 12 PERCENT SLOPES
238C2	KILKENNY CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
327A	DICKMAN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
327B	DICKMAN FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
524	CARON MUCK (where drained)
525	MUCKEGO MUCK (where drained)
539	PALMS MUCK (where drained)
944B	LESTER-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES
944C	LESTER-HAWICK-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES
945C	LESTER-STORDEN LOAMS, 6 TO 12 PERCENT SLOPES

LINCOLN COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
AaA	1	AASTAD CLAY LOAM, 0 TO 2 PERCENT SLOPES
BaA	1	BARNES LOAM, 0 TO 2 PERCENT SLOPES
BaB	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES
BaB2	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES, ERODED
BbB2	1	BARNES AND BUSE LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
BeA	1	BEOTIA SILT LOAM, 0 TO 2 PERCENT SLOPES
BeB	1	BEOTIA SILT LOAM, 2 TO 4 PERCENT SLOPES
BkA	1	BROOKINGS SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
BkB	1	BROOKINGS SILTY CLAY LOAM, 2 TO 4 PERCENT SLOPES
Co	2	COLVIN SILTY CLAY LOAM
DcA	1	DICKEY SANDY LOAM, SILTY VARIANT, 0 TO 2 PERCENT SLOPES
DcB	1	DICKEY SANDY LOAM, SILTY VARIANT, 2 TO 6 PERCENT SLOPES
Dv	1	DIVIDE SILT LOAM
EsA	1	ESTELLINE SILT LOAM, 0 TO 2 PERCENT SLOPES
FaA	1	FLANDREAU LOAM, 0 TO 2 PERCENT SLOPES
FaB	1	FLANDREAU LOAM, 2 TO 6 PERCENT SLOPES
Fc	2	FLOM CLAY LOAM
FdA	1	FORDVILLE LOAM, 0 TO 2 PERCENT SLOPES
FdB	1	FORDVILLE LOAM, 2 TO 6 PERCENT SLOPES
FdB2	1	FORDVILLE LOAM, 2 TO 6 PERCENT SLOPES, ERODED
FmA	1	FORMAN CLAY LOAM, 0 TO 2 PERCENT SLOPES
FrB	1	FORMAN AND BARNES SOILS, 2 TO 6 PERCENT SLOPES
FrB2	1	FORMAN AND BARNES SOILS, 2 TO 6 PERCENT SLOPES, ERODED
Fu	2	FULDA SILTY CLAY LOAM
HaA	1	HAMERLY LOAM, 0 TO 3 PERCENT SLOPES
Hd	2	HIDEWOOD SILTY CLAY LOAM
KrA	1	KRANZBURG SILT LOAM 0 TO 2 PERCENT SLOPES
KrB	1	KRANZBURG SILT LOAM, 2 TO 6 PERCENT SLOPES
KrB2	1	KRANZBURG SILT LOAM, 2 TO 6 PERCENT SLOPES, ERODED
Lm	5	LAMOURE SILTY CLAY LOAM
Lp	3	LA PRAIRIE LOAM
LsA	1	LISMORE SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES
OlA	1	OAK LAKE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
OlB	1	OAK LAKE SILTY CLAY LOAM, 2 TO 4 PERCENT SLOPES
Om	2	OLDHAM SILTY CLAY LOAM
Pa	2	PARNELL SILTY CLAY LOAM
PoB	1	POINSETT SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
PoB2	1	POINSETT SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
ScA	1	SINAI SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
ScB	1	SINAI SILTY CLAY LOAM, 2 TO 4 PERCENT SLOPES
SgB	1	SINGSAAS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
SgB2	1	SINGSAAS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
SvA	1	SVEA CLAY LOAM, 0 TO 2 PERCENT SLOPES
SvB	1	SVEA CLAY LOAM, 2 TO 4 PERCENT SLOPES
TeB	1	TERRIL SILT LOAM, 2 TO 6 PERCENT SLOPES
Va	2	VALLERS SILTY CLAY LOAM
VeB	1	VIENNA SILT LOAM, 2 TO 6 PERCENT SLOPES
VeB2	1	VIENNA SILT LOAM, 2 TO 6 PERCENT SLOPES, ERODED
WaA	1	WAUBAY SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
WaB	1	WAUBAY SILTY CLAY LOAM, 2 TO 4 PERCENT SLOPES

=====

Lincoln State-Wide Important Farmland List

Symbol	Mapunit Name
ArA	Arvilla sandy loam, 0 to 2 percent slopes
ArB	Arvilla sandy loam, 2 to 6 percent slopes
BbC	Barnes and buse loams, 6 to 12 percent slopes
BbC2	Barnes and buse loams, 6 to 12 percent slopes, eroded
BcB	Barnes-buse-arvilla complex, 2 to 6 percent slopes
BcB2	Barnes-buse-arvilla complex, 2 to 6 percent slopes, eroded
BcC2	Barnes-buse-arvilla complex, 6 to 12 percent slopes, eroded
CrC	Crofton silty clay loam, 4 to 12 percent slopes
SwB	Sverdrup sandy loam, 2 to 6 percent slopes
VeC2	Vienna silt loam, 6 to 12 percent slopes, eroded

LYON COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
6	1	AASTAD CLAY LOAM, 0 TO 2 PERCENT SLOPES
33B	1	BARNES LOAM, 1 TO 4 PERCENT SLOPES
33B2	1	BARNES LOAM, 3 TO 6 PERCENT SLOPES, ERODED
36	2	FLOM CLAY LOAM
51	3	LA PRAIRIE LOAM
70	1	SVEA LOAM, 1 TO 3 PERCENT SLOPES
86	2	CANISTEO CLAY LOAM
114	2	GLENCOE SILTY CLAY LOAM
149B	1	EVERLY CLAY LOAM, 2 TO 4 PERCENT SLOPES
149B2	1	EVERLY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
168B	1	FORMAN CLAY LOAM, 2 TO 4 PERCENT SLOPES
168B2	1	FORMAN CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
184	1	HAMERLY LOAM, 1 TO 3 PERCENT SLOPES
210	2	FULDA SILTY CLAY
212	1	SINAI SILTY CLAY, 1 TO 3 PERCENT SLOPES
219	2	ROLFE LOAM
236	2	VALLERS CLAY LOAM
241	2	LETRI CLAY LOAM
246	2	MARYSLAND LOAM
276	2	OLDHAM SILTY CLAY LOAM
284B	1	POINSETT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES
284B2	1	POINSETT SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
335	2	URNESS SILT LOAM
339	1	FORDVILLE LOAM, 0 TO 2 PERCENT SLOPES
339B	1	FORDVILLE LOAM, 2 TO 6 PERCENT SLOPES
344	2	QUAM SILTY CLAY LOAM
345	1	WILMONTON CLAY LOAM
347	1	MALACHY LOAM
418	5	LAMOURE SILTY CLAY LOAM
421B	1	VES LOAM, 1 TO 4 PERCENT SLOPES
421B2	1	VES LOAM, 3 TO 6 PERCENT SLOPS, ERODED
423	1	SEAFORTH LOAM, 1 TO 3 PERCENT SLOPES
446	1	NORMANIA LOAM, 1 TO 3 PERCENT SLOPES
494B	1	DARNEN LOAM, 2 TO 6 PERCENT SLOPES
1809	1	BEARDEN COMPLEX
1810	2	COLVIN COMPLEX
1814	2	OLDHAM SILTY CLAY

=====

Lyon State-Wide Important Farmland List

Symbol	Mapunit Name
127	Sverdrup sandy loam, 0 to 2 percent slopes
127B	Sverdrup sandy loam, 2 to 6 percent slopes
149C2	Everly clay loam, 6 to 12 percent slopes, eroded
284C2	Poinsett silty clay loam, 6 to 12 percent slopes, eroded
341	Arvilla sandy loam, 0 to 2 percent slopes
341B	Arvilla sandy loam, 2 to 6 percent slopes
902C2	Barnes-buse loams, 6 to 12 percent slopes, eroded
904B2	Arvilla-barnes-buse complex, 2 to 6 percent slopes, eroded

904C2	Arvilla-buse-barnes complex, 6 to 12 percent slopes, eroded
915C2	Forman-buse complex, 6 to 12 percent slopes, eroded
953C	Arvilla-storden-ves complex, 6 to 15 percent slopes
954C2	Storden-ves loams, 5 to 12 percent slopes, eroded

McLEOD COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27B	1	DICKINSON FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
39A	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
39B	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES
106B	1	LESTER LOAM, 2 TO 6 PERCENT SLOPES
109	2	CORDOVA CLAY LOAM
112	2	HARPS CLAY LOAM
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE CLAY LOAM
118	1	CRIPPIN LOAM
130	1	NICOLLET CLAY LOAM
134	2	OKOBOJI SILTY CLAY LOAM
238B	1	KILKENNY CLAY LOAM, 2 TO 6 PERCENT SLOPES
239	1	LE SUEUR LOAM
247	1	LINDER LOAM
255	2	MAYER LOAM
269	2	MILLINGTON CLAY LOAM, OCCASIONALLY FLOODED
313	1	SPILLVILLE LOAM, OCCASIONALLY FLOODED
336	2	DELFT CLAY LOAM
386	2	OKOBOJI MUCKY SILTY CLAY LOAM
392	2	BISCAY CLAY LOAM
414	2	HAMEL LOAM
517	2	SHANDEP CLAY LOAM
887B	1	CLARION-SWANLAKE COMPLEX, 2 TO 6 PERCENT SLOPES
945B	1	LESTER-STORDEN COMPLEX, 2 TO 6 PERCENT SLOPES
956	2	CANISTEO-GLENCOE COMPLEX
978	2	CORDOVA-ROLFE COMPLEX
1092	2	HARPS-GLENCOE COMPLEX
1159B	1	STROUT-ARKTON COMPLEX, 2 TO 6 PERCENT SLOPES
1193	2	COSMOS SILTY CLAY
1204B	1	COKATO LOAM, 2 TO 6 PERCENT SLOPES
1207B	1	COKATO-LE SUEUR COMPLEX, 1 TO 6 PERCENT SLOPES
1213B	1	COKATO-STORDEN COMPLEX, 2 TO 6 PERCENT SLOPES
1228	1	HOOPESTON-LE SUEUR COMPLEX
1833	2	COLAND CLAY LOAM, OCCASIONALLY FLOODED
1901B	1	LESTER-LE SUEUR COMPLEX, 1 TO 6 PERCENT SLOPES

=====

McLeod State-Wide Important Farmland List

Symbol	Mapunit Name
41A	ESTHERVILLE LOAM, 0 TO 2 PERCENT SLOPES
41B	ESTHERVILLE LOAM, 2 TO 6 PERCENT SLOPES
1213C	COKATO-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES,
ERODED	
1229B	COKATO-STORDEN-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT
SLOPES	
327B	DICKMAN SANDY LOAM, 1 TO 6 PERCENT SLOPES
525	MUSKEGO MUCK

539	KLOSSNER MUCK
920B	CLARION-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES
920C2	CLARION-STORDEN-ESTHERVILLE COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
921C2	CLARION-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
944B	LESTER-STORDEN-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES
945C2	LESTER-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED

MAHNOMEN COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
33B	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES
36	2	FLOM SILTY CLAY LOAM
38B	1	WAUKON LOAM, 2 TO 8 PERCENT SLOPES
40B	1	NEBISH LOAM, 2 TO 8 PERCENT SLOPES
59	1	GRIMSTAD FINE SANDY LOAM
63	2	ROCKWELL LOAM
121	1	WYKEHAM FINE SANDY LOAM
125	1	BELTRAMI LOAM
180	1	GONVICK LOAM
236	2	VALLERS SILTY CLAY LOAM
267B	1	SNELLMAN SANDY LOAM, 2 TO 8 PERCENT SLOPES
290B	1	ROTHSAY SILT LOAM, 1 TO 6 PERCENT SLOPES
296	1	FRAM LOAM
346	2	TALMOON LOAM
352B	1	HEIMDAL LOAM, 2 TO 6 PERCENT SLOPES
426	1	FOLDAHL SANDY LOAM
494B	1	DARNEN LOAM, 2 TO 6 PERCENT SLOPES
718B	1	NAYTAHWAUSH LOAM, 2 TO 8 PERCENT SLOPES
737	1	MAHKONCE LOAM
748	1	HAMLET LOAM
767	2	AUGANAUSH LOAM
827B	1	HEIMDAL-ESMOND COMPLEX, 2 TO 6 PERCENT SLOPES
903B	1	BARNES-LANGHEI COMPLEX, 2 TO 6 PERCENT SLOPES
967B	1	WAUKON-LANGHEI COMPLEX, 2 TO 6 PERCENT SLOPES
1117	2	HEDMAN LOAM
1142	2	HEDMAN-FRAM COMPLEX
1149	1	HAMERLY CLAY LOAM
1200	2	EGGLAKE LOAM
1967	2	HAMERLY-VALLERS COMPLEX

=====

Mahnomen State-Wide Important Farmland List

Symbol	Mapunit Name
38C	WAUKON LOAM, 8 TO 15 PERCENT SLOPES
40C	NEBISH LOAM, 8 TO 15 PERCENT SLOPES
127B	SVERDRUP SANDY LOAM, 1 TO 6 PERCENT SLOPES
205	KARLSTAD SANDY LOAM
267C	SNELLMAN SANDY LOAM, 8 TO 15 PERCENT SLOPES
332B	SUGARBUSH SANDY LOAM, 1 TO 8 PERCENT SLOPES
335	URNESS MUCKY SILT LOAM
344	QUAM SILTY CLAY LOAM
718C	NAYTAHWAUSH LOAM, 8 TO 15 PERCENT SLOPES
749	COLVIN SILT LOAM, OCCASIONALLY FLOODED
775B	SUGARBUSH-TWO INLETS COMPLEX, 1 TO 8 PERCENT SLOPES
776B	SNELLMAN-SUGARBUSH COMPLEX, 2 TO 8 PERCENT SLOPES
776C	SNELLMAN-SUGARBUSH COMPLEX, 8 TO 15 PERCENT SLOPES
827C2	HEIMDAL-ESMOND COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
903C2	BARNES-LANGHEI COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
967C2	WAUKON-LANGHEI COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED

1139	MARYSLAND LOAM, OCCASIONALLY FLOODED
1148	FAIRDALE AND LAMOURE SOILS, OCCASIONALLY FLOODED
1152B	SUGARBUSH LOAMY SAND, 1 TO 8 PERCENT SLOPES
1878	HAMRE MUCK

MARSHALL COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
47	2	COLVIN SILTY CLAY LOAM
57A	2	FARGO SILTY CLAY, 0 TO 2 PERCENT SLOPES
58	1	KITTSOON LOAM
59	1	GRIMSTAD FINE SANDY LOAM
67A	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
67B	1	BEARDEN SILT LOAM, 2 TO 6 PERCENT SLOPES
77	1	GARNES FINE SANDY LOAM
93A	1	BEARDEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
1158	1	SKAGEN LOAM
1297	2	AUGSBURG VERY FINE SANDY LOAM
1299	2	BORUP VERY FINE SANDY LOAM
1304A	1	GLYNDON VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
1304B	1	GLYNDON VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
1315A	1	WHEATVILLE VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
157A	3	WAHPETON SILTY CLAY, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
157B	3	WAHPETON SILTY CLAY, 2 TO 6 PERCENT SLOPES, OCCASIONALLY FLOODED
184A	1	HAMERLY LOAM, 0 TO 3 PERCENT SLOPES
1963	2	BEARDEN-COLVIN COMPLEX
1964	2	COLVIN-FARGO COMPLEX
236	2	VALLERS LOAM
383	2	PERCY LOAM
418	3	LAMOURE SILTY CLAY LOAM, OCCASIONALLY FLOODED
429A	2	NORTHCOTE CLAY, 0 TO 2 PERCENT SLOPE
439	2	STRATHCONA FINE SANDY LOAM
582	2	ROLISS LOAM
583	1	NERESON FINE SANDY LOAM
641	2	CLEARWATER CLAY
642	2	CLEARWATER LOAM
643	1	HUOT FINE SANDY LOAM
644	2	BOASH CLAY LOAM
645	2	ESPELIE FINE SANDY LOAM
648	1	NEWFOLDEN LOAM
649	1	REINER LOAMY FINE SAND
650	1	REINER FINE SANDY LOAM
651	2	THIEFRIVER FINE SANDY LOAM
713	1	LINVOLDT FINE SANDY LOAM
765	2	SMILEY LOAM
935	2	HEGNE-FARGO COMPLEX
936	2	CLEARWATER-REIS COMPLEX
937	2	EAGLEPOINT-NORTHCOTE COMPLEX
972	2	ROLISS-VALLERS COMPLEX

=====

Marshall State-Wide Important Farmland List

Symbol	Mapunit Name
65	FOXHOME SANDY LOAM
187	HAUG MUCK, DRAINED
205	KARLSTAD LOAMY SAND
280	PELAN SANDY LOAM
379	PERCY LOAM, VERY COBBLY

384	PERCY MUCKY LOAM, DEPRESSIONAL
387	ROLISS LOAM, DEPRESSIONAL
412	MAVIE FINE SANDY LOAM
426	FOLDAHL LOAMY FINE SAND
432	STRANDQUIST LOAM
481	KRATKA FINE SANDY LOAM
565	ECKVOLL LOAMY FINE SAND
647	HILAIRE LOAMY FINE SAND
652	WYANDOTTE CLAY LOAM
653	SMILEY MUCKY LOAM, DEPRESSIONAL
712	ROSEWOOD FINE SANDY LOAM
1170	SKAGEN LOAM, VERY COBBLY
1189	CLEARWATER MUCKY LOAM, DEPRESSIONAL
1191	SAHKAHTAY SANDY LOAM
1264	ULEN LOAMY FINE SAND
1871	FARGO SILTY CLAY, SWALES
1878	HAMRE MUCK, DRAINED

MARTIN COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27B	1	DICKINSON FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
37B	1	FARRAR FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
39B	1	WADENA LOAM, 1 TO 6 PERCENT SLOPES
84	2	BROWNTON SILTY CLAY
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
96	1	COLLINWOOD SILTY CLAY
101B	1	TRUMAN SILT LOAM, 1 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, 1 TO 6 PERCENT SLOPES
106B	1	LESTER LOAM, 2 TO 6 PERCENT SLOPES
112	2	HARPS CLAY LOAM
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE CLAY LOAM
118	1	CRIPPIN LOAM
128B	1	GROGAN SILT LOAM, 1 TO 6 PERCENT SLOPES
130	1	NICOLLET CLAY LOAM
134	2	OKOBOJI SILTY CLAY LOAM
136	2	MADELIA SILTY CLAY LOAM
140	2	SPICER SILTY CLAY LOAM
197	1	KINGSTON SILT LOAM
227	2	LEMOND SANDY LOAM
229	2	WALDORF SILTY CLAY LOAM
255	2	MAYER LOAM
269	2	MILLINGTON CLAY LOAM, OCCASIONALLY FLOODED
275B	1	OCHEYEDAN LOAM, 1 TO 5 PERCENT SLOPES
282	2	HANSKA LOAM
313	1	SPILLVILLE LOAM, OCCASIONALLY FLOODED
336	2	DELFT LOAM
350	2	CANISTEO CLAY LOAM, DEPRESSIONAL
392	2	BISCAY SANDY CLAY LOAM
499	2	HANSKA LOAM, DEPRESSIONAL
664	2	ZOOK SILTY CLAY LOAM, OCCASIONALLY FLOODED
818	2	LEMOND-LINDER COMPLEX
886	1	NICOLLET-CRIPPIN COMPLEX
887B	1	CLARION-SWANLAKE LOAMS, 2 TO 6 PERCENT SLOPES
921B	1	CLARION-STORDEN LOAMS, 2 TO 6 PERCENT SLOPES
956	2	CANISTEO-GLENCOE CLAY LOAMS
1833	2	COLAND LOAM, OCCASIONALLY FLOODED
1877	1	FOSTORIA CLAY LOAM
1907	1	LAKEFIELD SILT LOAM

=====

Martin State-Wide Important Farmland List

Symbol	Mapunit Name
35	BLUE EARTH MUCKY SILTY CLAY LOAM (where drained)
41B	ESTHERVILLE SANDY LOAM, 1 TO 6 PERCENT SLOPES
106C	LESTER LOAM, 6 TO 12 PERCENT SLOPES
181	LITCHFIELD SANDY LOAM
247	LINDER LOAM
539	PALMS MUCK (where drained)

548 PALMS MUCK, SANDY SUBSTRATUM (where drained)
909C TRUMAN-BOLD SILT LOAMS, 6 TO 12 PERCENT SLOPES
920B CLARION-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES
920C2 CLARION-ESTHERVILLE-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
921C2 CLARION-STORDEN LOAMS, 6 TO 12 PERCENT SLOPES, ERODED

MEEKER COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
39A	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
85	2	CALCO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
86	2	CANISTEO CLAY LOAM, MODERATELY FINE SUBSTRATUM, 0 TO 2 PERCENT SLOPES
96B	1	COLLINWOOD SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES
101B	1	TRUMAN SILT LOAM, 2 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, MODERATELY FINE SUBSTRATUM, 2 TO 5 PERCENT SLOPES
1100	1	NICOLLET SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
1101	2	WEBSTER SILTY CLAY LOAM, MODERATELY FINE SUBSTRATUM, 0 TO 2 PERCENT SLOPES
112	2	HARPS CLAY LOAM, 0 TO 2 PERCENT SLOPES
113	2	WEBSTER CLAY LOAM, 0 TO 2 PERCENT SLOPES
114	2	GLENCOE CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
1159B	1	STROUT-ARKTON COMPLEX, 2 TO 6 PERCENT SLOPES
1161	2	BARRY LOAM, 0 TO 2 PERCENT SLOPES
1162A	2	KANDIYOHI CLAY, 0 TO 2 PERCENT SLOPES
1162B	1	KANDIYOHI CLAY, 2 TO 5 PERCENT SLOPES
1165	2	LUNDLAKE SILTY CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
1168	2	SWEDEGROVE-LUNDLAKE, DERPESSIONAL COMPLEX, 0 TO 2 PERCENT SLOPES
1169	2	CORVUSO-LURA, DEPRESSIONAL COMPLEX, 0 TO 2 PERCENT SLOPES
1174	2	DANIELSON CLAY LOAM, 1 TO 3 PERCENT SLOPES
1175	2	SWEDEGROVE LOAM, 0 TO 2 PERCENT SLOPES
1178	2	UNIONGROVE LOAM, 0 TO 2 PERCENT SLOPES
1183	2	CROWRIVER LOAM, 0 TO 2 PERCENT SLOPES
1184	2	CORVUSO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
1185	1	GARDENCITY FINE SANDY LOAM, MODERATELY WET, 0 TO 2 PERCENT SLOPES
1186	2	FORESTCITY-LUNDLAKE, DEPRESSIONAL COMPLEX, 0 TO 3 PERCENT SLOPES
1192	2	CROWRIVER-LUNDLAKE, DEPRESSIONAL COMPLEX, 0 TO 2 PERCENT SLOPES
1193	2	COSMOS SILTY CLAY, 0 TO 2 PERCENT SLOPES
1197	3	COHOCTAH FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
1204B	1	REEDSLAKE LOAM, 2 TO 5 PERCENT SLOPES
129	1	CYLINDER LOAM, 0 TO 1 PERCENT SLOPES
130	1	NICOLLET CLAY LOAM, 1 TO 3 PERCENT SLOPES
134	2	OKOBOJI SILTY CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
136	2	MADELIA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
1362B	1	ANGUS LOAM, 2 TO 5 PERCENT SLOPES
1383A	1	SHOREWOOD SILTY CLAY LOAM, MODERATELY WET, 0 TO 3 PERCENT SLOPES
1387A	1	COLLINWOOD SILTY CLAY LOAM, MODERATELY WET, 0 TO 3 PERCENT SLOPES
1391B	1	WADENILL-SUNBURG COMPLEX, 2 TO 6 PERCENT SLOPES
140	2	SPICER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
1801B	1	GARDENCITY VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
197	1	KINGSTON SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
211	2	LURA SILTY CLAY, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
229	2	WALDORF SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
239	1	LE SUEUR CLAY LOAM, 1 TO 3 PERCENT SLOPES
281	2	DARFUR LOAM, 0 TO 2 PERCENT SLOPES
286B	1	SHOREWOOD SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES
423	1	SEAFORTH LOAM, 1 TO 3 PERCENT SLOPES
461B	1	KORONIS LOAM, 2 TO 6 PERCENT SLOPES
511	1	MARCELLON LOAM, 0 TO 3 PERCENT SLOPES
612B	1	WADENILL LOAM, 2 TO 6 PERCENT SLOPES
613	1	GROVECITY LOAM, 1 TO 3 PERCENT SLOPES
664	2	ZOOK SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
740	2	HAMEL-GLENCOE, DEPRESSIONAL COMPLEX, 0 TO 3 PERCENT SLOPES

887B	1	CLARION-SWANLAKE COMPLEX, 2 TO 6 PERCENT SLOPES
899	2	HARPS-OKOBOJI, DEPRESSIONAL COMPLEX, 0 TO 2 PERCENT SLOPES
956	2	CANISTEO-GLENCOE, DEPRESSIONAL COMPLEX, 0 TO 2 PERCENT SLOPES
978	2	CORDOVA-ROLFE, DEPRESSIONAL COMPLEX, 0 TO 2 PERCENT SLOPES

=====

Meeker State-Wide Important Farmland List

Symbol	Mapunit Name
35	BLUE EARTH MUCKY SILT LOAM, 0 TO 1 PERCENT SLOPES (where drained)
41A	ESTHERVILLE SANDY LOAM, 0 TO 2 PERCENT SLOPES
106C2	LESTER LOAM, 6 TO 12 PERCENT SLOPES, ERODED
1171C	NEWLONDON-STROUT COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1172C	SPARTA-GARDENCITY COMPLEX, 6 TO 12 PERCENT SLOPES
1177C	GARDENCITY-BOLD COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1198B	ROHRBECK-KORONIS COMPLEX, 1 TO 6 PERCENT SLOPES
1213C	COKATO-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1220C	COKATO-STORDEN-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1384	MINNEOPA LOAM, 0 TO 2 PERCENT SLOPES
181	LITCHFIELD LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES
311C2	SHOREWOOD SILTY CLAY, 6 TO 12 PERCENT SLOPES, ERODED
327A	DICKMAN SANDY LOAM, 0 TO 2 PERCENT SLOPES
327B	DICKMAN SANDY LOAM, 2 TO 6 PERCENT SLOPES
415	KANARANZI LOAM, 0 TO 3 PERCENT SLOPES
461C2	KORONIS LOAM, 6 TO 12 PERCENT SLOPES, ERODED
523	HOUGHTON MUCK, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES (where drained)
525	MUSKEGO MUCK, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES (where drained)
539	KLOSSNEER MUCK, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES (where drained)
548	MEDO MUCK, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES (where drained)
804B	KORONIS-SUNBURG-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
804C2	KORONIS-SUNBURG-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
805C2	SUNBURG-WADENILL COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
875B	ESTHERVILLE-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
909C2	BOLD-TRUMAN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
920B	CLARION-STORDEN-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
960C2	STORDEN-OMSRUD COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED

MILLE LACS COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
43B	1	AUTOMBA LOAM, 2 TO 6 PERCENT SLOPES
49A	1	ANTIGO SILT LOAM, 0 TO 2 PERCENT SLOPES
49B	1	ANTIGO SILT LOAM, 2 TO 6 PERCENT SLOPES
124	2	BRICKTON SILT LOAM
133A	1	DALBO SILT LOAM, 0 TO 2 PERCENT SLOPES
133B	1	DALBO SILT LOAM, 2 TO 6 PERCENT SLOPES
152B	1	MILACA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
153A	1	SANTIAGO SILT LOAM, 0 TO 2 PERCENT SLOPES
153B	1	SANTIAGO SILT LOAM, 2 TO 6 PERCENT SLOPES
164A	1	MORA LOAM, 0 TO 2 PERCENT SLOPES
164B	1	MORA LOAM, 2 TO 6 PERCENT SLOPES
165	2	PARENT LOAM
166	2	RONNEBY LOAM
204B	1	CUSHING LOAM, 2 TO 6 PERCENT SLOPES
264A	1	FREEON SILT LOAM, 0 TO 2 PERCENT SLOPES
264B	1	FREEON SILT LOAM, 2 TO 6 PERCENT SLOPES
266	2	FREER SILT LOAM
292	2	ALSTAD LOAM, 0 TO 3 PERCENT SLOPES
302A	1	ROSHOLT SANDY LOAM, 0 TO 2 PERCENT SLOPES
302B	1	ROSHOLT SANDY LOAM, 2 TO 6 PERCENT SLOPES
346	2	TALMOON LOAM
466	2	OGILVIE SILT LOAM
502	2	DUSLER SILT LOAM
504A	2	DUSLER VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
504B	1	DULUTH VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
685	2	OESTERLE FINE SANDY LOAM
949B	1	MILACA-CHETEK COMPLEX, 2 TO 6 PERCENT SLOPES

=====

Mille Lacs State-Wide Important Farmland List

Symbol	Mapunit Name
43BC	AUTOMBA LOAM, 2 TO 12 PERCENT SLOPES
43C	AUTOMBA LOAM, 6 TO 12 PERCENT SLOPES
49BC	ANTIGO SILT LOAM, 2 TO 12 PERCENT SLOPES
49C	ANTIGO SILT LOAM, 6 TO 12 PERCENT SLOPES
119A	POMROY FINE SAND, 0 TO 2 PERCENT SLOPES
119B	POMROY FINE SAND, 2 TO 6 PERCENT SLOPES
133BC	DALBO SILT LOAM, 2 TO 12 PERCENT SLOPES
133C	DALBO SILT LOAM, 6 TO 12 PERCENT SLOPES
152BC	MILACA FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
152C	MILACA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
153C	SANTIAGO SILT LOAM, 6 TO 12 PERCENT SLOPES
155A	CHETEK SANDY LOAM, 0 TO 2 PERCENT SLOPES
155B	CHETEK SANDY LOAM, 2 TO 6 PERCENT SLOPES
162	LINO LOAMY FINE SAND
169A	BRAHAM LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES
169B	BRAHAM LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES
204C	CUSHING LOAM, 6 TO 12 PERCENT SLOPES
264C	FREEON SILT LOAM, 6 TO 12 PERCENT SLOPES
268A	CROMWELL SANDY LOAM, 0 TO 2 PERCENT SLOPES

268B	CROMWELL SANDY LOAM, 2 TO 6 PERCENT SLOPES
302BC	ROSHOLT SANDY LOAM, 2 TO 12 PERCENT SLOPES
302C	ROSHOLT SANDY LOAM, 6 TO 12 PERCENT SLOPES
504BC	DULUTH VERY FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
504C	DULUTH VERY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
565	ECKVOLL LOAMY SAND, 0 TO 3 PERCENT SLOPES
732	BUSHVILLE FINE SAND, 0 TO 2 PERCENT SLOPES
949BC	MILACA-CHETEK COMPLEX, 2 TO 12 PERCENT SLOPES
949C	MILACA-CHETEK COMPLEX, 6 TO 12 PERCENT SLOPES

MORRISON COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
25	1	BECKER FINE SANDY LOAM
142	2	NOKAY LOAM
144B	1	FLAK SANDY LOAM, 4 TO 8 PERCENT SLOPES
152B	1	MILACA FINE SANDY LOAM, 4 TO 8 PERCENT SLOPES
163B	1	BRAINERD SANDY LOAM, 1 TO 4 PERCENT SLOPES
164B	1	MORA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
166	2	RONNEBY LOAM
182A	1	OESTERLE SANDY LOAM, 0 TO 1 PERCENT SLOPES
182B	1	OESTERLE SANDY LOAM, 1 TO 3 PERCENT SLOPES
200B	1	HOLDINGFORD SANDY LOAM, 4 TO 8 PERCENT SLOPES
204B	1	CUSHING FINE SANDY LOAM, 4 TO 8 PERCENT SLOPES
233A	1	GROWTON SANDY LOAM, 0 TO 2 PERCENT SLOPES
233B	1	GROWTON SANDY LOAM, 2 TO 4 PERCENT SLOPES
264B	1	FREEON SILT LOAM, 1 TO 4 PERCENT SLOPES
266	1	FREER SILT LOAM
292	2	ALSTAD LOAM
302B	1	ROSHOLT SILT LOAM, 1 TO 4 PERCENT SLOPES
623A	1	PIERZ SANDY LOAM, 0 TO 2 PERCENT SLOPES
623B	1	PIERZ SANDY LOAM, 2 TO 6 PERCENT SLOPES

=====

Morrison State-Wide Important Farmland List

Symbol	Mapunit Name
119B	POMROY LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES
144C	FLAK SANDY LOAM, 8 TO 15 PERCENT SLOPES
152C	MILACA FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
155B	CHETEK SANDY LOAM, 2 TO 8 PERCENT SLOPES
165	PARENT LOAM
200C	HOLDINGFORD SANDY LOAM, 8 TO 15 PERCENT SLOPES
204C	CUSHING FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES
218	WATAB LOAMY FINE SAND
341A	ARVILLA SANDY LOAM, 0 TO 2 PERCENT SLOPES
341B	ARVILLA SANDY LOAM, 2 TO 6 PERCENT SLOPES
375	FORADA LOAM
413	OSAKIS LOAM
928B	CUSHING-MAHTOMEDI-DEMONTREVILLE COMPLEX, 2 TO 8 PERCENT SLOPES

Mower County

Prime Farmland List

Symbol	Soil Mapunit Name
2A	Ostrander loam, 0 to 2 percent slopes
2B	Ostrander loam, 2 to 6 percent slopes
23	Skyberg silt loam (where drained)
24B	Kasson silt loam, 1 to 4 percent slopes
27A	Dickinson fine sandy loam, 0 to 2 percent slopes
27B	Dickinson fine sandy loam, 2 to 6 percent slopes
30B	Kenyon silt loam, 1 to 6 percent slopes
44	Ankenny fine sandy loam
79B	Billett fine sandy loam, 2 to 6 percent slopes
88	Clyde silty clay loam (where drained)
99A	Racine silt loam, 0 to 2 percent slopes
99B	Racine silt loam, 2 to 6 percent slopes
129	Cylinder loam
135	Donnan silt loam
156A	Fairhaven silt loam, 0 to 2 percent slopes
156B	Fairhaven silt loam, 2 to 6 percent slopes
190	Hayfield loam
228B	Mottland loam, 2 to 6 percent slopes
252	Marshan clay loam (where drained)
253	Maxcreek silty clay loam (where drained)
255	Mayer loam (where drained)
295	Readlyn silt loam
307	Sargeant silt loam (where drained)
313	Spillville loam, occasionally flooded
331	Tripoli silty clay loam (where drained)
334B	Vlasaty silt loam, 1 to 4 percent slopes
376B	Moland silt loam, 1 to 6 percent slopes
377	Merton silt loam
380	Havana silt loam (where drained)
381	Newry silt loam
382B	Blooming silt loam, 2 to 6 percent slopes
393	Udolpho silt loam (where drained)
444	Canisteo silty clay loam (where drained)
467	Sawmill silty clay loam (where drained and protected from flooding or not frequently flooded during the growing season)
479	Floyd silt loam
483A	Waukee loam, 0 to 2 percent slopes
483B	Waukee loam, 2 to 6 percent slopes
485	Lawler silt loam
516A	Dowagiac loam, 0 to 2 percent slopes
516B	Dowagiac loam, 2 to 6 percent slopes
517	Shandep clay loam (where drained)
631	Oran silt loam
632	Kensett Variant silt loam
634	Protovin silt loam (where drained)
635	Riceville silt loam (where drained)
637	Schley silt loam (where drained)
638B	Winneshiek Variant silt loam, 1 to 6 percent slopes
699A	Rossfield silt loam, 0 to 2 percent slopes
699B	Rossfield silt loam, 2 to 6 percent slopes
1812	Terril silt loam
1814B	Waucoma loam, 1 to 6 percent slopes
1841	Hayfield loam, loamy substratum
1844	Atkinson loam

1884	Stateline silt loam (where drained)
1891	Faxon Variant silty clay loam (where drained)
1903	Udolph silt loam, loamy substratum, swales (where drained)
1904	Udolpho silt loam, loamy substratum (where drained)
1905	Brownsdale silt loam (where drained)
1992	Sargeant Variant silt loam (where drained)

=====

Mower State-Wide Important Farmland List

Symbol	Mapunit Name
-----	-----
99C	RACINE SILT LOAM, 6 TO 12 PERCENT SLOPES
382C	BLOOMING SILT LOAM, 6 TO 15 PERCENT SLOPES
539	PALMS MUCK (WHERE DRAINED)
638C	WINNESHIEK VARIANT SILT LOAM, 6 TO 12 PERCENT SLOPES

MURRAY COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
33B	1	BARNES LOAM, 2 TO 4 PERCENT SLOPES
33B2	1	BARNES LOAM, 3 TO 6 PERCENT SLOPES, ERODED
36	2	FLOM CLAY LOAM
51	3	LA PRAIRIE LOAM
70	1	SVEA LOAM
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 8 PERCENT SLOPES
96A	1	COLLINWOOD SILTY CLAY, 0 TO 2 PERCENT SLOPES
96B	1	COLLINWOOD SILTY CLAY, 2 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, 2 TO 4 PERCENT SLOPES
102B2	1	CLARION LOAM, 3 TO 6 PERCENT SLOPES, ERODED
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE SILTY CLAY LOAM
118	1	CRIPPIN LOAM
130	1	NICOLLET LOAM
140	2	SPICER SILTY CLAY LOAM
141A	1	EGELAND SANDY LOAM, 0 TO 2 PERCENT SLOPES
141B	1	EGELAND SANDY LOAM, 2 TO 6 PERCENT SLOPES
149B	1	EVERLY CLAY LOAM, 2 TO 4 PERCENT SLOPES
149B2	1	EVERLY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
184	1	HAMERLY LOAM
210	2	FULDA SILTY CLAY
211	2	LURA SILTY CLAY
212	1	SINAI SILTY CLAY
219	2	ROLFE SILT LOAM
229	2	WALDORF SILTY CLAY
236	2	VALLERS CLAY LOAM
241	2	LETRI CLAY LOAM
246	2	MARYSLAND LOAM
276	2	OLDHAM SILTY CLAY LOAM
284B	1	POINSETT SILTY CLAY LOAM, 2 TO 4 PERCENT SLOPES
284B2	1	POINSETT SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
297B	1	VIENNA SILTY CLAY LOAM, 2 TO 4 PERCENT SLOPES
297B2	1	VIENNA SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
339A	1	FORDVILLE LOAM, 0 TO 2 PERCENT SLOPES
339B	1	FORDVILLE LOAM, 2 TO 6 PERCENT SLOPES
344	2	QUAM SILTY CLAY LOAM
345	1	WILMONTON CLAY LOAM
392	2	BISCAY LOAM
418	5	LAMOURE SILTY CLAY LOAM, OCCASIONALLY FLOODED
436	2	HIDEWOOD SILTY CLAY LOAM
470	1	LISMORE SILTY CLAY LOAM
506	1	OVERLY SILTY CLAY LOAM
562	2	KNOKE SILTY CLAY LOAM
590	1	MOINES CLAY LOAM
594	2	JEFFERS CLAY LOAM

=====

Symbol	Mapunit Name
127A	Sverdrup sandy loam, 0 to 2 percent slopes
127B	Sverdrup sandy loam, 2 to 6 percent slopes
149C2	Everly clay loam, 6 to 12 percent slopes, eroded
341A	Arvilla sandy loam, 0 to 2 percent slopes
341B	Arvilla sandy loam, 2 to 6 percent slopes
902C2	Barnes-buse loams, 6 to 12 percent slopes, eroded
904B	Arvilla-barnes-buse complex, 2 to 6 percent slopes
904C	Arvilla-barnes-buse complex, 6 to 12 percent slopes
920C2	Storden-clarion-arvilla complex, 6 to 15 percent slopes , eroded
921C2	Clarion-storden loams, 6 to 12 percent slopes, eroded
964C2	Vienna-buse complex, 6 to 12 percent slopes, eroded

NICOLLET COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27A	1	DICKINSON LOAM, 0 TO 2 PERCENT SLOPES
27B	1	DICKINSON LOAM, 2 TO 6 PERCENT SLOPES
39A	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
39B	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
84	2	BROWNTON SILTY CLAY
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 1 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES
106B	1	LESTER LOAM, 2 TO 6 PERCENT SLOPES
109	2	CORDOVA CLAY LOAM
110	2	MARNA SILTY CLAY LOAM
112	2	HARPS CLAY LOAM
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE SILTY CLAY LOAM
118	1	CRIPPIN LOAM
130	1	NICOLLET CLAY LOAM
134	2	OKOBOJI SILTY CLAY LOAM
206	1	KASOTA LOAM
221	2	CANISTEO SILTY CLAY LOAM, DEPRESSIONAL
239	1	LE SUEUR CLAY LOAM
269	2	MILLINGTON CLAY LOAM
329	2	CHASKA LOAM
336	2	DELFT CLAY LOAM
386	2	OKOBOJI MUCKY SILTY CLAY LOAM
463A	1	MINNEISKA SANDY LOAM, 0 TO 2 PERCENT SLOPES
463B	1	MINNEISKA LOAM, 1 TO 4 PERCENT SLOPES
574	1	DU PAGE LOAM
575	2	NISHNA SILTY CLAY LOAM
921B	1	CLARION-STORDEN COMPLEX, 2 TO 6 PERCENT SLOPES
956	2	CANISTEO-GLENCOE COMPLEX
978	2	CORDOVA-ROLFE COMPLEX
1901B	1	LE SUEUR-LESTER COMPLEX, 1 TO 6 PERCENT SLOPES
1917	2	NISHNA SILTY CLAY, PONDED
1999	5	MINNEISKA-KALMARVILLE COMPLEX, FREQUENTLY FLOODED

=====

Nicollet State-Wide Important Farmland List

Symbol	Mapunit Name
35	BLUE EARTH MUCKY SILT LOAM (where drained)
41B	ESTHERVILLE SANDY LOAM, 1 TO 6 PERCENT SLOPES
94C	TERRIL LOAM, 6 TO 12 PERCENT SLOPES
100B	COPASTON LOAM, 1 TO 6 PERCENT SLOPES
106C2	LESTER LOAM, 6 TO 12 PERCENT SLOPES, ERODED
327A	DICKMAN SANDY LOAM, 0 TO 2 PERCENT SLOPES
327B	DICKMAN SANDY LOAM, 2 TO 6 PERCENT SLOPES
525	MUSKEGO MUCK (where drained)
539	KLOSSNER MUCK (where drained)
852	COPASTON-URBAN LAND COMPLEX
920B	CLARION-STORDEN-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
920C2	CLARION-STORDEN-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED

921C2 CLARION-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED

NOBLES COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
Ad	3	ALLUVIAL LAND
Bc	2	BISCAY SILTY CLAY LOAM
Ca	2	CANISTEO CLAY LOAM
ClB	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES
ClB2	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES, ERODED
CrB	1	COLLINWOOD SILTY CLAY, 1 TO 4 PERCENT SLOPES
Cs	3	COMFREY SILTY CLAY LOAM
EcB	1	EVERLY CLAY LOAM, 2 TO 6 PERCENT SLOPES
EcB2	1	EVERLY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
FaA	1	FAIRHAVEN SILT LOAM, 0 TO 2 PERCENT SLOPES
FaB	1	FAIRHAVEN SILT LOAM, 2 TO 6 PERCENT SLOPES
FaB2	1	FAIRHAVEN SILT LOAM, 2 TO 6 PERCENT SLOPES, ERODED
FbA	1	FAIRHAVEN SILT LOAM, DEEP, 0 TO 2 PERCENT SLOPES
FbB	1	FAIRHAVEN SILT LOAM, DEEP, 2 TO 6 PERCENT SLOPES
FeA	1	FAIRHAVEN SILT LOAM, SANDY SUBSOIL, 0 TO 2 PERCENT SLOPES
FeB	1	FAIRHAVEN SILT LOAM, SANDY SUBSOIL, 2 TO 6 PERCENT SLOPES
FeB2	1	FAIRHAVEN SILT LOAM, SANDY SUBSOIL, 2 TO 6 PERCENT SLOPES, ERODED
GaB	1	GALVA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
Gc	2	GLENCOE SILTY CLAY LOAM
KaA	1	KANARANZI LOAM, 0 TO 2 PERCENT SLOPES
KaB	1	KANARANZI LOAM, 2 TO 6 PERCENT SLOPES
Kc	1	KINGSTON SILTY CLAY LOAM
KlA	1	KINGSTON SILTY CLAY LOAM, LOAMY SUBSOIL VARIANT, 0 TO 2 PERCENT, SLOPES
KlB	1	KINGSTON SILTY CLAY LOAM, LOAMY SUBSOIL VARIANT, 2 TO 6 PERCENT, SLOPES
Le	2	LETTRI SILTY CLAY LOAM
Lu	2	LURA SILTY CLAY
Ma	2	MARCUS-SPICER SILTY CLAY LOAMS
Mn	3	MILLINGTON SILTY CLAY LOAM
Nc	1	NICOLLET CLAY LOAM
Pr	1	PRIMGHAR SILTY CLAY LOAM
Ra	1	RANSOM SILTY CLAY LOAM
Ru	2	RUSHMORE SILTY CLAY LOAM
SaA	1	SAC SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
SaB2	1	SAC SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES, ERODED
Sp	2	SPICER SILTY CLAY LOAM
Sv	3	SPILLVILLE LOAM
Ta	2	TALCOT SILTY CLAY LOAM
TeB	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
WaA	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
WaB	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
Wb	2	WALDORF SILTY CLAY
We	2	WEBSTER CLAY LOAM
Wf	2	WEBSTER SILTY CLAY LOAM
Wm	1	WILMONTON SILTY CLAY LOAM

=====

Nobles State-Wide Important Farmland List

Symbol	Mapunit Name
Br	Blue Earth silt loam

ClC	Clarion loam, 6 to 12 percent slopes
ClC2	Clarion loam, 6 to 12 percent slopes, eroded
CnC2	Clarion-Storden loams, 6 to 12 percent slopes, eroded
CoB2	Clarion-Storden-Estherville loams, 2 to 6 percent slopes, eroded
CoC2	Clarion-Storden-Estherville loams, 6 to 12 percent slopes, eroded
DcB	Dickman sandy loam, 0 to 6 percent slopes
DcC2	Dickman sandy loam, 6 to 12 percent slopes, eroded
EaB	Estherville coarse sandy loam, 2 to 6 percent slopes
EaC2	Estherville coarse sandy loam, 6 to 12 percent slopes
EcC	Everly clay loam, 6 to 12 percent slopes
EcC2	Everly clay loam, 6 to 12 percent slopes, eroded
EsC2	Everly-Storden complex, 6 to 12 percent slopes, eroded
EvB	Everly-Storden-Estherville complex, 2 to 6 percent slopes
EvC2	Everly-Storden-Estherville complex, 6 to 12 percent slopes, eroded

NORMAN COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
Aw	2	AUGSBURG AND WHEATVILLE LOAMS
BaA	1	BARNES LOAM, 0 TO 2 PERCENT SLOPES
BaB	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES
BaB2	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES, ERODED
BbB2	1	BARNES-LANGHEI LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
BcA	1	BEARDEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
BcB	1	BEARDEN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
BcC2	1	BEARDEN SILTY CLAY LOAM, 2 TO 8 PERCENT SLOPES, ERODED
Bf	2	BEARDEN-FARGO SILTY CLAY LOAMS
Bp	2	BORUP AND GLYNDON LOAMS
Cn	2	COLVIN SILTY CLAY LOAM
DaB	1	DARNEN SILT LOAM, 1 TO 4 PERCENT SLOPES
FaA	2	FARGO SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES
FaB	2	FARGO SILTY CLAY LOAM, 1 TO 6 PERCENT SLOPES
FcA	2	FARGO SILTY CLAY, 0 TO 1 PERCENT SLOPES
FcB	2	FARGO SILTY CLAY, 1 TO 6 PERCENT SLOPES
Fm	2	FLOM SILTY CLAY LOAM
GlA	1	GLYNDON LOAM, 0 TO 2 PERCENT SLOPES
GlB	1	GLYNDON LOAM, 2 TO 6 PERCENT SLOPES
Gr	1	GRIMSTAD FINE SANDY LOAM
HeA	1	HAMERLY SILT LOAM, 0 TO 1 PERCENT SLOPES
HeB	1	HAMERLY SILT LOAM, 1 TO 5 PERCENT SLOPES
Hm	2	HAMERLY-VALLERS SILT LOAMS
Ho	2	HEGNE-FARGO SILTY CLAYS
Hv	2	HEGNE-VIKING COMPLEX
KsA	1	KITTSOON LOAM, 0 TO 2 PERCENT SLOPES
KsC	1	KITTSOON LOAM, 2 TO 8 PERCENT SLOPES
KtA	1	KITTSOON LOAM, UPLANDS, 0 TO 1 PERCENT SLOPES
KtB	1	KITTSOON LOAM, UPLANDS, 1 TO 5 PERCENT SLOPES
Rc	2	ROCKWELL FINE SANDY LOAM
Ro	2	ROLISS LOAM
Va	2	VALLERS SILT LOAM
Vk	2	VIKING CLAY LOAM
WaA	2	WAHPETON SILTY CLAY, 0 TO 2 PERCENT SLOPES
WaB	2	WAHPETON SILTY CLAY, 2 TO 6 PERCENT SLOPES
WkA	1	WAUKON LOAM, 0 TO 2 PERCENT SLOPES
WkB	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES
WkB2	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES, ERODED
Wm	1	WHEATVILLE LOAM

=====

Norman State-Wide Important Farmland List

Symbol	Mapunit Name
Ad	ALLUVIAL LAND, OCCASIONALLY FLOODED
Ar	ARVESON LOAM
BaC2	BARNES LOAM, 6 TO 12 PERCENT SLOPES, ERODED
Bo	BORUP LOAM, DEPRESSIONAL
CaA	CASHEL SILTY CLAY, 0 TO 2 PERCENT SLOPES
CaC	CASHEL SILTY CLAY, 2 TO 8 PERCENT SLOPES
Co	COLVIN SILTY CLAY LOAM, DEPRESSIONAL

Fd	FARGO SILTY CLAY, DEPRESSIONAL
Fv	FLOM AND VALLERS SOILS, DEPRESSIONAL
Fx	FOXHOME LOAM, 0 TO 3 PERCENT SLOPES
Gn	GLYNDON LOAM, WIND ERODED
LbC2	LANGHEI-BARNES LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
Mm	MAVIE LOAM
Rs	ROLISS LOAM, DEPRESSIONAL
SnA	SVERDRUP FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
SnC	SVERDRUP FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES
SwA	SWENODA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
SwC	SWENODA FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES
U1A	ULEN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
Un	ULEN FINE SANDY LOAM, WIND ERODED
Va	VALLERS SILT LOAM, DEPRESSIONAL
WaC	WAHPETON SILTY CLAY, 6 TO 12 PERCENT SLOPES
WkC	WAUKON LOAM, 6 TO 12 PERCENT SLOPES

Olmsted County, Minnesota

Prime Farmland List		
Symbol	Code	Soil Mapunit Name
<hr/>		
2A		Ostrander silt loam, 0 to 2 percent slopes
2B		Ostrander loam, 2 to 6 percent slopes
16		Arenzville silt loam
23		Skyberg silt loam (where drained)
24		Kasson silt loam
25		Becker loam
27A		Dickinson sandy loam, 0 to 1 percent slopes
27B		Dickinson sandy loam, 2 to 6 percent slopes
30B		Kenyon loam, 1 to 6 percent slopes
99B		Racine silt loam, 1 to 6 percent slopes
131B		Massbach silt loam, 2 to 6 percent slopes
143B		Eleva sandy loam, 2 to 6 percent slopes
176		Garwin silty clay loam (where drained)
203		Joy silt loam, 1 to 4 percent slopes
209A		Kegonsa silt loam, 0 to 2 percent slopes
209B		Kegonsa silt loam, 2 to 6 percent slopes
216B		Lamont sandy loam, 2 to 6 percent slopes
252		Marshan silt loam (where drained)
285A		Port Byron silt loam, 0 to 1 percent slopes
285B		Port Byron silt loam, 1 to 5 percent slopes
289		Radford silt loam
295		Readlyn loam
298		Richwood silt loam, 0 to 2 percent slopes
299A		Rockton loam, 0 to 1 percent slopes
299B		Rockton loam, 1 to 6 percent slopes
301B		Lindstrom silt loam, 2 to 6 percent slopes
312B		Shullsburg silt loam, 2 to 6 percent slopes
313		Spillville silt loam
333		Vasa silt loam
340B		Whalan loam, 1 to 6 percent slopes
369B		Waubeek silt loam, 1 to 6 percent slopes
378		Maxfield silty clay loam (where drained)
401B		Mt. Carroll silt loam, 2 to 6 percent slopes
463		Minneiska loam, occasionally flooded
467		Sawmill silty clay loam (where drained)
476B		Frankville silt loam, 1 to 6 percent slopes
477A		Littleton silt loam, 0 to 1 percent slopes
477B		Littleton silt loam, 1 to 4 percent slopes
478B		Coggon silt loam, 2 to 6 percent slopes
479		Floyd silt loam, 1 to 4 percent slopes
483A		Waukee loam, 0 to 2 percent slopes
483B		Waukee loam, 2 to 6 percent slopes
485		Lawler loam
486		Marshan silt loam, depressional (where drained)
487		Hoopeston sandy loam
489A		Atkinson loam, 0 to 1 percent slopes
489B		Atkinson loam, 1 to 6 percent slopes
491B		Waucoma loam, 2 to 6 percent slopes
492B		Nasset silt loam, 2 to 6 percent slopes
493B		Oronoco loam, 2 to 6 percent slopes
516A		Dowagiac loam, 0 to 2 percent slopes
516B		Dowagiac silt loam, 2 to 6 percent slopes
1811B		Lamont-Racine complex, 2 to 6 percent slopes

1812B Terril loam, sandy substratum, 1 to 6 percent slopes
 1846 Kato silty clay loam, depressional (where drained)

=====

Olmsted State-Wide Important Farmland List

Symbol	Mapunit Name
-----	-----
27C	DICKINSON SANDY LOAM, 6 TO 12 PERCENT SLOPES
99C	RACINE SILT LOAM, 6 TO 12 PERCENT SLOPES
131C	MASSBACH SILT LOAM, 6 TO 12 PERCENT SLOPES
143C	ELEVA SANDY LOAM, 6 TO 12 PERCENT SLOPES
285C	PORT BYRON SILT LOAM, 5 TO 9 PERCENT SLOPES
299C	ROCKTON LOAM, 6 TO 12 PERCENT SLOPES
309C	SCHAPVILLE SILTY CLAY LOAM, 6 TO 12 PERCENT SLOPES
312C	SHULLSBURG SILT LOAM, 6 TO 12 PERCENT SLOPES
322C	TIMULA SILT LOAM, 6 TO 12 PERCENT SLOPES
340C	WHALAN LOAM, 6 TO 12 PERCENT SLOPES
369C	WAUBEEK SILT LOAM, 6 TO 12 PERCENT SLOPES
401C	MT. CARROLL SILT LOAM, 6 TO 12 PERCENT SLOPES
401C2	MT. CARROLL SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
472B	CHANNAHON LOAM, 1 TO 6 PERCENT SLOPES
475B	BACKBONE SANDY LOAM, 1 TO 6 PERCENT SLOPES
476C	FRANKVILLE SILT LOAM, 6 TO 12 PERCENT SLOPES
484C	EYOTA SANDY LOAM, 6 TO 12 PERCENT SLOPES
492C	NASSET SILT LOAM, 6 TO 12 PERCENT SLOPES
493C	ORONOCO LOAM, 6 TO 12 PERCENT SLOPES
495	ZUMBRO LOAMY SAND
516C	DOWAGIAC SANDY LOAM, 6 TO 12 PERCENT SLOPES
1832C	OSTRANDER-DOWAGIAC LOAMS, 6 TO 12 PERCENT SLOPES

OTTER TAIL COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
26	1	AAZDAHL CLAY LOAM
38B	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES
46	2	BORUP LOAM
53B	1	KANDOTA SANDY LOAM, 2 TO 6 PERCENT SLOPES
58	1	KITTSOON LOAM
59	1	GRIMSTAD FINE SANDY LOAM
61	2	ARVESON LOAM
63	2	ROCKWELL LOAM
107	2	WINGER SILT LOAM
108	1	MCINTOSH SILT LOAM
121	1	WYKEHAM FINE SANDY LOAM
141B	1	EGELAND FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
168B	1	FORMAN CLAY LOAM, 2 TO 6 PERCENT SLOPES
180	1	GONVICK LOAM
184	1	HAMERLY LOAM
267B	1	SNELLMAN SANDY LOAM, 2 TO 8 PERCENT SLOPES
290	1	ROTHSAY SILT LOAM
293B	1	SWENODA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
339	1	FORDVILLE LOAM
371	1	CLONTARF SANDY LOAM
375	2	FORADA LOAM
418	2	LAMOURE SILTY CLAY LOAM, OCCASIONALLY FLOODED
422B	1	BYGLAND SILTY CLAY LOAM, 1 TO 6 PERCENT SLOPES
426	1	FOLDAHL LOAMY FINE SAND
441A	1	ALMORA LOAM, 0 TO 2 PERCENT SLOPES
441B	1	ALMORA LOAM, 2 TO 6 PERCENT SLOPES
481	2	KRATKA FINE SANDY LOAM
494	1	DARNEN LOAM, MODERATELY WET
497	1	HANTHO SILT LOAM
508	1	WYNDMERE FINE SANDY LOAM
624	1	ROSY SANDY LOAM
670	1	KNUTE FINE SANDY LOAM
680	2	PARNELL SILT LOAM
698	1	DORAN CLAY LOAM
707B	1	LIZZIE SILT LOAM, 2 TO 6 PERCENT SLOPES
710	2	FRIBERG-WEETOWN COMPLEX
769B	1	MEHURIN CLAY LOAM, 1 TO 4 PERCENT SLOPES
779B	1	PEEVER-MEHURIN COMPLEX, 2 TO 6 PERCENT SLOPES
902B	1	BARNES-BUSE COMPLEX, 2 TO 6 PERCENT SLOPES
957B2	1	ROTHSAY-ZELL COMPLEX, 2 TO 6 PERCENT SLOPES, ERODED
1105B	1	DENT SILT LOAM, 1 TO 6 PERCENT SLOPES
1129	2	LINDAAS SILTY CLAY LOAM, MORAINIC
1149	1	HAMERLY CLAY LOAM
1200	2	EGGLAKE LOAM
1208B	1	NAYTAHWAUSH-MAHKONCE COMPLEX, 1 TO 8 PERCENT SLOPES
1212B	1	MAHKONCE CLAY LOAM, 1 TO 4 PERCENT SLOPES
1214	2	MUSTINKA SILTY CLAY LOAM
1215	2	PINELAKE SANDY LOAM
1216B	2	EGGLAKE-WYKEHAM COMPLEX, 0 TO 5 PERCENT SLOPES
1232B	1	CHAPETT LOAM, 2 TO 6 PERCENT SLOPES
1234B	1	FORMDALE-BUSE COMPLEX, 2 TO 6 PERCENT SLOPES
1237	2	LAKEPARK LOAM
1240	2	ROLISS CLAY LOAM

1259	2	HAMERLY-MUSTINKA COMPLEX
1276	2	KNUTE-BRANDSVOLD COMPLEX, THICK SOLUM
1289	1	KNUTE FINE SANDY LOAM, THICK SOLUM
1290	2	BRANDSVOLD FINE SANDY LOAM, THICK SOLUM
1293	2	SEDGEVILLE FINE SANDY LOAM, RARELY FLOODED
1304A	1	GLYNDON VERY FINE SANDY LOAM
1317	2	VALLERS SILTY CLAY LOAM
1319B	1	ROCKWOOD SANDY LOAM, 2 TO 6 PERCENT SLOPES, STONY
1320B	1	BLOWERS SANDY LOAM, 1 TO 5 PERCENT SLOPES, STONY
1321	2	PADDOCK-BECIDA COMPLEX, STONY
1322	1	WOLVERTON VERY FINE SANDY LOAM
1324B	1	HEIMDAL-SISSETON COMPLEX, 2 TO 6 PERCENT SLOPES
1338	1	OAKCREEK LOAM
1342	2	PINELAKE, LOAMY SUBSTRATUM-BRANDSVOLD COMPLEX
1347B	1	KANDOTA LOAM, 1 TO 6 PERCENT SLOPES
1348	1	KNUTE LOAM, THICK SOLUM
1349	2	CLOTHO LOAM, MODERATELY PERMEABLE
1350	2	BRANDSVOLD LOAM, THICK SOLUM
1365	2	HILLVIEW FINE SANDY LOAM

=====

Otter Tail State-Wide Important Farmland List

Symbol	Mapunit Name
-----	-----
34	PARNELL SILTY CLAY LOAM, DEPRESSIONAL
38C2	WAUKON LOAM, 6 TO 12 PERCENT SLOPES, ERODED
53C	KANDOTA SANDY LOAM, 6 TO 12 PERCENT SLOPES
65	FOXHOME SANDY LOAM
127A	SVERDRUP SANDY LOAM, 0 TO 2 PERCENT SLOPES
127B	SVERDRUP SANDY LOAM, 2 TO 6 PERCENT SLOPES
141C	EGELAND FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
267C	SNELLMAN SANDY LOAM, 8 TO 15 PERCENT SLOPES
335	URNESS MUCKY SILT LOAM
341A	ARVILLA SANDY LOAM, 0 TO 2 PERCENT SLOPES
341B	ARVILLA SANDY LOAM, 2 TO 6 PERCENT SLOPES
406A	DORSET SANDY LOAM, 0 TO 2 PERCENT SLOPES
406B	CORSET SANDY LOAM, 2 TO 6 PERCENT SLOPES
422C	BYGLAND SILTY CLAY LOAM, 6 TO 15 PERCENT SLOPES
441C	ALMORA LOAM, 6 TO 12 PERCENT SLOPES
567A	VERNDALE SANDY LOAM, 0 TO 2 PERCENT SLOPES
567B	VERNDALE SANDY LOAM, 2 TO 6 PERCENT SLOPES
609B	DICKEY LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES
646C	PEEVER CLAY LOAM, 6 TO 12 PERCENT SLOPES
705B	NITCHE-KANDOTA-LIDA COMPLEX, 1 TO 6 PERCENT SLOPES
705C	NITCHE-KANDOTA-LIDA COMPLEX, 6 TO 12 PERCENT SLOPES
707C2	LIZZIE SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
716B	LEAFLAKE-EAGLEVIEW COMPLEX, 1 TO 6 PERCENT SLOPES
760C2	CHAPETT-SISSETON COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
776B	SNELLMAN-SUGARBUSH COMPLEX, 2 TO 8 PERCENT SLOPES
776C	SNELLMAN-SUGARBUSH COMPLEX, 8 TO 15 PERCENT SLOPES
777C2	SISSETON-HEIMDAL COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
903C2	BARNES-LANGHEI COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
915C2	FORMAN-BUSE COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
931C2	FORMDALE-LANGHEI COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
969C2	ZELL-ROTHSAY COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1102B	CHAPETT-DORSET COMPLEX, 1 TO 6 PERCENT SLOPES
1102C	CHAPETT-DORSET COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1103	CLITHERALL SANDY LOAM

1104B	WAUKON-DORSET COMPLEX, 1 TO 6 PERCENT SLOPES
1104C	WAUKON-DORSET COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1195A	SYBIL-EAGLEVIEW COMPLEX, 0 TO 2 PERCENT SLOPES
1195B	SYBIL-EAGLEVIEW COMPLEX, 2 TO 8 PERCENT SLOPES
1196B	LIDA-TWO INLETS COMPLEX, 1 TO 8 PERCENT SLOPES
1209C	NAYTAHWAUSH CLAY LOAM, 8 TO 15 PERCENT SLOPES, ERODED
1218C	SNELLMAN-LIDA COMPLEX, 8 TO 15 PERCENT SLOPES
1218B	SNELLMAN-LIDA COMPLEX, 1 TO 8 PERCENT SLOPES
1221B	SVERDRUP-SANDBERG COMPLEX, 2 TO 6 PERCENT SLOPES
1239	QUAM SILT LOAM
1319C	ROCKWOOD SANDY LOAM, 6 TO 12 PERCENT SLOPES, STONY
1341	CLITHERAL-WYKEHAM COMPLEX
1343C	LIDA-ALMORA-LIZZIE COMPLEX, 8 TO 15 PERCENT SLOPES
1344B	LIDA-ALMORA-DENT COMPLEX, 1 TO 8 PERCENT SLOPES
1345	BLUFFCREEK-ROSY COMPLEX
1397	BEMIDJI LOAMY SAND, MODERATELY PERMEABLE
1975	OYLEN SANDY LOAM

PENNINGTON COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
46	2	BORUP LOAM
52	2	AUGSBURG LOAM
58	1	KITTSOON SANDY CLAY LOAM
59	1	GRIMSTAD FINE SANDY LOAM
60	1	GLYNDON LOAM
77	1	GARNES FINE SANDY LOAM
184	1	HAMERLY SANDY CLAY LOAM
236	2	VALLERS LOAM
343	1	WHEATVILLE LOAM
404	2	CHILGREN LOAM
426	1	FOLDAHL FINE SANDY LOAM
439	2	ROCKWELL FINE SANDY LOAM
582	2	ROLISS LOAM
641	2	CLEARWATER CLAY
642	2	CLEARWATER LOAM
643	1	GRIMSTAD VARIANT FINE SANDY LOAM
644	2	BOASH CLAY LOAM
645	1	ESPELIE FINE SANDY LOAM
647	1	HILAIRE VERY FINE SANDY LOAM
648	1	REINER VARIANT LOAM
649	1	REINER LOAMY FINE SAND
650	1	REINER FINE SANDY LOAM
651	2	THIEFRIVER FINE SANDY LOAM
713	2	LINVELDT FINE SANDY LOAM
765	2	SMILEY SANDY CLAY LOAM

=====

Pennington State-Wide Important Farmland List

Symbol	Mapunit Name
64	ULEN FINE SANDY LOAM
65	FOXHOME SANDY LOAM
280	PELAN SANDY LOAM
387	ROLISS LOAM, DEPRESSIONAL
412	MAVIE FINE SANDY LOAM
481	KRATKA FINE SANDY LOAM
565	ECKVOLL LOAMY SAND
652	WYANDOTTE CLAY LOAM
712	ROSEWOOD FINE SANDY LOAM
1878	HAMRE MUCK

PINE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
21B	1	AHMEEK FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
43B	1	AUTOMBA LOAM, 2 TO 6 PERCENT SLOPES
49A	1	ANTIGO SILT LOAM, 0 TO 2 PERCENT SLOPES
49B	1	ANTIGO SILT LOAM, 2 TO 6 PERCENT SLOPES
72	2	SHOOKER LOAM
124	2	BRICKTON SILT LOAM
133A	1	DALBO SILT LOAM, 0 TO 2 PERCENT SLOPES
133B	1	DALBO SILT LOAM, 2 TO 6 PERCENT SLOPES
152B	1	MILACA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
153A	1	SANTIAGO SILT LOAM, 0 TO 2 PERCENT SLOPES
153B	1	SANTIAGO SILT LOAM, 2 TO 6 PERCENT SLOPES
164A	1	MORA LOAM, 0 TO 2 PERCENT SLOPES
164B	1	MORA LOAM, 2 TO 6 PERCENT SLOPES
165	2	PARENT LOAM
166	2	RONNEBY LOAM
167B	1	BAUDETTE VERY FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
182	2	HALDER LOAM
204B	1	CUSHING LOAM, 2 TO 6 PERCENT SLOPES
254B	1	HIBBING LOAM, 2 TO 6 PERCENT SLOPES
264A	1	FREEON SILT LOAM, 0 TO 2 PERCENT SLOPES
264B	1	FREEON SILT LOAM, 2 TO 6 PERCENT SLOPES
266	2	FREER SILT LOAM
292	2	ALSTAD SILT LOAM
302A	1	ROSHOLT SANDY LOAM, 0 TO 2 PERCENT SLOPES
302B	1	ROSHOLT SANDY LOAM, 2 TO 6 PERCENT SLOPES
326	2	HILLET LOAM
346	2	TALMOON LOAM
466	2	OGILVIE SILT LOAM
502	2	DUSLER SILT LOAM
504A	2	DUSLER FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
504B	1	DULUTH VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
685	2	OESTERLE FINE SANDY LOAM
714	2	BUHL LOAM
928B	1	CUSHING-MAHTOMEDI COMPLEX, 2 TO 6 PERCENT SLOPES
949B	1	MILACA-CHETEK COMPLEX, 3 TO 6 PERCENT SLOPES
975B	1	AHMEEK-OMEGA COMPLEX, 2 TO 6 PERCENT SLOPES

=====

Pine State-Wide Important Farmland List

Symbol	Mapunit Name
21BC	AHMEEK FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
21C	AHMEEK FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
43BC	AUTOMBA LOAM, 2 TO 12 PERCENT SLOPES
43C	AUTOMBA LOAM, 6 TO 12 PERCENT SLOPES
49BC	ANTIGO SILT LOAM, 2 TO 12 PERCENT SLOPES
49C	ANTIGO SILT LOAM, 6 TO 12 PERCENT SLOPES
119B	POMROY FINE SAND, 2 TO 6 PERCENT SLOPES
133BC	DALBO SILT LOAM, 2 TO 12 PERCENT SLOPES
133C	DALBO SILT LOAM, 6 TO 12 PERCENT SLOPES
152BC	MILACA FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES

152C	MILACA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
153C	SANTIAGO SILT LOAM, 6 TO 12 PERCENT SLOPES
155A	CHETEK SANDY LOAM, 0 TO 2 PERCENT SLOPES
155B	CHETEK SANDY LOAM, 2 TO 6 PERCENT SLOPES
159A	ANOKA LOAMY VERY FINE SAND, 0 TO 2 PERCENT SLOPES
159B	ANOKA LOAMY VERY FINE SAND, 2 TO 6 PERCENT SLOPES
162	LINO LOAMY FINE SAND
169B	BRAHAM LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES
204BC	CUSHING LOAM, 2 TO 12 PERCENT SLOPES
204C	CUSHING LOAM, 6 TO 12 PERCENT SLOPES
254BC	HIBBING LOAM, 2 TO 12 PERCENT SLOPES
254C	HIBBING LOAM, 6 TO 12 PERCENT SLOPES
265	SODERVILLE LOAMY FINE SAND
268A	CROMWELL SANDY LOAM, 0 TO 2 PERCENT SLOPES
268B	CROMWELL SANDY LOAM, 2 TO 6 PERCENT SLOPES
302BC	ROSHOLT SANDY LOAM, 2 TO 12 PERCENT SLOPES
302C	ROSHOLT SANDY LOAM, 6 TO 12 PERCENT SLOPES
355A	CLOQUET FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
355B	CLOQUET FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
504BC	DULUTH VERY FINE SANDY LOAM, 2 TO 12 PERCENT SLOPES
504C	DULUTH VERY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
565	ECKVOLL LOAMY SAND, 0 TO 3 PERCENT SLOPES
732	BUSHVILLE FINE SAND, 0 TO 2 PERCENT SLOPES
928C	CUSHING-MAHTOMEDI COMPLEX, 6 TO 12 PERCENT SLOPES
949C	MILACA-CHETEK COMPLEX, 6 TO 12 PERCENT SLOPES
975C	AHMEEK AND OMEGA SOILS, 6 TO 12 PERCENT SLOPES

PIPESTONE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
At	1	ATHELWOLD SILTY CLAY LOAM
BaB	1	BARNES LOAM, 1 TO 4 PERCENT SLOPES
BaB2	1	BARNES LOAM, 3 TO 6 PERCENT SLOPES, ERODED
BrA	1	BROOKINGS SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES
DaB	1	DARNEN LOAM, 2 TO 6 PERCENT SLOPES
EsA	1	ESTELLINE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
EsB	1	ESTELLINE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
EsB2	1	ESTELLINE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
EtA	1	ESTELLINE SILTY CLAY LOAM, DEEP, 0 TO 2 PERCENT SLOPES
FaA	1	FLANDREAU SILT LOAM, 0 TO 2 PERCENT SLOPES
FaB	1	FLANDREAU SILT LOAM, 2 TO 6 PERCENT SLOPES
FaB2	1	FLANDREAU SILT LOAM, 2 TO 6 PERCENT SLOPES, ERODED
Fm	2	FLOM AND ROLISS CLAY LOAMS
FoA	1	FORDVILLE LOAM, 0 TO 2 PERCENT SLOPES
FoB2	1	FORDVILLE LOAM, 2 TO 6 PERCENT SLOPES, ERODED
Hd	2	HIDEWOOD SILTY CLAY LOAM
IhA	1	IHLEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
IhB	1	IHLEN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
KrA	1	KRANZBURG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
KrB	1	KRANZBURG SILTY CLAY LOAM, 2 TO 4 PERCENT SLOPES
KrB2	1	KRANZBURG SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
La	5	LAMOURE SILTY CLAY LOAM
Lp	3	LA PRAIRIE LOAM
LsA	1	LISMORE SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES
MoA	1	MOODY SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
MoB	1	MOODY SILTY CLAY LOAM, 2 TO 4 PERCENT SLOPES
MoB2	1	MOODY SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
Qu	2	QUAM SILTY CLAY LOAM
SvA	1	SVEA CLAY LOAM, 0 TO 3 PERCENT SLOPES
SyA	1	SWENODA LOAM, 0 TO 2 PERCENT SLOPES
SyB	1	SWENODA LOAM, 2 TO 6 PERCENT SLOPES
To	2	TONKA SILT LOAM
TrA	1	TRENT SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES
Ts	2	TROSKY SILTY CLAY LOAM
VbA	1	VIENNA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
VbB	1	VIENNA SILTY CLAY LOAM, 2 TO 4 PERCENT SLOPES
VbB2	1	VIENNA SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
Wh	2	WHITEWOOD SILTY CLAY LOAM

=====

Pipestone State-Wide Important Farmland List

Symbol	Mapunit Name
BaC2	Barnes loam, 6 to 12 percent slopes, eroded
BwC2	Buse-barnes loams, 6 to 12 percent slopes, eroded
ByC	Buse-vienna loams, 6 to 12 percent slopes
ByC2	Buse-vienna loams, 6 to 12 percent slopes, eroded
ReA	Renshaw loam, 0 to 2 percent slopes
ReB	Renshaw loam, 2 to 6 percent slopes
RnB2	Renshaw-vienna-buse loams, 2 to 6 percent slopes, eroded

RnC2	Renshaw-vienna-buse loams, 6 to 12 percent slopes, eroded
SwA	Sverdrup fine sandy loam, 0 to 2 percent slopes
SwB	Sverdrup fine sandy loam, 2 to 6 percent slopes
VaC	Vienna loam, 6 to 12 percent slopes
VaC2	Vienna loam, 6 to 12 percent slopes, eroded

POLK COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
20B	1	CHAPETT FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
38B	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES
47	2	COLVIN SILTY CLAY LOAM
57A	2	FARGO SILTY CLAY, 0 TO 1 PERCENT SLOPES
59	1	GRIMSTAD FINE SANDY LOAM
67A	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
67B	1	BEARDEN SILT LOAM, 2 TO 6 PERCENT SLOPES
93A	1	BEARDEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
184A	1	HAMERLY LOAM, 0 TO 3 PERCENT SLOPES
236	2	VALLERS LOAM
296	1	FRAM LOAM
422A	1	BYGLAND SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
422B	1	BYGLAND SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
439	2	STRATHCONA FINE SANDY LOAM
494B	1	DARNEN LOAM, 2 TO 6 PERCENT SLOPES
506	1	OVERLY SILTY CLAY LOAM
582	2	ROLISS LOAM
641	2	CLEARWATER CLAY
642	2	CLEARWATER LOAM
643	1	HUOT FINE SANDY LOAM
645	2	ESPELIE FINE SANDY LOAM
650	1	REINER FINE SANDY LOAM
651	2	THIEFRIVER FINE SANDY LOAM
667B	3	FAIRDALE SILT LOAM, 1 TO 6 PERCENT SLOPES, OCCASIONALLY FLOODED
670	1	KNUTE FINE SANDY LOAM
671	1	ONSTAD LOAM
681	2	BRANDSVOLD LOAM
707A	1	LIZZIE SILT LOAM, 1 TO 3 PERCENT SLOPES
713	1	LINVELDT FINE SANDY LOAM
718B	1	NAYTAHWAUSH LOAM, 2 TO 8 PERCENT SLOPES
737	1	MAHKONCE LOAM
749	5	COLVIN SILT LOAM, OCCASIONALLY FLOODED
765	2	SMILEY LOAM
767	2	AUGANAUSH LOAM
827B	1	HEIMDAL-ESMOND COMPLEX, 2 TO 6 PERCENT SLOPES
908	2	BEARDEN-FARGO COMPLEX
935	2	HEGNE-FARGO COMPLEX
967B	1	WAUKON-LANGHEI COMPLEX, 2 TO 6 PERCENT SLOPES
1117	2	HEDMAN LOAM
1119	2	NIELSVILLE SILTY CLAY LOAM
1122	2	NIELSVILLE-PERELLA COMPLEX
1142	2	HEDMAN-FRAM COMPLEX
1279	2	VALLERS-HAMERLY COMPLEX
1280	1	GUNCLUB SILTY CLAY LOAM
1283	2	REIS-CLEARWATER COMPLEX
1297	2	AUGSBURG VERY FINE SANDY LOAM
1299	2	BORUP VERY FINE SANDY LOAM
1304A	1	GLYNDON VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
1304B	1	GLYNDON VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
1315A	1	WHEATVILLE VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
1323B	3	LADELLE SILT LOAM, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED
1866	2	COLVIN-PERELLA COMPLEX
1916	2	LINDAAS SILTY CLAY LOAM

1963	2	BEARDEN-COLVIN COMPLEX
1964	2	COLVIN-FARGO COMPLEX

=====

Polk State-Wide Important Farmland List

Symbol	Mapunit Name
20C2	CHAPETT FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
38C2	WAUKON LOAM, 6 TO 12 PERCENT SLOPES, ERODED
65	FOXHOME SANDY LOAM
348	BORUP LOAM, DEPRESSIONAL
387	ROLISS LOAM, DEPRESSIONAL
412	MAVIE FINE SANDY LOAM
422C2	BYGLAND SILTY CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
426	FOLDAHL LOAMY FINE SAND
481	KRATKA FINE SANDY LOAM
565	ECKVOLL LOAMY FINE SAND
647	HILAIRE LOAMY FINE SAND
667C2	FAIRDALE SILT LOAM, 6 TO 15 PERCENT SLOPES, ERODED, OCCASIONALLY FLOODED
704	WYRENE SANDY LOAM
712	ROSEWOOD FINE SANDY LOAM
718C	NAYTAHWAUSH LOAM, 8 TO 15 PERCENT SLOPES
735B	HALVERSON LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES
827C2	HEIMDAL-ESMOND COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
967C2	WAUKON-LANGHEI COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1121	HEDMAN LOAM, DEPRESSIONAL
1152B	SUGARBUSH LOAMY SAND, 1 TO 8 PERCENT SLOPES
1264	ULEN LOAMY FINE SAND
1871	FARGO SILTY CLAY, SWALES
1878	HAMRE MUCK, DRAINED

POPE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
BaA	1	BARNES LOAM, 0 TO 2 PERCENT SLOPES
BbB2	1	BARNES-LANGHEI LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
BdB2	1	BARNES-LANGHEI-RENSHAW LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
Be	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
Ca	2	CANISTEO LOAM
CmB	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES
Co	2	COLVIN SILTY CLAY LOAM
Cp	2	COLVIN SILTY CLAY LOAM, DEPRESSIONAL
DaB	1	DARNEN SILT LOAM, 0 TO 4 PERCENT SLOPES
DlA	1	DOLAND SILT LOAM, 0 TO 2 PERCENT SLOPES
DlB	1	DOLAND SILT LOAM, 2 TO 6 PERCENT SLOPES
Es	1	ESTELLINE SILT LOAM, 0 TO 3 PERCENT SLOPES
Et	1	ESTELLINE SILT LOAM, MODERATELY WELL DRAINED VARIANT
EwA	1	ESTHERVILLE LOAM, THICK SOLUM, 0 TO 2 PERCENT SLOPES
EwB	1	ESTHERVILLE LOAM, THICK SOLUM, 2 TO 6 PERCENT SLOPES
FlA	1	FLANDREAU SILT LOAM, 0 TO 2 PERCENT SLOPES
FlB	1	FLANDREAU SILT LOAM, 2 TO 6 PERCENT SLOPES
FoA	1	FORDVILLE LOAM, 0 TO 2 PERCENT SLOPES
FoB	1	FORDVILLE LOAM, 2 TO 6 PERCENT SLOPES
FrB2	1	FORMAN CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
Gn	2	GLENCOE SILTY CLAY LOAM
Hd	1	HAMERLY LOAM, 0 TO 3 PERCENT SLOPES
Lc	2	LAMOURE SILT LOAM
LnB2	1	LANGHEI-BARNES LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
Ml	2	MARYSLAND LOAM
Mn	2	MAYER LOAM
Mo	2	MAYER LOAM, DEPRESSIONAL
Mr	2	MAYER LOAM, SANDY SUBSOIL VARIANT
Ms	1	MCINTOSH SILT LOAM, 0 TO 2 PERCENT SLOPES
Nc	1	NICOLLET LOAM, 0 TO 3 PERCENT SLOPES
NuA	1	NUTLEY SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
NuB	1	NUTLEY SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
Om	2	OLDHAM SILTY CLAY LOAM
Pa	2	PARNELL SILTY CLAY LOAM
Pf	2	PARNELL AND FLOM SILTY CLAY LOAMS
Pr	2	PERELLA SILTY CLAY LOAM
SuA	1	SVEA LOAM, 0 TO 2 PERCENT SLOPES
SuB	1	SVEA LOAM, 2 TO 4 PERCENT SLOPES
Ta	1	TARA SILT LOAM, 0 TO 3 PERCENT SLOPES
To	2	TONKA SILT LOAM
Va	2	VALLERS SILTY CLAY LOAM
Wa	1	WADENA LOAM
WbA	1	WAUKON LOAM, 0 TO 2 PERCENT SLOPES
WbB	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES
WdB2	1	WAUKON CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
We	2	WEBSTER LOAM
Wn	2	WINGER SILTY CLAY LOAM

=====

Pope State-Wide Important Farmland List

Symbol	Mapunit Name
BbC2	BARNES-LANGHEI LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
BdC	BARNES-LANGHEI-RENSHAW LOAMS, 6 TO 12 PERCENT SLOPES
Bh	BLUE EARTH SILT LOAM
CmC2	CLARION LOAM, 6 TO 12 PERCENT SLOPES, ERODED
Cn	CLONTARF SANDY LOAM, 0 TO 2 PERCENT SLOPES
DcA	DICKINSON SANDY LOAM, 0 TO 2 PERCENT SLOPES
DcB	DICKINSON SANDY LOAM, 2 TO 6 PERCENT SLOPES
EvA	ESTHERVILLE LOAM, 0 TO 2 PERCENT SLOPES
EvB	ESTHERVILLE LOAM, 2 TO 6 PERCENT SLOPES
FrC2	FORMAN CLAY LOAM, 6 TO 12 PERCENT SLOPES
Lk	LAMOURE COMPLEX
LnC2	LANGHEI-BARNES LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
Mf	MALACHY SANDY LOAM, 0 TO 2 PERCENT SLOPES
Os	OSAKIS SANDY LOAM, 0 TO 2 PERCENT SLOPES
ReA	RENSHAW LOAM, 0 TO 2 PERCENT SLOPES
ReB	RENSHAW LOAM, 2 TO 6 PERCENT SLOPES
SyB2	SVERDRUP SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
SyC2	SVERDRUP SANDY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
SzA	SVERDRUP LOAM, 0 TO 2 PERCENT SLOPES
WbC	WAUKON LOAM, 6 TO 12 PERCENT SLOPES
Wdc2	WAUKON CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED

RED LAKE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
46	2	BORUP LOAM, 0 TO 2 PERCENT SLOPES
47	2	COLVIN SILTY CLAY LOAM
52	2	AUGSBURG LOAM, 0 TO 2 PERCENT SLOPES
56	2	FARGO SILTY CLAY LOAM
57	2	FARGO CLAY
58	1	KITTSOON LOAM, 0 TO 3 PERCENT SLOPES
58B	1	KITTSOON LOAM, 2 TO 6 PERCENT SLOPES
59	1	GRIMSTAD FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
60A	1	GLYNDON LOAM, 0 TO 2 PERCENT SLOPES
60B	1	GLYNDON LOAM, 2 TO 6 PERCENT SLOPES
67	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
67B	1	BEARDEN SILT LOAM, 2 TO 6 PERCENT SLOPES
77	1	GARNES LOAM, 0 TO 2 PERCENT SLOPES
77B	1	GARNES LOAM, 2 TO 6 PERCENT SLOPES
184A	1	HAMERLY LOAM, 0 TO 3 PERCENT SLOPES
185A	1	HATTIE CLAY, 0 TO 3 PERCENT SLOPES
236	2	VALLERS LOAM, 0 TO 2 PERCENT SLOPES
296	1	FRAM LOAM, 1 TO 3 PERCENT SLOPES
403	2	VIKING CLAY LOAM, 0 TO 2 PERCENT SLOPES
403B	2	VIKING CLAY LOAM, 2 TO 6 PERCENT SLOPES
404	2	CHILGREN LOAM
425	1	DONALDSON VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
439	2	STRATHCONA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
582	2	ROLISS LOAM, 0 TO 2 PERCENT SLOPES
641	2	CLEARWATER CLAY, 0 TO 2 PERCENT SLOPES
642	2	FOXLAKE LOAM, 0 TO 2 PERCENT SLOPES
643	1	HUOT FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
645	2	ESPELIE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
648	1	NEWFOLDEN LOAM, 0 TO 3 PERCENT SLOPES
649	1	REINER LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES
650	1	REINER FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
651	2	THIEFRIVER FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
667B	3	FAIRDALE SILT LOAM, 1 TO 6 PERCENT SLOPES, OCCASIONALLY FLOODED
713	1	LINVELDT FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
765	2	SMILEY LOAM, 0 TO 2 PERCENT SLOPES
1117	2	HEDMAN LOAM, 0 TO 2 PERCENT SLOPES
1142	2	HEDMAN-FRAM COMPLEX, 0 TO 3 PERCENT SLOPES
1283	2	REIS-CLEARWATER COMPLEX, 0 TO 2 PERCENT SLOPES
1297	2	AUGSBURG VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
1299	2	BORUP VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
1302	1	FOLDAHL FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
1304A	1	GLYNDON VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
1304B	1	GLYNDON VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
1305	1	HILAIRE FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
1315A	1	WHEATVILLE VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
1316A	1	WHEATVILLE LOAM, 0 TO 3 PERCENT SLOPES

=====

Red Lake State-Wide Important Farmland List

Symbol	Mapunit Name
64	Ulen fine sandy loam, 0 to 3 percent slopes
65	Foxhome sandy loam, 0 to 3 percent slopes
372	Hamar loamy fine sand, 0 to 2 percent slopes
412	Mavie fine sandy loam, 0 to 2 percent slopes
426	Foldahl loamy fine sand, 0 to 3 percent slopes
432	Strandquist loam, 0 to 2 percent slopes
481	Kratka fine sandy loam, 0 to 2 percent slopes
565	Eckvoll loamy fine sand, 0 to 3 percent slopes
647	Hilaire loamy fine sand, 0 to 3 percent slopes
652	Wyandotte clay loam, 0 to 2 percent slopes
667C	Fairdale silt loam, 6 to 15 percent slopes, occasionally flooded
712	Rosewood fine sandy loam, 0 to 2 percent slopes
1264	Ulen loamy fine sand, 0 to 3 percent slopes

REDWOOD COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27A	1	DICKINSON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
27B	1	DICKINSON FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
39A	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
39B	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE SILTY CLAY LOAM
128A	1	GROGAN LOAM, 0 TO 2 PERCENT SLOPES
128B	1	GROGAN LOAM, 2 TO 6 PERCENT SLOPES
134	2	OKOBOJI SILTY CLAY LOAM
149B	1	EVERLY CLAY LOAM, 2 TO 4 PERCENT SLOPES
149B2	1	EVERLY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED
227	2	LEMOND LOAM
241	2	LETTRI CLAY LOAM
247	1	LINDER LOAM
255	2	MAYER LOAM
269	5	MILLINGTON LOAM
282	2	HANSKA FINE SANDY LOAM
313	3	SPILLVILLE LOAM, OCCASIONALLY FLOODED
345	1	WILMONTON CLAY LOAM
392	2	BISCAY LOAM
399	2	BISCAY LOAM, DEPRESSIONAL
421B	1	VES LOAM, 1 TO 4 PERCENT SLOPES
421B2	1	VES LOAM, 3 TO 6 PERCENT SLOPES, ERODED
423	1	SEAFORTH LOAM
446	1	NORMANIA LOAM
562	2	KNOKE SILTY CLAY LOAM
574	3	DU PAGE LOAM
575	5	NISHNA CLAY LOAM
654	2	REVERE CLAY LOAM
883	3	DU PAGE-ZUMBRO COMPLEX
884	2	DELFT-WEBSTER COMPLEX
894B2	1	EVERLY-STORDEN COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED
954B2	1	VES-STORDEN LOAMS, 3 TO 6 PERCENT SLOPES, ERODED
1833	5	COLAND CLAY LOAM, OCCASIONALLY FLOODED
1853A	1	WADENA VARIANT LOAM, 0 TO 2 PERCENT SLOPES
1853B	1	WADENA VARIANT LOAM, 2 TO 6 PERCENT SLOPES
1897	1	SEAFORTH-WILMONTON CLAY LOAMS

=====

Redwood State-Wide Important Farmland List

Symbol	Mapunit Name
41A	Estherville sandy loam, 0 to 2 percent slopes
41B	Estherville sandy loam, 2 to 6 percent slopes
94C	Terril loam, 6 to 12 percent slopes
327A	Dickman sandy loam, 0 to 2 percent slopes

327B	Dickman sandy loam, 2 to 6 percent slopes
818	Lemond-linder-estherville complex
894C2	Storden-everly complex, 6 to 12 percent slopes, eroded
954C2	Storden-ves loams, 6 to 12 percent slopes, eroded
999B2	Ves-estherville-storden complex, 3 to 6 percent slopes, eroded
999C2	Storden-estherville-ves loams, 6 to 12 percent slopes, eroded
1899B	Wilmington variant loam, 2 to 12 percent slopes

RENVILLE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27A	1	DICKINSON LOAM, 0 TO 2 PERCENT SLOPES
27B	1	DICKINSON LOAM, 2 TO 6 PERCENT SLOPES
39A	1	WADENA LOAM, 0 TO 2 PERCENT SLOPES
39B	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
85	2	CALCO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
86	2	CANISTEO CLAY LOAM, MODERATELY FINE SUBSTRATUM, 0 TO 2 PERCENT SLOPES
102B	1	CLARION LOAM, MODERATELY FINE SUBSTRATUM, 2 TO 5 PERCENT SLOPES
112	2	HARPS CLAY LOAM, 0 TO 2 PERCENT SLOPES
113	2	WEBSTER CLAY LOAM, 0 TO 2 PERCENT SLOPES
118	1	CRIPPIN LOAM, MODERATELY FINE SUBSTRATUM, 1 TO 3 PERCENT SLOPES
130	1	NICOLLET CLAY LOAM, 1 TO 3 PERCENT SLOPES
134	2	OKOBOJI SILTY CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
156	1	FAIRHAVEN SILT LOAM, 0 TO 2 PERCENT SLOPES
211	2	LURA SILTY CLAY, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
227	2	LEMOND LOAM, 0 TO 2 PERCENT SLOPES
247	1	LINDER LOAM, 0 TO 2 PERCENT SLOPES
255	2	MAYER LOAM, 0 TO 2 PERCENT SLOPES
282	2	HANSKA LOAM, 0 TO 2 PERCENT SLOPES
336	2	DELFT LOAM, 1 TO 3 PERCENT SLOPES
386	2	OKOBOJI MUCKY SILTY CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
392	2	BISCAY LOAM, 0 TO 2 PERCENT SLOPES
423	1	SEAFORTH LOAM, 1 TO 3 PERCENT SLOPES
446	1	NORMANIA LOAM, 1 TO 3 PERCENT SLOPES
463A	1	MINNEISKA SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
463B	1	MINNEISKA LOAM, 1 TO 4 PERCENT SLOPES, RARELY FLOODED
574	1	DU PAGE LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
575	3	NISHNA SILTY CLAY, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
810	2	CORIFF-FIELDON COMPLEX, 0 TO 2 PERCENT SLOPES
817	2	CANISTEO-SEAFORTH COMPLEX, 0 TO 3 PERCENT SLOPES
887B	1	CLARION-SWANLAKE COMPLEX, 2 TO 6 PERCENT SLOPES
899	2	HARPS-OKOBOJI, DEPRESSIONAL, COMPLEX, 0 TO 2 PERCENT SLOPES
927	2	HARPS-SEAFORTH-OKOBOJI, DEPRESSIONAL, COMPLEX, 0 TO 3 PERCENT SLOPES
956	2	CANISTEO-GLENCOE, DEPRESSIONAL, COMPLEX, 0 TO 2 PERCENT SLOPES
978	2	CORDOVA-ROLFE, DEPRESSIONAL, COMPLEX, 0 TO 2 PERCENT SLOPES
1100	1	NICOLLET SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
1101	2	WEBSTER SILTY CLAY LOAM, MODERATELY FINE SUBSTRATUM, 0 TO 2 PERCENT SLOPES
1159B	1	STROUT-ARKTON COMPLEX, 2 TO 6 PERCENT SLOPES
1162A	2	KANDIYOHI CLAY, 0 TO 2 PERCENT SLOPES
1169	2	CORVUSO-LURA, DEPRESSIONAL, COMPLEX, 0 TO 2 PERCENT SLOPES
1193	2	COSMOS SILTY CLAY, 0 TO 2 PERCENT SLOPES
1205	2	LEEN-OKOBOJI, DEPRESSIONAL, COMPLEX, 0 TO 2 PERCENT SLOPES
1262	1	SEAFORTH SILT LOAM, 1 TO 3 PERCENT SLOPES
1268	1	HANLON LOAM, 1 TO 3 PERCENT SLOPES, RARELY FLOODED
1269	1	LOWLEIN SILT LOAM, 0 TO 2 PERCENT SLOPES
1285	2	CHETOMBA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
1286	2	PRINSBURG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
1355B	1	AMIRET-SWANLAKE COMPLEX, 2 TO 6 PERCENT SLOPES
1369A	1	CROOKSFORD SILT LOAM, 1 TO 3 PERCENT SLOPES
1369B	1	CROOKSFORD SILT LOAM, 3 TO 5 PERCENT SLOPES
1370B	1	AMIRET LOAM, 2 TO 5 PERCENT SLOPES
1371B	1	CROOKSFORD-SWANLAKE COMPLEX, 3 TO 6 PERCENT SLOPES
1374	3	HAVELOCK CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED

1382	1	LOURIS SILT LOAM, 1 TO 3 PERCENT SLOPES
1388B	1	TERRIL LOAM, MODERATELY WET, 2 TO 6 PERCENT SLOPES
1390	2	LEEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
1392B	1	GROGAN SILT LOAM, MODERATELY WET, 1 TO 4 PERCENT SLOPES
1802	2	CALCOUSTA-OKOBOJI COMPLEX, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
1833	2	COLAND CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
1900	2	OKOBOJI-CANISTEO COMPLEX, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
1958	2	DANUBE SILTY CLAY, 0 TO 2 PERCENT SLOPES

=====

Renville State-Wide Important Farmland List

Symbol	Mapunit Name
35	BLUE EARTH MUCKY SILT LOAM, 0 TO 1 PERCENT SLOPES (where drained)
94C	TERRIL LOAM, 6 TO 12 PERCENT SLOPES
1261B	BECHYN LOAM, 2 TO 6 PERCENT SLOPES
128C2	GROGAN SILT LOAM, 6 TO 15 PERCENT SLOPES, ERODED
1373C	OMSRUD-STORDEN-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1376C	OMSRUD-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1386B	AMIRET-SWANLAKE-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
327A	DICKMAN SANDY LOAM, 0 TO 2 PERCENT SLOPES
327B	DICKMAN SANDY LOAM, 2 TO 6 PERCENT SLOPES
327C2	DICKMAN SANDY LOAM, 6 TO 12 PERCENT SLOPES
519	KLOSSNER MUCK, DEPRESSIONAL, CALCAREOUS, 0 TO 1 PERCENT SLOPES (where drained)
525	MUSKEGO MUCK, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES (where drained)
539	KLOSSNER MUCK, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES (where drained)
770C2	VES-TERRIL COMPLEX, 6 TO 15 PERCENT SLOPES, ERODED
920B	CLARION-STORDEN-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
954C2	VES-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
999C2	VES-STORDEN-HAWICK COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED

Rice County, Minnesota

Prime Farmland List

Symbol	Soil Mapunit Name
24	Kasson silt loam, 1 to 3 percent slopes
39A	Wadena loam, 0 to 2 percent slopes
44	Ankeny sandy loam, 0 to 3 percent slopes
74B	Dickinson fine sandy loam, 1 to 6 percent slopes
98	Colo silty clay loam, 0 to 2 percent slopes, occasionally flooded (where drained)
102B	Clarion loam, moderately fine substratum, 2 to 5 percent slopes
104B	Hayden loam, 2 to 6 percent slopes
109	Cordova clay loam, 0 to 2 percent slopes (where drained)
113	Webster clay loam, 0 to 2 percent slopes (where drained)
114	Glencoe clay loam, depressional, 0 to 1 percent slopes (where drained)
130	Nicollet clay loam, 1 to 3 percent slopes
134	Okoboji silty clay loam, depressional, 0 to 1 percent slopes (where drained)
138B	Lerdal clay loam, 2 to 6 percent slopes (where drained)
176	Garwin silt loam, 0 to 2 percent slopes (where drained)
208	Kato silty clay loam, 0 to 1 percent slopes (where drained)
213B	Klinger silty clay loam, 1 to 4 percent slopes
219	Rolfe silt loam, depressional, 0 to 1 percent slopes (where drained)
238B	Kilkenny loam, 2 to 6 percent slopes
239	Le Sueur clay loam, 1 to 3 percent slopes
253	Maxcreek silty clay loam, 0 to 1 percent slopes (where drained)
256	Mazaska clay loam, 0 to 2 percent slopes (where drained)
285A	Port Byron silt loam, 0 to 2 percent slopes
285B	Port Byron silt loam, 2 to 6 percent slopes
301B	Lindstrom silt loam, 2 to 6 percent slopes
307	Sargeant silt loam, 0 to 2 percent slopes (where drained)
323	Shields silty clay loam, 0 to 2 percent slopes (where drained)
376B	Moland silt loam, 1 to 4 percent slopes
377	Merton silt loam, 1 to 3 percent slopes
378	Maxfield silty clay loam, 0 to 2 percent slopes (where drained)
382B	Blooming silt loam, 2 to 6 percent slopes
392	Biscay loam, 0 to 2 percent slopes (where drained)
408	Faxon clay loam, 0 to 1 percent slopes (where drained)
411A	Waukegan silt loam, 0 to 2 percent slopes
411B	Waukegan silt loam, 2 to 6 percent slopes
414	Hamel loam, 1 to 3 percent slopes (where drained)
463A	Minneiska fine sandy loam, 0 to 2 percent slopes, occasionally flooded
529A	Ripon silt loam, 0 to 2 percent slopes
529B	Ripon silt loam, 2 to 6 percent slopes
572	Lowlein sandy loam, 1 to 5 percent slopes
757	Nerwoods loam, 2 to 6 percent slopes
1286	Prinsburg silty clay loam, 0 to 2 percent slopes (where drained)
1361	Le Sueur loam, moderately coarse substratum, 1 to 3 percent slopes
1362B	Angus loam, 2 to 5 percent slopes
1363	Dundas silt loam, moderately coarse substratum, 0 to 2 percent slopes (where drained)
1366	Talcot silty clay loam, 0 to 1 percent slopes (where drained)
1367	Derrynane clay loam, 1 to 3 percent slopes (where drained)
1387A	Collinwood silty clay loam, moderately wet, 0 to 3 percent slopes
1388B	Terril loam, moderately wet, 2 to 6 percent slopes
1408B	Angus-Kilkenny complex, 2 to 6 percent slopes
1409A	Kenyon silt loam, moderately wet, 0 to 3 percent slopes
1409B	Kenyon silt loam, moderately wet, 3 to 6 percent slopes
1410B	Racine silt loam, moderately wet, 2 to 6 percent slopes
1413B	Littleton silt loam, till substratum, 1 to 4 percent slopes

1437B Renova silt loam, moderately wet, 2 to 6 percent slopes
1962 Mazaska-Rolfe complex, 0 to 2 percent slopes (where drained)

=====

Rice State-Wide Important Farmland List

Symbol	Mapunit Name
-----	-----
17	MINNEOPA SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED
41A	ESTHERVILLE SANDY LOAM, 0 TO 2 PERCENT SLOPES
41B	ESTHERVILLE SANDY LOAM, 2 TO 6 PERCENT SLOPES
100A	COPASTON LOAM, 0 TO 2 PERCENT SLOPES
104C2	HAYDEN LOAM, 6 TO 12 PERCENT SLOPES, ERODED
106C2	LESTER LOAM, 6 TO 12 PERCENT SLOPES, ERODED
138C	LERDAL CLAY LOAM, 6 TO 12 PERCENT SLOPES
238C2	KILKENNY CLAY LOAM, 6 TO 12 PERCENT SLOPES
301C	LINDSTROM SILT LOAM, 6 TO 12 PERCENT SLOPES
382C2	BLOOMING SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
783C2	LESTER-KILKENNY COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
945C2	LESTER-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
963C2	TIMULA-BOLD COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
1410C	RACINE SILT LOAM, MODERATELY WET, 6 TO 12 PERCENT SLOPES, ERODED
1416C	RENOVA LOAM, MODERATELY WET, 6 TO 12 PERCENT SLOPES

ROCK COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
18	2	COMFREY CLAY LOAM
28A	1	ALCESTER SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
28B	1	ALCESTER SILT LOAM, 3 TO 8 PERCENT SLOPES
54A	1	IHLEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
54B	1	IHLEN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
85	3	CALCO SILTY CLAY LOAM, OCCASIONALLY FLOODED
90B	1	MOODY SILTY CLAY LOAM, 1 TO 5 PERCENT SLOPES
92A	1	FLANDREAU SILT LOAM, 0 TO 2 PERCENT SLOPES
92B	1	FLANDREAU SILT LOAM, 2 TO 6 PERCENT SLOPES
97	1	TRENT SILTY CLAY LOAM
98	2	COLO SILTY CLAY LOAM
129	3	CYLINDER LOAM, OCCASIONALLY FLOODED
140	2	SPICER SILTY CLAY LOAM
149B	1	EVERLY CLAY LOAM, 2 TO 6 PERCENT SLOPES
156A	1	FAIRHAVEN SILT LOAM, 0 TO 2 PERCENT SLOPES
156B	1	FAIRHAVEN SILT LOAM, 2 TO 6 PERCENT SLOPES
214	2	TALCOT SILTY CLAY LOAM
249	2	MARCUS SILTY CLAY LOAM
269	3	MILLINGTON CLAY LOAM, OCCASIONALLY FLOODED
291	1	RANSOM SILTY CLAY LOAM
304	2	RUSHMORE SILTY CLAY LOAM
306B	1	SAC SILTY CLAY LOAM, 1 TO 5 PERCENT SLOPES
345	1	WILMONTON SILTY CLAY LOAM
392	2	BISCAY SILTY CLAY LOAM
490	2	WHITEWOOD SILTY CLAY LOAM
658A	1	DEMPSTER SILT LOAM, 0 TO 2 PERCENT SLOPES
658B	1	DEMPSTER SILT LOAM, 2 TO 6 PERCENT SLOPES
659A	1	GRACEVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES
659B	1	GRACEVILLE SILT LOAM, 2 TO 6 PERCENT SLOPES
663	3	SPILLCO SILT LOAM, OCCASIONALLY FLOODED
1839	2	MARCUS VARIANT SILTY CLAY LOAM

=====

Rock State-Wide Important Farmland List

Symbol	Mapunit Name
149C	Everly clay loam, 6 to 12 percent slopes
306C	Sac silty clay loam, 5 to 10 percent slopes
327B	Dickman sandy loam, 2 to 6 percent slopes
327C	Dickman sandy loam, 6 to 12 percent slopes
661C	Nora silt loam, 4 to 10 percent slopes
662C2	Nora-Crofton silt loams, 6 to 12 percent slopes, eroded

ROSEAU COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
47	2	COLVIN SILTY CLAY LOAM
52	2	AUGSBURG LOAM
59	1	GRIMSTAD FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
67	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
77	1	GARNES FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
133	1	DALBO LOAM, 0 TO 3 PERCENT SLOPES
147	2	SPOONER VERY FINE SANDY LOAM
167B	1	BAUDETTE FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
383	2	PERCY LOAM
404	2	CHILGREN FINE SANDY LOAM
439	2	STRATHCONA FINE SANDY LOAM
568	2	ZIPPEL VERY FINE SANDY LOAM
569	2	WABANICA SILT LOAM
581	2	PERCY FINE SANDY LOAM
582	2	ROLISS LOAM
583	1	NERESON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
643	1	HUOT FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
644	2	BOASH CLAY LOAM
645	2	ESPELIE FINE SANDY LOAM
651	2	THIEFRIVER FINE SANDY LOAM
737	1	MAHKONCE FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
767	2	AUGANAUSH LOAM
1134	2	BORUP-GLYNDON COMPLEX
1158	1	SKAGEN LOAM, 0 TO 3 PERCENT SLOPES
1214	2	MUSTINKA CLAY LOAM
1298	2	BORUP SILT LOAM
1302	1	FOLDAHL FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
1304	1	GLYNDON VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
1305	1	HILAIRE FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
1316	1	WHEATVILLE LOAM, 0 TO 2 PERCENT SLOPES
1448	2	GRANO CLAY, MAP 18-22, 0 TO 2 PERCENT SLOPES
1449	2	GRANO LOAM, MAP 18-22, 0 TO 2 PERCENT SLOPES
1918	1	CROKE VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES

=====

Roseau State-Wide Important Farmland List

Symbol	Mapunit Name
64	ULEN FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
65	FOXHOME SANDY LOAM, 0 TO 3 PERCENT SLOPES
191	EPOUFETTE LOAMY FINE SAND, MAP 22-30, 0 TO 2 PERCENT SLOPES
205	KARLSTAD LOAMY SAND, 0 TO 3 PERCENT SLOPES
280	PELAN SANDY LOAM, 0 TO 3 PERCENT SLOPES
379	PERCY LOAM, 0 TO 2 PERCENT SLOPES, VERY COBBLY
412	MAVIE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
432	STRANDQUIST LOAM, 0 TO 2 PERCENT SLOPES
481	KRATKA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
565	ECKVOLL LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES
712	ROSEWOOD FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
755	WOODSLAKE CLAY, 0 TO 1 PERCENT SLOPES
1170	SKAGEN LOAM, 0 TO 3 PERCENT SLOPES, VERY COBBLY

1179B	MORANVILLE LOAMY FINE SAND, 0 TO 4 PERCENT SLOPES
1181	ROSEWOOD-ULEN COMPLEX, 0 TO 2 PERCENT SLOPES
1182	WARROAD FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
1191	SAHKAHTAY SANDY LOAM, 0 TO 2 PERCENT SLOPES
1414	NERESON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES, VERY COBBLY

ST. LOUIS COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
21A	1	AHMEEK SILT LOAM, 0 TO 3 PERCENT SLOPES
21B	1	AHMEEK SILT LOAM, 3 TO 8 PERCENT SLOPES
122A	1	TAYLOR SILTY CLAY LOAM , 1 TO 3 PERCENT SLOPES
122B	1	TAYLOR SILTY CLAY LOAM , 3 TO 8 PERCENT SLOPES
147	2	SPOONER SILT LOAM
167B	1	BAUDETTE SILT LOAM, 2 TO 8 PERCENT SLOPES
243	2	STUNTZ SILT LOAM
254A	1	HIBBING LOAM, 1 TO 3 PERCENT SLOPES
254B	1	HIBBING LOAM, 3 TO 8 PERCENT SLOPES
502	2	DUSLER SILT LOAM, 0 TO 2 PERCENT SLOPES
504A	1	DULUTH SILT LOAM, 1 TO 3 PERCENT SLOPES
504B	1	DULUTH SILT LOAM, 3 TO 8 PERCENT SLOPES
615	2	COWHORN LOAMY VERY FINE SAND
622A	1	NASHWAUK FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES
622B	1	NASHWAUK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
629B	1	WAWINA LOAMY VERY FINE SAND, 1 TO 8 PERCENT SLOPES
695A	1	FINLAND LOAM, 1 TO 3 PERCENT SLOPES
695B	1	FINLAND LOAM, 3 TO 8 PERCENT SLOPES
696	2	HERMANTOWN SILT LOAM
751	2	OESTERLE VERY FINE SANDY LOAM
1972B	1	AHMEEK-CROMWELL FINE SANDY LOAM, 1 TO 8 PERCENT SLOPES
1982	3	BAUDETTE-SPOONER SILT LOAMS
1987	2	GRYGLA-SPOONER COMPLEX

=====

St. Louis State-Wide Important Farmland List

Symbol	Mapunit Name
268B	CROMWELL FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES
303A	ONTONAGON SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES
303B	ONTONAGON SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES
355B	CLOQUET SILT LOAM, 3 TO 8 PERCENT SLOPES
620B	CUTAWAY LOAMY SAND, 1 TO 8 PERCENT SLOPES
656B	THISTLEDEW LOAMY SAND, 1 TO 6 PERCENT SLOPES

SCOTT COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
AaA	3	ALLUVIAL LAND, 0 TO 2 PERCENT SLOPES
AaB	3	ALLUVIAL LAND, 2 TO 6 PERCENT SLOPES
Ab	3	ALLUVIAL LAND, FREQUENT OVERFLOW, 0 TO 6 PERCENT SLOPES
Bc	2	BLUE EARTH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES
BdB	1	BURNSVILLE, HAYDEN, KINGSLEY, AND SCANDIA LOAMS, 2 TO 6 PERCENT SLOPES
CaB	1	CLARION SILT LOAM, 2 TO 6 PERCENT SLOPES
CaB2	1	CLARION SILT LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
Cc	5	COMFREY SILTY CLAY LOAM
DaA	1	DAKOTA LOAM, 0 TO 2 PERCENT SLOPES
DaB	1	DAKOTA LOAM, 2 TO 6 PERCENT SLOPES
DaB2	1	DAKOTA LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
Dc	1	DORCHESTER LOAM AND SILT LOAM
Dd	1	DORCHESTER SILTY CLAY LOAM
Df	2	DUNDAS SILT LOAM, 0 TO 2 PERCENT SLOPES
Ga	2	GLENCOE SILTY CLAY LOAM
HaB	1	HAYDEN LOAM, 0 TO 6 PERCENT SLOPES
HaB2	1	HAYDEN LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
HbB	1	HAYDEN SANDY LOAM, 0 TO 6 PERCENT SLOPES
HbB2	1	HAYDEN SANDY LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED
KaA	1	KASOTA SILT LOAM, 0 TO 2 PERCENT SLOPES
KaB	1	KASOTA SILT LOAM, 2 TO 6 PERCENT SLOPES
LaA	1	LAKEVILLE LOAM, 0 TO 2 PERCENT SLOPES
LcB	1	LESTER SILT LOAM, 2 TO 6 PERCENT SLOPES
LcB2	1	LESTER SILT LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
Le	1	LE SUEUR SILT LOAM
Lf	1	LE SUEUR-LESTER SILT LOAMS
TbB	1	TERRIL SANDY LOAM, 0 TO 6 PERCENT SLOPES
TcA	1	TERRIL SILT LOAM, 0 TO 2 PERCENT SLOPES
TcB	1	TERRIL SILT LOAM, 2 TO 6 PERCENT SLOPES
WaA	1	WAUKEGAN SILT LOAM, 0 TO 2 PERCENT SLOPES
WaB	1	WAUKEGAN SILT LOAM, 2 TO 6 PERCENT SLOPES
WaB2	1	WAUKEGAN SILT LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
Wb	2	WEBSTER-GLENCOE SILTY CLAY LOAMS
Wc	2	WEBSTER-LE SUEUR SILTY CLAY LOAMS

=====

Scott State-Wide Important Farmland List

8/99

Symbol	Mapunit Name
BdC	Burnsville, Hayden, Kingsley, and Scandia loams, 6 to 12 percent slopes
BdC2	Burnsville, Hayden, Kingsley, and Scandia loams, 6 to 12 percent slopes, eroded
CaC	Clarion silt loam, 6 to 12 percent slopes
CaC2	Clarion silt loam, 6 to 12 percent slopes, moderately eroded
CbC3	Clarion soils, 6 to 12 percent slopes, severely eroded
CdA	Copas silt loam, 0 to 2 percent slopes
CdB	Copas silt loam, 2 to 6 percent slopes
CdB2	Copas silt loam, 2 to 6 percent slopes, moderately eroded
DaC2	Dakota loam, 6 to 12 percent slopes, moderately eroded
DbA	Dakota sandy loam, 0 to 2 percent slopes
DbB	Dakota sandy loam, 2 to 6 percent slopes

DbB2	Dakota sandy loam, 2 to 6 percent slopes, moderately eroded
EaA	Estherville loam and sandy loam, 0 to 2 percent slopes
EaB	Estherville loam and sandy loam, 2 to 6 percent slopes
EaB2	Estherville loam and sandy loam, 2 to 6 percent slopes, moderately eroded
HaC	Hayden loam, 6 to 12 percent slopes
HaC2	Hayden loam, 6 to 12 percent slopes, moderately eroded
HbC	Hayden sandy loam, 6 to 12 percent slopes
HbC2	Hayden sandy loam, 6 to 12 percent slopes, moderately eroded
HcC3	Hayden sandy loam, 6 to 12 percent slopes, severely eroded
LaB	Lakeville loam, 2 to 6 percent slopes
LaB2	Lakeville loam, 2 to 6 percent slopes, moderately eroded
LbB	Lakeville-Burnsville, gravelly sandy loams, 0 to 6 percent slopes
LbB2	Lakeville-Burnsville, gravelly sandy loams, 0 to 6 percent slopes, moderately eroded
LcC	Lester silt loam, 6 to 12 percent slopes
LcC2	Lester silt loam, 6 to 12 percent slopes, moderately eroded
LdC3	Lester soils, 6 to 12 percent slopes, severely eroded
TbC	Terril sandy loam, 6 to 12 percent slopes
TcC	Terril silt loam, 6 to 12 percent slopes
WaC2	Waukegan silt loam, 6 to 12 percent slopes, slightly and moderately eroded

SHERBURNE COUNTY UPDATE, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
32B	1	NEBISH FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
38B	1	WAUKON FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
125	1	BELTRAMI FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
1254	1	RICELAKE FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES
1255	1	ELKRIVER FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
1270B	1	MILACA FINE SANDY LOAM, MODERATELY WET, 3 TO 6 PERCENT SLOPES
164A	1	MORA LOAM, 0 TO 3 PERCENT SLOPES
165	2	PARENT LOAM, 0 TO 2 PERCENT SLOPES
166	2	RONNEBY LOAM, 0 TO 2 PERCENT SLOPES
204B	1	CUSHING FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES
346	2	TALMOON LOAM, 0 TO 2 PERCENT SLOPES
623A	1	PIERZ SANDY LOAM, 0 TO 2 PERCENT SLOPES
771	1	ELKRIVER FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED

=====

Sherburne State-Wide Important Farmland List

Symbol	Mapunit Name
32C	Nebish fine sandy loam, 6 to 12 percent slopes
152C	Milaca fine sandy loam, 6 to 12 percent slopes
169B	Braham loamy fine sand, 3 to 6 percent slopes
204C	Cushing fine sandy loam, 8 to 15 percent slopes
341	Arvilla sandy loam, 0 to 2 percent slopes
373	Renshaw loam, 0 to 3 percent slopes
565	Eckvoll loamy fine sand, 0 to 3 percent slopes
567	Verndale sandy loam, 0 to 2 percent slopes
623B	Pierz sandy loam, 2 to 6 percent slopes
730A	Sanburn fine sandy loam, 0 to 2 percent slopes
730B	Sanburn fine sandy loam, 2 to 6 percent slopes
732B	Bushville fine sand, 2 to 6 percent slopes
768	Mosford sandy loam, 0 to 2 percent slopes
1257	Elkriver-Mosford complex, 0 to 6 percent slopes, rarely flooded

SIBLEY COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
5B	1	DAKOTA LOAM, 1 TO 6 PERCENT SLOPES
27B	1	DICKINSON LOAM, 2 TO 6 PERCENT SLOPES
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
102B	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES
106B	1	LESTER LOAM, 2 TO 6 PERCENT SLOPES
1081	1	MINNEISKA-ABSCOTA COMPLEX, OCCASIONALLY FLOODED
109	2	CORDOVA CLAY LOAM
1093	2	WEBSTER-BISCAY COMPLEX
110	2	MARNA SILTY CLAY LOAM
112	2	HARPS CLAY LOAM
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE CLAY LOAM
118	1	CRIPPIN LOAM
130	1	NICOLLET CLAY LOAM
134	2	OKOBOJI SILTY CLAY LOAM
1833	2	COLAND CLAY LOAM, OCCASIONALLY FLOODED
1901B	1	LESTER-LE SUEUR COMPLEX, 1 TO 6 PERCENT SLOPES
239	1	LE SUEUR CLAY LOAM
329	2	CHASKA LOAM, OCCASIONALLY FLOODED
336	2	DELFT CLAY LOAM
386	2	OKOBOJI MUCKY SILTY CLAY LOAM
463B	1	MINNEISKA LOAM, 1 TO 4 PERCENT SLOPES
743	2	GLENCOE CLAY LOAM, STRATIFIED SUBSTRATUM
887B	1	CLARION-SWANLAKE COMPLEX, 3 TO 6 PERCENT SLOPES
919	2	CANISTEO-MAYER COMPLEX
946	1	NICOLLET-LINDER COMPLEX
956	2	CANISTEO-GLENCOE COMPLEX
978	2	CORDOVA-ROLFE COMPLEX

=====

Sibley State-Wide Important Farmland List

Symbol	Mapunit Name
35	BLUE EARTH MUCKY SILT LOAM (where drained)
106C2	LESTER LOAM, 6 TO 12 PERCENT SLOPES, ERODED
222B	LASA LOAMY FINE SAND, 2 TO 8 PERCENT SLOPES
525	MUSKEGO MUCK (where drained)
539	KLOSSNER MUCK (where drained)
920B	CLARION-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES, ERODED
920C2	CLARION-HAWICK-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
921C2	CLARION-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
944C2	LESTER-HAWICK-SWANLAKE COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED

STEARNS COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
5A	1	DAKOTA LOAM, 0 TO 2 PERCENT SLOPES
5B	1	DAKOTA LOAM, 2 TO 6 PERCENT SLOPES
25	1	BECKER FINE SANDY LOAM
35	2	BLUE EARTH MUCKY SILT LOAM
32B	1	NEBISH SANDY LOAM, 2 TO 8 PERCENT SLOPES
36	2	FLOM LOAM
38B	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES
72	2	SHOOKER LOAM
109	2	CORDOVA LOAM
114	2	GLENCOE LOAM
125	1	BELTRAMI LOAM
129	1	CYLINDER LOAM
133B	1	DALBO LOAM, 2 TO 8 PERCENT SLOPES
142	2	NOKAY FINE SANDY LOAM
144B	1	FLAK SANDY LOAM, 4 TO 8 PERCENT SLOPES
156A	1	FAIRHAVEN LOAM, 0 TO 2 PERCENT SLOPES
156B	1	FAIRHAVEN LOAM, 2 TO 6 PERCENT SLOPES
163B	1	BRAINERD FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
180A	1	GONVICK LOAM, 1 TO 2 PERCENT SLOPES
180B	1	GONVICK LOAM, 2 TO 4 PERCENT SLOPES
1828	2	GLENCOE MUCK
1902B	1	JEWETT SILT LOAM, 2 TO 8 PERCENT SLOPES
200B	1	HOLDINGFORD SANDY LOAM, 4 TO 8 PERCENT SLOPES
204B	1	CUSHING SANDY LOAM, 2 TO 8 PERCENT SLOPES
233B	1	GROWTON SANDY LOAM, 1 TO 4 PERCENT SLOPES
236	2	VALLERS LOAM
255	2	MAYER LOAM
281	2	DARFUR COARSE SANDY LOAM
292B	1	ALSTAD SANDY LOAM, 1 TO 4 PERCENT SLOPES
392	2	BISCAY LOAM
414	2	HAMEL LOAM
421B	1	VES LOAM, 2 TO 6 PERCENT SLOPES
446A	1	NORMANIA LOAM, 1 TO 3 PERCENT SLOPES
446B	1	NORMANIA LOAM, 3 TO 5 PERCENT SLOPES
459	2	CORUNNA LOAM
461B	1	KORONIS LOAM, 2 TO 6 PERCENT SLOPES
465	5	KALMARVILLE SANDY LOAM, FREQUENTLY FLOODED
511	1	MARCELLON LOAM
571	2	CORIFF LOAM
572	1	LOWLEIN SANDY LOAM
582	2	ROLISS LOAM
591B	1	DOLAND SILT LOAM, 1 TO 6 PERCENT SLOPES
597	1	TARA SILT LOAM

=====

Stearns State-Wide Important Farmland List

Symbol	Mapunit Name
32C	Nebish sandy loam, 8 to 15 percent slopes
38C	Waukon loam, 6 to 12 percent slopes
41A	Estherville sandy loam, 0 to 2 percent slopes

41B	Estherville sandy loam, 2 to 6 percent slopes
69B	Fedji loamy sand, 2 to 6 percent slopes
119B	Pomroy fine sand, 1 to 6 percent slopes
144C	Flak sandy loam, 8 to 15 percent slopes
155B	Chetek sandy loam, 1 to 6 percent slopes
179B	Langola loamy sand, 1 to 4 percent slopes
200C	Holdingford sandy loam, 8 to 15 percent slopes
204C	Cushing sandy loam, 8 to 15 percent slopes
327A	Dickman sandy loam, 0 to 2 percent slopes
327B	Dickman sandy loam, 2 to 6 percent slopes
406B	Dorset sandy loam, 2 to 8 percent slopes
413	Osakis loam
421C	Ves loam, 6 to 12 percent slopes
453B	DeMontreville loamy sand, 2 to 8 percent slopes
461C	Koronis loam, 6 to 12 percent slopes
565	Eckvöll loamy sand
639A	Ridgeport sandy loam, 0 to 2 percent slopes
639B	Ridgeport sandy loam, 2 to 6 percent slopes
875B	Estherville-Hawick complex, 2 to 6 percent slopes
954C	Ves-Storden loams, 6 to 12 percent slopes
999B	Ves-Estherville complex, 2 to 6 percent slopes
999C	Ves-Estherville complex, 6 to 12 percent slopes
1843C	Cushing-DeMontreville complex, 8 to 15 percent slopes

Steele County, Minnesota

Prime Farmland List

Symbol	Mapunit Name
Ad	Alluvial land, occasionally flooded (where drained)
Bc	Biscay loam (where drained)
Bd	Biscay loam, depressional (where drained)
BlA	Bixby loam, 0 to 2 percent slopes
BlB	Bixby loam, 2 to 6 percent slopes
BlB2	Bixby loam, 2 to 6 percent slopes, eroded
BoB2	Blooming silt loam, 2 to 6 percent slopes, eroded
Cc	Canisteo silty clay loam (where drained)
Cd	Canisteo silty clay loam, depressional (where drained)
Ce	Canisteo clay loam (where drained)
Cf	Canisteo clay loam, depressional (where drained)
CkB2	Clarion sandy loam, 2 to 6 percent slopes, eroded
ClB	Clarion loam, 2 to 6 percent slopes
ClB2	Clarion loam, 2 to 6 percent slopes, eroded
Ct	Colo silty clay loam, occasionally flooded (where drained)
DaA	Dakota sandy loam, 0 to 2 percent slopes
DaB	Dakota sandy loam, 2 to 6 percent slopes
DkA	Dakota loam, 0 to 2 percent slopes
DkB	Dakota loam, 2 to 6 percent slopes
DtA	Dickinson sandy loam, terrace, 0 to 2 percent slopes
DtB	Dickinson sandy loam, terrace, 2 to 6 percent slopes
Du	Dundas silt loam
Gc	Glencoe clay loam (where drained)
Hk	Hanska loam (where drained)
Hm	Havana silt loam
HnB2	Hayden sandy loam, 2 to 6 percent slopes, eroded
HoB	Hayden loam, 2 to 6 percent slopes
HoB2	Hayden loam, 2 to 6 percent slopes
Hs	Hayfield silt loam
Kc	Kato silty clay loam (where drained)
Ke	Kato silty clay loam, calcareous variant (where drained)
Kf	Kato silty clay loam, calcareous variant, depressional (where drained)
KkB2	Kilkenny clay loam, 2 to 6 percent slopes, eroded
Ld	Lemond loam (where drained)
LeB	Lerdal silty clay loam, 2 to 6 percent slopes
LeB2	Lerdal silty clay loam, 2 to 6 percent slopes, eroded
LcB	Lamont sandy loam, 2 to 6 percent slopes
LlB	Lester loam, 2 to 6 percent slopes
LlB2	Lester loam, 2 to 6 percent slopes, eroded
LuA	Le Sueur clay loam, 0 to 2 percent slopes
LuB	Le Sueur clay loam, 2 to 4 percent slopes
Ly	Lura silty clay loam (where drained)
Ma	Madelia silty clay loam (where drained)
Mc	Marna silty clay loam (where drained)
Mm	Maxcreek silty clay loam (where drained)
Mo	Mayer loam (where drained)
MrA	Merton silt loam, 0 to 2 percent slopes
MrB	Merton silt loam, 2 to 4 percent slopes
MsA	Moland silt loam, 0 to 2 percent slopes
MsB	Moland silt loam, 2 to 6 percent slopes
MsB2	Moland silt loam, 2 to 8 percent slopes, eroded
NbA	Newry silt loam, 0 to 3 percent slopes
NcA	Nicollet clay loam, 0 to 2 percent slopes
NcB	Nicollet clay loam, 2 to 4 percent slopes

Sh	Shields silty clay loam (where drained)
Ta	Talcot clay loam (where drained)
Te	Terril loam, occasionally flooded
Ud	Udolpho silt loam (where drained)
WaA	Wadena loam, 0 to 2 percent slopes
WaB	Wadena loam, 2 to 6 percent slopes
WgA	Waukegan silt loam, 0 to 2 percent slopes
WgB	Waukegan silt loam, 2 to 6 percent slopes
Wt	Webster clay loam (where drained)

=====

Steele State-Wide Important Farmland List

Symbol	Mapunit Name
B1C2	BIXBY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
BoC2	BLOOMING SILT LOAM, 6 TO 14 PERCENT SLOPES, ERODED
BuB	BURNSVILLE SANDY LOAM, 2 TO 6 PERCENT SLOPES
ClC2	CLARION LOAM, 6 TO 12 PERCENT SLOPES, ERODED
CsC2	CLARION-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
EaA	ESTHERVILLE SANDY LOAM, 0 TO 2 PERCENT SLOPES
EaB	ESTHERVILLE SANDY LOAM, 2 TO 6 PERCENT SLOPES
HnC2	HAYDEN SANDY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
HoC	HAYDEN LOAM, 6 TO 12 PERCENT SLOPES
HoC2	HAYDEN LOAM, 6 TO 12 PERCENT SLOPES, ERODED
Kd	KATO SILTY CLAY LOAM, SWALES (WHERE DRAINED)
KkC2	KILKENNY CLAY LOAM, 6 TO 12 PERCENT SLOPES, ERODED
L1C	LESTER LOAM, 6 TO 12 PERCENT SLOPES
L1C2	LESTER LOAM, 6 TO 12 PERCENT SLOPES, ERODED
LmB2	LESTER-ESTHERVILLE-STORDEN COMPLEX, 2 TO 6 PERCENT SLOPES, ERODED
LoC2	LESTER-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
Mn	MAXCREEK SILTY CLAY LOAM, SWALES (WHERE DRAINED)
WaC2	WADENA LOAM, 6 TO 12 PERCENT SLOPES, ERODED

STEVENS COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
AaA	1	AASTAD CLAY LOAM, 0 TO 2 PERCENT SLOPES
BaA	1	BARNES LOAM, 0 TO 2 PERCENT SLOPES
BaB	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES
BbB2	1	BARNES-BUSE LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
BdA	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
Be	2	BISCAY SILTY CLAY LOAM
Bf	2	BISCAY SILTY CLAY LOAM, DEPRESSIONAL
Bm	2	BORUP SILT LOAM
Co	2	COLVIN SILTY CLAY LOAM
Cp	2	COLVIN SILTY CLAY LOAM, DEPRESSIONAL
Cu	2	COLVIN-BORUP COMPLEX
DlA	1	DOLAND SILT LOAM, 0 TO 2 PERCENT SLOPES
DlB	1	DOLAND SILT LOAM, 2 TO 6 PERCENT SLOPES
DaB	1	DARNEN LOAM, 0 TO 4 PERCENT SLOPES
Do	2	DOVRAY CLAY, POORLY DRAINED
Dv	2	DOVRAY CLAY, VERY POORLY DRAINED
EcB	1	ECKMAN VERY FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
EsA	1	ESTELLINE SILT LOAM, 0 TO 2 PERCENT SLOPES
FdA	1	FORDVILLE LOAM, 0 TO 2 PERCENT SLOPES
FmA	1	FORMAN CLAY LOAM, 0 TO 2 PERCENT SLOPES
FmB	1	FORMAN CLAY LOAM, 2 TO 6 PERCENT SLOPES
FmB2	1	FORMAN CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
FuB2	1	FORMAN-BUSE COMPLEX, 2 TO 6 PERCENT SLOPES, ERODED
GdA	1	GLYNDON SILT LOAM, 0 TO 2 PERCENT SLOPES
GlA	1	GLYNDON VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
GmA	1	GLYNDON-MCINTOSH COMPLEX, 0 TO 2 PERCENT SLOPES
Gr	2	GRIMSTAD-ROCKWELL FINE SANDY LOAMS
HaA	1	HAMERLY CLAY LOAM, 0 TO 3 PERCENT SLOPES
HnB	1	HATTIE-NUTLEY CLAYS, 2 TO 6 PERCENT SLOPES
Ho	2	HEGNE CLAY
Hw	2	HIDEWOOD SILTY CLAY LOAM
Lm	2	LAMOURE SILTY CLAY LOAM
Lp	1	LA PRAIRIE LOAM
Mc	1	MALACHY FINE SANDY LOAM, LOAMY SUBSOIL VARIANT
MfA	1	MALACHY SANDY LOAM, 0 TO 2 PERCENT SLOPES
Mr	2	MARYSLAND SANDY LOAM
MsA	1	MCINTOSH SILT LOAM, 0 TO 3 PERCENT SLOPES
NcA	1	NUTLEY CLAY, SILTY SUBSTRATUM, 0 TO 2 PERCENT SLOPES
NhA	1	NUTLEY-HATTIE CLAYS, 0 TO 2 PERCENT SLOPES
Om	2	OLDHAM SILTY CLAY LOAM
Pa	2	PARNELL SILTY CLAY LOAM
Pf	2	PARNELL AND FLOM SOILS
RoA	1	ROTHSAY SILT LOAM, 0 TO 2 PERCENT SLOPES
RzB	1	ROTHSAY-ZELL SILT LOAMS, 2 TO 6 PERCENT SLOPES
SvA	1	SVEA LOAM, 0 TO 2 PERCENT SLOPES
TaA	1	TARA SILT LOAM, 0 TO 2 PERCENT SLOPES
To	2	TONKA LOAM
Va	2	VALLERS SILTY CLAY LOAM
Wn	2	WINGER SILTY CLAY LOAM

=====

Stevens State-Wide Important Farmland List

Symbol	Mapunit Name
-----	-----
Ar	Arveson fine sandy loam
BbC2	Barnes-Buse loams, 6 to 12 percent slopes, eroded
Bh	Blue Earth silt loam
FuC2	Forman-Buse complex, 6 to 12 percent slopes
HcC2	Hattie clay, 6 to 12 percent slopes, eroded

Prime Farmland List	
Symbol	Soil Mapunit Name
J1A	Parnell silty clay loam, depressional, 0 to 1 percent slopes (Prime farmland if drained)
J2A	La prairie loam, 0 to 2 percent slopes, occasionally flooded (Prime farmland if protected from flooding or not frequently flooded during the growing season)
J3A	Arveson sandy loam, 0 to 2 percent slopes (Prime farmland if drained)
J4A	Rockwell loam, 0 to 2 percent slopes (Prime farmland if drained)
J5A	Fossum sandy loam, 0 to 2 percent slopes (Prime farmland if drained)
J6A	Mcdonaldsville silty clay, 0 to 2 percent slopes (Prime farmland if drained)
J8A	Egeland sandy loam, 0 to 2 percent slopes
J8B	Egeland sandy loam, 2 to 6 percent slopes
J9A	Estelline silt loam, 0 to 2 percent slopes
J10A	Sinai silty clay, 0 to 2 percent slopes
J10B	Sinai silty clay, 2 to 6 percent slopes
J11A	Vallers clay loam, 0 to 2 percent slopes (Prime farmland if drained)
J12A	Marysland loam, 0 to 2 percent slopes (Prime farmland if drained)
J13A	Oldham silty clay loam, depressional, 0 to 1 percent slopes (Prime farmland if drained)
J15B	Eckman silt loam, 2 to 6 percent slopes
J16A	Friberg, depressional, 0 to 2 percent slopes (Prime farmland if drained)
J17A	Quam silty clay loam, depressional, 0 to 1 percent slopes (Prime farmland if drained)
J18A	Malachy sandy loam, 1 to 3 percent slopes
J20A	Clontarf sandy loam, 1 to 3 percent slopes
J23A	Lamoure silty clay loam, 0 to 2 percent slopes, occasionally flooded (Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season)
J26B	Darnen loam, 2 to 6 percent slopes
J27A	Hantho silt loam, 1 to 3 percent slopes
J30A	Tara silt loam, 1 to 3 percent slopes
J32A	Bigstone silty clay loam, depressional, 0 to 1 percent slopes (Prime farmland if drained)
J34B	Byrne-buse complex, 2 to 6 percent slopes
J35B	Hokans-buse complex, 2 to 6 percent slopes
J38B	Zell-eckman complex, 2 to 6 percent slopes
J40A	Foxlake silty clay, 0 to 2 percent slopes (Prime farmland if drained)
J41A	Urness mucky silty clay loam, depressional, 0 to 1 percent slopes (Prime farmland if drained)
J44B	Esmond-heimdal complex, 2 to 6 percent slopes
J46B	Byrne silt loam, 2 to 4 percent slopes
J47A	Swenoda sandy loam, moderately wet, 1 to 3 percent slopes
J49A	Lakepark-parnell, depressional, complex, 0 to 2 percent slopes (Prime farmland if drained)
J50A	Balaton-tara complex, 1 to 3 percent slopes
J51A	Bearden-quam, depressional, complex, 0 to 2 percent slopes
J52A	Rondell silty clay loam, 1 to 3 percent slopes
J53A	Ortonville loam, 1 to 3 percent slopes
J54A	Marysland loam, depressional, 0 to 1 percent slopes (Prime farmland if drained)
J56A	Winger-balaton-parnell, depressional, complex, 0 to 3 percent slopes (Prime farmland if drained)
J57A	Balaton loam, 1 to 3 percent slopes
J58B	Torning-egeland complex, 2 to 6 percent slopes
J60B	Hattie-audubon complex, 1 to 4 percent slopes

J63A	Ortonville-vallers-parnell, depressional complex, 0 to 3 percent slopes (Prime farmland if drained)
J64A	Quam silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)
J65A	Shakopee silty clay, 0 to 2 percent slopes (Prime farmland if drained)
J66A	Emrick loam, 1 to 3 percent slopes
J67A	Fordtown loam, 1 to 3 percent slopes
J68A	Kerkhoven-friberg, depressional complex, 0 to 2 percent slopes (Prime farmland if drained)
L33B	Kandiyohi clay, 2 to 5 percent slopes
L34A	Cosmos silty clay, 0 to 2 percent slopes (Prime farmland if drained)

=====

Swift Update State-Wide Important Farmland List
2002

Symbol	Mapunit Name
J7A	Sverdrup sandy loam, 0 to 2 percent slopes
J7B	Sverdrup sandy loam, 2 to 6 percent slopes
J21A	Hamar loamy fine sand, 0 to 2 percent slopes
J22A	Renshaw loam, 0 to 3 percent slopes
J29A	Cathro muck, depressional, 0 to 1 percent slopes
J36C2	Buse-Barnes complex, 6 to 12 percent slopes
J38C2	Zell-Eckman complex, 6 to 12 percent slopes
J44C2	Esmond-Heimdahl complex, 6 to 12 percent slopes
J60C	Hattie-Audubon complex, 4 to 10 percent slopes

SWIFT COUNTY, MINNESOTA

1973 Legend

Map Symbol	Prime Farmland Code	Soil Mapunit Name
Av	2	ARVESON LOAM
BaA	1	BARNES LOAM, 0 TO 2 PERCENT SLOPES
BbB2	1	BARNES-BUSE LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
BdA	1	BEARDEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
Be	2	BENOIT LOAM
Bm	2	BORUP SILT LOAM
BuB2	1	BUSE-BARNES LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
ClA	1	CLONTARF SANDY LOAM, 0 TO 2 PERCENT SLOPES
Co	2	COLVIN SILTY CLAY LOAM
Cv	2	COLVIN SILTY CLAY LOAM, DEPRESSIONAL
DaB	1	DARNEN LOAM, 0 TO 4 PERCENT SLOPES
DlA	1	DOLAND SILT LOAM, 0 TO 2 PERCENT SLOPES
DlB	1	DOLAND SILT LOAM, 2 TO 6 PERCENT SLOPES
EdA	1	EDISON VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
EdB	1	EDISON VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
Em	1	EMBDEN FINE SANDY LOAM
EsA	1	ESTELLINE SILT LOAM, 0 TO 2 PERCENT SLOPES
FlA	1	FLANDREAU SILT LOAM, 0 TO 2 PERCENT SLOPES
FlB	1	FLANDREAU SILT LOAM, 2 TO 6 PERCENT SLOPES
FoB	1	FORDVILLE LOAM, 2 TO 6 PERCENT SLOPES
FuA	2	FULDA LOAM, SAND SUBSOIL VARIANT, 0 TO 2 PERCENT SLOPES
FvA	2	FULDA SILTY CLAY, 0 TO 2 PERCENT SLOPES
FwA	2	FULDA SILTY CLAY, SAND SUBSOIL VARIANT, 0 TO 2 PERCENT SLOPES
GdA	1	GLYNDON SILT LOAM, 0 TO 2 PERCENT SLOPES
HdA	1	HAMERLY LOAM, 0 TO 3 PERCENT SLOPES
HhA	1	HANTHO SILT LOAM, 0 TO 2 PERCENT SLOPES
HuB	1	HATTIE-NUTLEY CLAYS, 2 TO 6 PERCENT SLOPES
Hy	2	HEGNE CLAY
Lm	2	LAMOURE SILTY CLAY LOAM
Ls	1	LA PRAIRIE SILTY CLAY LOAM
MbA	1	MADDOCK LOAMY SAND, LOAMY SUBSOIL VARIANT, 0 TO 3 PERCENT SLOPES
MmA	1	MALACHY SANDY LOAM, 0 TO 2 PERCENT SLOPES
MnA	1	MALACHY SANDY LOAM, LOAMY SUBSOIL VARIANT, 0 TO 2 PERCENT SLOPES
Mp	2	MARYSLAND LOAM
Mr	2	MAYER LOAM
Ms	2	MAYER LOAM, DEPRESSIONAL
MtA	1	MCINTOSH SILT LOAM, 0 TO 3 PERCENT SLOPES
NhA	1	NUTLEY-HATTIE CLAYS, 0 TO 2 PERCENT SLOPES
Om	2	OLDHAM SILTY CLAY LOAM
Pa	2	PARNELL SILTY CLAY LOAM
Pf	2	PARNELL AND FLOM SOILS
Pr	2	PERELLA SILT LOAM
Ps	2	PERELLA SILTY CLAY LOAM, DEPRESSIONAL
Rm	2	ROCKWELL LOAM
Rn	2	ROCKWELL FINE SANDY LOAM
RoA	1	ROTHSAY SILT LOAM, 0 TO 2 PERCENT SLOPES
RoB	1	ROTHSAY SILT LOAM, 2 TO 6 PERCENT SLOPES
Se	2	SHAKOPEE CLAY
SfA	1	SHIBLE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
SfB	1	SHIBLE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
StA	1	SPOTTSWOOD-FORDVILLE LOAMS, 0 TO 2 PERCENT SLOPES
SuA	1	SVEA LOAM, 0 TO 2 PERCENT SLOPES
SuB	1	SVEA LOAM, 2 TO 4 PERCENT SLOPES

SyA	1	SWENODA SANDY LOAM, 0 TO 2 PERCENT SLOPES
TaA	1	TARA SILT LOAM, 0 TO 2 PERCENT SLOPES
ToB	1	TORNING LOAMY FINE SAND, 0 TO 6 PERCENT SLOPES
Va	2	VALLERS-WINGER SILTY CLAY LOAMS
Ws	2	WINGER SILTY CLAY LOAM
ZrB	1	ZELL-ROTHSAY SILT LOAMS, 2 TO 6 PERCENT SLOPES

TODD COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
36	2	FLOM LOAM
38B	1	WAUKON LOAM, 2 TO 6 PERCENT SLOPES
53B	1	KANDOTA SANDY LOAM, 2 TO 6 PERCENT SLOPES
121	1	WYKEHAM FINE SANDY LOAM
142	2	NOKAY SANDY LOAM
144B	1	FLAK SANDY LOAM, 2 TO 6 PERCENT SLOPES
163B	1	BRAINERD SANDY LOAM, 1 TO 4 PERCENT SLOPES
180	1	GONVICK LOAM
200B	1	HOLDINGFORD SANDY LOAM, 2 TO 6 PERCENT SLOPES
204B	1	CUSHING SANDY LOAM, 2 TO 8 PERCENT SLOPES
292	1	ALSTAD SANDY LOAM
374B	1	ROCKWOOD SANDY LOAM, 2 TO 6 PERCENT SLOPES
421B	1	VES LOAM, 2 TO 6 PERCENT SLOPES
446	1	NORMANIA LOAM
571	2	CORIFF SANDY LOAM
572	1	LOWLEIN SANDY LOAM
582	2	ROLISS LOAM
703	2	PADDOCK SANDY LOAM
720B	1	BLOWERS SANDY LOAM, 1 TO 5 PERCENT SLOPES
808	2	WYKEHAM-RUNEBERG SANDY LOAMS
825	2	GONVICK-FLOM LOAMS
1927	2	CLOTHO SANDY LOAM
1932	2	RUNEBERG SANDY LOAM

=====

Todd State-Wide Important Farmland List

Symbol	Mapunit Name
38C	WAUKON LOAM, 6 TO 12 PERCENT SLOPES
53C	KANDOTA SANDY LOAM, 6 TO 12 PERCENT SLOPES
75	BLUFFTON LOAM
82B	REDEYE LOAMY SAND, 2 TO 6 PERCENT SLOPES
82C	REDEYE LOAMY SAND, 6 TO 12 PERCENT SLOPES
127A	SVERDRUP SANDY LOAM, 0 TO 2 PERCENT SLOPES
127B	SVERDRUP SANDY LOAM, 2 TO 6 PERCENT SLOPES
139B	HUNTERSVILLE LOAMY SAND, 1 TO 4 PERCENT SLOPES
144C	FLAK SANDY LOAM, 6 TO 12 PERCENT SLOPES
169B	BRAHAM LOAMY SAND, 1 TO 6 PERCENT SLOPES
200C	HOLDINGFORD SANDY LOAM, 6 TO 12 PERCENT SLOPES
204C	CUSHING SANDY LOAM, 8 TO 15 PERCENT SLOPES
341A	ARVILLA SANDY LOAM, 0 TO 2 PERCENT SLOPES
341B	ARVILLA SANDY LOAM, 2 TO 6 PERCENT SLOPES
374C	ROCKWOOD SANDY LOAM, 6 TO 12 PERCENT SLOPES
375	FORADA SANDY LOAM
406B	DORSET SANDY LOAM, 2 TO 6 PERCENT SLOPES
413	OSAKIS SANDY LOAM
421C	VES LOAM, 6 TO 12 PERCENT SLOPES
453B	DEMONTREVILLE LOAMY SAND, 2 TO 8 PERCENT SLOPES
565	ECKVOLL LOAMY SAND
800B	KANDOTA-DORSET SANDY LOAMS, 2 TO 6 PERCENT SLOPES
800C	KANDOTA-DORSET SANDY LOAMS, 6 TO 15 PERCENT SLOPES

873	PREBISH-NOKAY SANDY LOAMS
928B	CUSHING-DEMONTREVILLE-MAHTOMEDI COMPLEX, 2 TO 8 PERCENT SLOPES
928C	CUSHING-DEMONTREVILLE-MAHTOMEDI COMPLEX, 8 TO 15 PERCENT SLOPES
967C	WAUKON-LANGHEI LOAMS, 4 TO 12 PERCENT SLOPES
1956	STAPLES LOAMY SAND

TRAVERSE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
26	1	AAZDAHL CLAY LOAM
46	2	BORUP LOAM
47	2	COLVIN SILTY CLAY LOAM
51	1	LA PRAIRIE SILT LOAM
56	2	FARGO SILTY CLAY LOAM
57	2	FARGO SILTY CLAY
58	1	KITTSOON LOAM
60	1	GLYNDON LOAM
67A	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
67B	1	BEARDEN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
108	1	MCINTOSH SILT LOAM
141	1	EGELAND LOAM
171B	1	FORMDALE CLAY LOAM, 1 TO 6 PERCENT SLOPES
184	1	HAMERLY CLAY LOAM
236	2	VALLERS CLAY LOAM
293	1	SWENODA LOAM
343	1	WHEATVILLE SILT LOAM
371	1	CLONTARF SANDY LOAM
418	2	LAMOURE SILTY CLAY LOAM
434	2	PERELLA SILTY CLAY LOAM
494B	1	DARNEN LOAM, 1 TO 6 PERCENT SLOPES
582	2	ROLISS CLAY LOAM
642	2	CLEARWATER SILTY CLAY LOAM
646B	1	PEEVER CLAY, 2 TO 6 PERCENT SLOPES
698	1	DORAN CLAY LOAM
814	2	HAMERLY-LINDAAS CLAY LOAMS
821	2	DORAN-LINDAAS SILTY CLAY LOAMS
822B	1	PEEVER-BUSE COMPLEX, 2 TO 6 PERCENT SLOPES
900	2	HAMERLY-AAZDAHL-LINDAAS COMPLEX
915B	1	FORMDALE-BUSE CLAY LOAMS, 2 TO 6 PERCENT SLOPES
922	2	HAMERLY-PARNELL COMPLEX
948	2	MCINTOSH-LINDAAS COMPLEX
1916	2	LINDAAS CLAY LOAM
1918	1	CROKE LOAM
1933	2	BEARDEN-LINDAAS COMPLEX
1947	1	DORAN SILTY CLAY LOAM, LOAMY SUBSTRATUM
1948	2	FARGO-LINDAAS SILTY CLAY LOAMS
1949	1	GARDENA LOAM

=====

Traverse State-Wide Important Farmland List

Symbol	Mapunit Name
34	Parnell silty clay loam
276	Oldham silty clay loam
344	Quan silt loam
915C2	Buse-Formdale clay loams, 6 to 14 percent slopes, eroded
1950	Ludden silty clay loam

Wabasha County, Minnesota

Map Symbol	Prime Farmland Code	Soil Mapunit Name
Az	1	Arenzville silt loam
BbA	1	Bixby loam, 0 to 2 percent slopes
BbB	1	Bixby loam, 2 to 6 percent slopes
BbB2	1	Bixby loam, 2 to 6 percent slopes, moderately eroded
CaB	1	Chaseburg fine sandy loam, 2 to 6 percent slopes
ChA	1	Chaseburg silt loam, 0 to 2 percent slopes
ChB	1	Chaseburg silt loam, 2 to 6 percent slopes
Co	2	Colo silty clay loam
DhA	1	Downs and Mt. Carroll silt loams, 0 to 2 percent slopes
DhB	1	Downs and Mt. Carroll silt loams, 2 to 6 percent slopes
DhB2	1	Downs and Mt. Carroll silt loams, 2 to 6 percent slopes, moderately eroded
DmA	1	Downs and Mt. Carroll silt loams, benches, 0 to 2 percent slopes
DmB	1	Downs and Mt. Carroll silt loams, benches, 2 to 6 percent slopes
DnB	1	Dubuque silt loam, 2 to 6 percent slopes
DnB2	1	Dubuque silt loam, 2 to 6 percent slopes, moderately eroded
FaA	1	Fayette silt loam, uplands, 0 to 2 percent slopes
FaB	1	Fayette silt loam, uplands, 2 to 6 percent slopes
FaB2	1	Fayette silt loam, uplands, 2 to 6 percent slopes, moderately eroded
FbA	1	Fayette silt loam, benches, 0 to 2 percent slopes
FbB	1	Fayette silt loam, benches, 2 to 6 percent slopes
FbB2	1	Fayette silt loam, benches, 2 to 6 percent slopes, moderately eroded
FcB	1	Fayette silt loam, valleys, 2 to 6 percent slopes
FcB2	1	Fayette silt loam, valleys, 2 to 6 percent slopes, moderately eroded
FrB2	1	Fayette-Renova silt loams, 2 to 6 percent slopes, moderately eroded
GaB2	1	Gale silt loam, 2 to 6 percent slopes, moderately eroded
Gm	2	Garwin silt loam
Gn	1	Genesee sandy loam
Gs	1	Genesee silt loam
HfB	1	Hixton fine sandy loam, 2 to 6 percent slopes
Hu	1	Huntsville silt loam
JuA	1	Judson silt loam, 0 to 2 percent slopes
JuB	1	Judson silt loam, 2 to 6 percent slopes
LnB	1	Lindstrom silt loam, 2 to 6 percent slopes
MbA	1	Medary silt loam, brown variant, 0 to 2 percent slopes
MbB	1	Medary silt loam, brown variant, 2 to 6 percent slopes
MdA	1	Meridian sandy loam, 0 to 2 percent slopes
MdB	1	Meridian sandy loam, 2 to 6 percent slopes
MdB2	1	Meridian sandy loam, 2 to 6 percent slopes, moderately eroded
Mn	1	Minneiska silt loam
MuA	1	Muscatine silt loam, 0 to 2 percent slopes
MuB	1	Muscatine silt loam, 2 to 6 percent slopes
PbA	1	Port Byron silt loam, 0 to 2 percent slopes
PbB	1	Port Byron silt loam, 2 to 6 percent slopes
PbB2	1	Port Byron silt loam, 2 to 6 percent slopes, moderately eroded
PoA	1	Port Byron silt loam, benches, 0 to 2 percent slopes
PoB	1	Port Byron silt loam, benches, 2 to 6 percent slopes
RaA	1	Racine silt loam, 0 to 2 percent slopes
RaB	1	Racine silt loam, 2 to 6 percent slopes
RaB2	1	Racine silt loam, 2 to 6 percent slopes, moderately eroded
ReB	1	Renova silt loam, 2 to 6 percent slopes
ReB2	1	Renova silt loam, 2 to 6 percent slopes, moderately eroded
RkB2	1	Renova-Wyckoff loams, 2 to 6 percent slopes, moderately eroded

ThA	1	Tell silt loam, 0 to 2 percent slopes
ThB	1	Tell silt loam, 2 to 6 percent slopes
ThB2	1	Tell silt loam, 2 to 6 percent slopes, moderately eroded
WaA	1	Waukegan silt loam, 0 to 2 percent slopes
WaB	1	Waukegan silt loam, 2 to 6 percent slopes
WaB2	1	Waukegan silt loam, 2 to 6 percent slopes, moderately eroded
WhB2	1	Whalan silt loam, 2 to 6 percent slopes, moderately eroded
WvB	1	Wykoff gravelly loam, 2 to 6 percent slopes
ZgA	1	Zwingle silt loam, 0 to 2 percent slopes
ZgB	1	Zwingle silt loam, 2 to 6 percent slopes
ZgB2	1	Zwingle silt loam, 2 to 6 percent slopes, moderately eroded

=====

Wabasha State-Wide Important Farmland List

Symbol	Mapunit Name
-----	-----
BrA	BURKHARDT LOAM, 0 TO 2 PERCENT SLOPES
BrB	BURKHARDT LOAM, 2 TO 6 PERCENT SLOPES
BtA	BURKHARDT SANDY LOAM, 0 TO 2 PERCENT SLOPES
BtB	BURKHARDT SANDY LOAM, 2 TO 6 PERCENT SLOPES
BtB2	BURKHARDT SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
DdC2	DODGEVILLE SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
DhC	DOWNS AND MT. CARROLL SILT LOAMS, 6 TO 12 PERCENT SLOPES
DhC2	DOWNS AND MT. CARROLL SILT LOAMS, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
DnC	DUBUQUE SILT LOAM, 6 TO 12 PERCENT SLOPES
DnC2	DUBUQUE SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
DrB	DUBUQUE SILT LOAM, SHALLOW, 2 TO 6 PERCENT SLOPES
DrB2	DUBUQUE SILT LOAM, SHALLOW, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
FaC	FAYETTE SILT LOAM, UPLANDS, 6 TO 12 PERCENT SLOPES
FaC2	FAYETTE SILT LOAM, UPLANDS, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
FbC	FAYETTE SILT LOAM, BENCHES, 6 TO 12 PERCENT SLOPES
FbC2	FAYETTE SILT LOAM, BENCHES, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
FcC	FAYETTE SILT LOAM, VALLEYS, 6 TO 12 PERCENT SLOPES
FcC2	FAYETTE SILT LOAM, VALLEYS, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
FrC2	FAYETTE-RENOVA SILT LOAMS, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
GaC2	GALE SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
HfC	HIXTON FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES
LnC	LINDSTROM SILT LOAM, 6 TO 12 PERCENT SLOPES
LnC2	LINDSTROM SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
MdC	MERIDIAN SANDY LOAM, 6 TO 12 PERCENT SLOPES
MdC2	MERIDIAN SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
PbC	PORT BYRON SILT LOAM, 6 TO 12 PERCENT SLOPES
PbC2	PORT BYRON SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
RaC2	RACINE SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
ReC	RENOVA SILT LOAM, 6 TO 12 PERCENT SLOPES
ReC2	RENOVA SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
RkC2	RENOVA-WYKOFF LOAMS, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
WaC2	WAUKEGAN SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
WhC2	WHALAN SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
WsB2	WHALAN SILT LOAN, SHALLOW, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
WvC2	WYKOFF GRAVELLY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
Zb	ZUMBRO LOAMY FINE SAND

WADENA COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
374B	1	ROCKWOOD SANDY LOAM, 2 TO 6 PERCENT SLOPES
375	2	FORADA LOAM
567A	4	VERNDAL SANDY LOAM, 0 TO 2 PERCENT SLOPES
567B	4	VERNDAL SANDY LOAM, 2 TO 6 PERCENT SLOPES
720B	1	BLOWERS SANDY LOAM, 1 TO 5 PERCENT SLOPES

=====

Wadena State-Wide Important Farmland List

Symbol	Mapunit Name
82B	Redeye loamy sand, 1 to 6 percent slopes
82C	Redeye loamy sand, 6 to 12 percent slopes
139B	Huntersville loamy fine sand, 1 to 6 percent slopes
374C	Rockwood sandy loam
406A	Dorset sandy loam, 1 to 3 percent slopes
406B	Dorset sandy loam, 3 to 6 percent slopes
1956	Staples loamy sand
1957B	Friendship loamy sand, till substratum, 1 to 6 percent slopes
1975	Oylen sandy loam

Waseca County Update, Minnesota 2002 Legend

Prime Farmland List

Symbol	Mapunit Name
L5A	Delft, overwash-delft complex, 1 to 4 percent slopes (Prime farmland if drained)
L26B	Shorewood silty clay loam, 3 to 6 percent slopes
L36A	Hamel, overwash-hamel complex, 1 to 4 percent slopes (Prime farmland if drained)
L40B	Angus-kilkenny complex, 2 to 6 percent slopes
L48A	Derrynane, overwash-derrynane complex, 1 to 4 percent slopes (Prime farmland if drained)
L75B	Barrington silt loam, 2 to 6 percent slopes
L76B	Dickinson fine sandy loam, 1 to 6 percent slopes
L77A	Brownton silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)
L78A	Canisteo clay loam, 0 to 2 percent slopes (Prime farmland if drained)
L79B	Clarion loam, 2 to 5 percent slopes
L81A	Cordova clay loam, 0 to 2 percent slopes (Prime farmland if drained)
L82A	Marna silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)
L83A	Webster clay loam, 0 to 2 percent slopes (Prime farmland if drained)
L84A	Glencoe clay loam, depressional, 0 to 1 percent slopes (Prime farmland if drained)
L85A	Nicollet clay loam, 1 to 3 percent slopes
L86A	Madelia silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)
L87A	Kingston silty clay loam, 1 to 3 percent slopes
L88A	Lura silty clay, depressional, 0 to 1 percent slopes (Prime farmland if drained)
L89A	Guckeen silty clay loam, 0 to 3 percent slopes
L90A	Le sueur clay loam, 0 to 3 percent slopes
L91A	Mazaska silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)
L92A	Darfur loam, 0 to 2 percent slopes (Prime farmland if drained)
L94A	Lowlein fine sandy loam, terrace, 0 to 3 percent slopes
L98A	Crippin-nicollet complex, 1 to 3 percent slopes
L99B	Clarion-swanlake complex, 2 to 6 percent slopes
L103A	Fieldon-canisteo complex, 0 to 2 percent slopes (Prime farmland if drained)
L107A	Canisteo-glencoe, depressional complex, 0 to 2 percent slopes (Prime farmland if drained)
L108A	Cordova-rolfe, depressional, complex, 0 to 2 percent slopes (Prime farmland if drained)
L109A	Marna-barbert, depressional, complex, 0 to 2 percent slopes (Prime farmland if drained)
L111A	Nicollet silty clay loam, 1 to 3 percent slopes
L112A	Webster silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)
L113B	Reedslake loam, 2 to 5 percent slopes
L114A	Hanlon fine sandy loam, 0 to 3 percent slopes, rarely flooded
L115A	Brownton-lura, depressional, complex, 0 to 2 percent slopes (Prime farmland if drained)
L116A	Le sueur-lerdal complex, 1 to 3 percent slopes
L119B	Angus loam, 2 to 5 percent slopes
L120A	Good thunder silty clay loam, 0 to 3 percent slopes
L121A	Clarion clay loam, 2 to 5 percent slopes
L124A	Glencoe mucky clay loam, depressional, 0 to 1 percent slopes (Prime farmland if drained)
L125A	Hanlon, rarely flooded-coland, occasionally flooded, complex, 0 to 3 percent slopes (Prime farmland if protected from flooding or not frequently flooded during the growing season)
L126A	Coland silty clay loam, 0 to 2 percent slopes, occasionally flooded (Prime farmland if protected from flooding or not frequently flooded during the growing season)
L128A	Mazaska-rolfe, depressional, complex, 0 to 2 percent slopes (Prime farmland if drained)

L129B Terril loam, 2 to 6 percent slopes
 L130A Okoboji mucky silty clay loam, depressional, 0 to 1 percent slopes (Prime farmland if drained)

Waseca Update - State-Wide Important Farmland List
 2002

Symbol	Mapunit Name
L13A	Klossner muck, depressional, 0 to 1 percent slopes
L14A	Houghton muck, depressional, 0 to 1 percent slopes
L41C2	Lester-Kilkenny complex, 6 to 12 percent slopes
L51C2	Gladek silt loam, 6 to 12 percent slopes
L57A	Medo muck, depressional, 0 to 1 percent slopes
L63A	Klossner muck, lake plain, depressional, 0 to 1 percent slopes
L73A	Blue Earth mucky silty clay loam, depressional, 0 to 1 percent slopes
L74A	Estherville sandy loam, terrace, 0 to 2 percent slopes
L80C2	Lester loam, 6 to 12 percent slopes, eroded
L93A	Muskego muck, depressional, 0 to 1 percent slopes
L100B	Clarion-Estherville complex, 2 to 6 percent slopes
L101C2	Omsrud-Hawick-Storden complex, 6 to 12 percent slopes, eroded
L102C2	Omsrud-Storden complex, 6 to 12 percent slopes, eroded
L105C2	Lester-Hawick complex, 6 to 12 percent slopes, eroded
L106C2	Lester-Storden complex, 6 to 12 percent slopes, eroded
L117C2	Omsrud loam, 6 to 12 percent slopes, eroded
L122B	Reedslake-Estherville complex, 2 to 6 percent slopes
L123A	Bellville sandy loam, 0 to 2 percent slopes

WASECA COUNTY, MINNESOTA
1965 Legend

Map Symbol	Prime Farmland Code	Soil Mapunit Name
By	2	BISCAY LOAM
Ca	2	CANISTEO CLAY LOAM
ClB	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES
ClB2	1	CLARION LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
CsB2	1	CLARION-STORDEN COMPLEX, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
Ct	2	COLO SILTY CLAY LOAM
Cy	2	CORDOVA SILTY CLAY LOAM
DkB	1	DICKINSON LOAM, 0 TO 6 PERCENT SLOPES
Du	2	DUNDAS SILT LOAM
GuA	1	GUCKEEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
GuB	1	GUCKEEN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES
Hm	1	HUNTSVILLE LOAM, SAND SUBSTRATUM
Hn	1	HUNTSVILLE SILT LOAM
KcB	1	KILKENNY CLAY LOAM, 2 TO 6 PERCENT SLOPES
KcB2	1	KILKENNY CLAY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
LcB	1	LESTER CLAY LOAM, 2 TO 6 PERCENT SLOPES
LcB2	1	LESTER CLAY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
LfB	1	LESTER FINE SANDY LOAM, SANDY VARIANT, 2 TO 6 PERCENT SLOPES
LsB2	1	LESTER-STORDEN COMPLEX, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
LuA	1	LE SUEUR CLAY LOAM, 0 TO 2 PERCENT SLOPES
LuB	1	LE SUEUR CLAY LOAM, 2 TO 6 PERCENT SLOPES
Ma	2	MARNA SILTY CLAY LOAM
NcA	1	NICOLLET CLAY LOAM, 0 TO 2 PERCENT SLOPES
NcB	1	NICOLLET CLAY LOAM, 2 TO 6 PERCENT SLOPES
Tl	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
TrB	1	TRUMAN SILT LOAM, 2 TO 6 PERCENT SLOPES
TrB2	1	TRUMAN SILT LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
WaB	1	WADENA LOAM, 2 TO 6 PERCENT SLOPES
Wb	2	WEBSTER CLAY LOAM

=====

Waseca State-Wide Important Farmland List
1965

Symbol	Mapunit Name
ClC	CLARION LOAM, 6 TO 12 PERCENT SLOPES
ClC2	CLARION LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
ClC3	CLARION LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
CrB2	CLARION-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
CsC2	CLARION-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
CsC3	CLARION-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
EaB	ESTHERVILLE SANDY LOAM, 0 TO 6 PERCENT SLOPES
EsC2	ESTHERVILLE, LESTER, AND STORDEN SOILS, 6 TO 12 PERCENT SLOPES, ERODED
KcC	KILKENNY CLAY LOAM, 6 TO 12 PERCENT SLOPES
KcC2	KILKENNY CLAY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
KcC3	KILKENNY CLAY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
LcC	LESTER CLAY LOAM, 6 TO 12 PERCENT SLOPES
LcC2	LESTER CLAY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
LhB2	LESTER-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED
LsC2	LESTER-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED
LsC3	LESTER-STORDEN COMPLEX, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED
TrC2	TRUMAN SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED

WASHINGTON AND RAMSEY COUNTIES, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
2	1	OSTRANDER SILT LOAM, 0 TO 2 PERCENT SLOPES
2B	1	OSTRANDER SILT LOAM, 2 TO 6 PERCENT SLOPES
49	1	ANTIGO SILT LOAM, 0 TO 2 PERCENT SLOPES
49B	1	ANTIGO SILT LOAM, 2 TO 6 PERCENT SLOPES
113	2	WEBSTER LOAM
120	1	BRILL SILT LOAM
123	2	DUNDAS FINE SANDY LOAM
132B	1	HAYDEN FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
153B	1	SANTIAGO SILT LOAM, 2 TO 6 PERCENT SLOPES
166	2	RONNEBY FINE SANDY LOAM
1827	1	WAUKEGAN VARIANT SILT LOAM, 0 TO 2 PERCENT SLOPES
1827B	1	WAUKEGAN VARIANT SILT LOAM, 2 TO 9 PERCENT SLOPES
225	1	NESSSEL FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
259B	1	GRAYS SILT LOAM, 2 TO 6 PERCENT SLOPES
264	1	FREERON SILT LOAM, 1 TO 4 PERCENT SLOPES
266	2	FREER SILT LOAM
298	1	RICHWOOD SILT LOAM, 0 TO 2 PERCENT SLOPES
298B	1	RICHWOOD SILT LOAM, 2 TO 6 PERCENT SLOPES
301B	1	LINDSTROM SILT LOAM, 2 TO 4 PERCENT SLOPES
302B	1	ROSHOLT SANDY LOAM, 1 TO 6 PERCENT SLOPES
340B	1	WHALAN SILT LOAM, 1 TO 6 PERCENT SLOPES
342B	1	KINGSLEY SANDY LOAM, 2 TO 6 PERCENT SLOPES
367B	1	CAMPIA SILT LOAM, 0 TO 8 PERCENT SLOPES
411	1	WAUKEGAN SILT LOAM, 0 TO 2 PERCENT SLOPES
411B	1	WAUKEGAN SILT LOAM, 2 TO 6 PERCENT SLOPES
449	1	CRYSTAL LAKE SILT LOAM, 1 TO 3 PERCENT SLOPES
452	2	COMSTOCK SILT LOAM
460B	1	BAYTOWN SILT LOAM, 1 TO 6 PERCENT SLOPES
468	2	OTTER SILT LOAM
504B	1	DULUTH SILT LOAM, 1 TO 6 PERCENT SLOPES
507	2	POSKIN SILT LOAM
529	1	RIPON SILT LOAM, 1 TO 2 PERCENT SLOPES
529B	1	RIPON SILT LOAM, 2 TO 6 PERCENT SLOPES

=====

Washington/Ramsey State-Wide Important Farmland List

8/99

Symbol	Mapunit Name
2C	Ostrander silt loam, 6 to 12 percent slopes
49C	Antigo silt loam, 6 to 12 percent slopes
100B	Copaston loam, 0 to 6 percent slopes
132C	Hayden fine sandy loam, 6 to 12 percent slopes
151	Burkhardt sandy loam, 0 to 3 percent slopes
151B	Burkhardt sandy loam, 3 to 9 percent slopes
153C	Santiago silt loam, 6 to 15 percent slopes
155B	Chetek sandy loam, 0 to 6 percent slopes
169B	Braham loamy fine sand, 1 to 6 percent slopes
174C	Gale silt loam, 6 to 15 percent slopes
1813B	Lino variant loamy fine sand, 2 to 6 percent slopes
302C	Rosholt sandy loam, 6 to 15 percent slopes

327	Dickman sandy loam, 0 to 2 percent slopes
327B	Dickman sandy loam, 2 to 6 percent slopes
340C	Whalan silt loam, 6 to 12 percent slopes
342C	Kingsley sandy loam, 6 to 12 percent slopes
411C	Waukegan silt loam, 6 to 12 percent slopes
453B	DeMontreville loamy fine sand, 2 to 6 percent slopes
460C	Baytown silt loam, 6 to 12 percent slopes
472B	Channahon silt loam, 1 to 6 percent slopes
504C	Duluth silt loam, 6 to 12 percent slopes
529C	Ripon silt loam, 6 to 12 percent slopes

WATONWAN COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
27A	1	DICKINSON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES
27B	1	DICKINSON FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES
84	2	BROWNTON SILTY CLAY LOAM
86	2	CANISTEO CLAY LOAM
101B	1	TRUMAN SILT LOAM, 1 TO 4 PERCENT SLOPES
102B	1	CLARION LOAM, 1 TO 4 PERCENT SLOPES
112	2	HARPS CLAY LOAM
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE CLAY LOAM
118	1	CRIPPIN LOAM
128A	1	GROGAN SILT LOAM, 0 TO 2 PERCENT SLOPES
128B	1	GROGAN SILT LOAM, 2 TO 6 PERCENT SLOPES
130	1	NICOLLET LOAM
134	2	OKOBOJI SILTY CLAY LOAM
136	2	MADELIA SILTY CLAY LOAM
140	2	SPICER SILTY CLAY LOAM
160	2	FIELDON LOAM
183	2	DASSEL FINE SANDY LOAM
1833	2	COLAND CLAY LOAM, OCCASIONALLY FLOODED
1834	5	COLAND CLAY LOAM, FREQUENTLY FLOODED
1907	1	LAKEFIELD SILTY CLAY LOAM
197	1	KINGSTON SILTY CLAY LOAM
227	2	LEMOND LOAM
229	2	WALDORF SILTY CLAY LOAM
247	1	LINDER SANDY LOAM
255	2	MAYER LOAM
269	2	MILLINGTON CLAY LOAM, OCCASIONALLY FLOODED
281	2	DARFUR FINE SANDY LOAM
282	2	HANSKA LOAM
336	2	DELFT LOAM
362	5	MILLINGTON CLAY LOAM, FREQUENTLY FLOODED
392	2	BISCAY LOAM
421B	1	VES LOAM, 1 TO 4 PERCENT SLOPES
423	1	SEAFORTH LOAM
446	1	NORMANIA LOAM
487	1	HOOPESTON FINE SANDY LOAM
517	2	SHANDEP CLAY LOAM
562	2	KNOKE SILTY CLAY LOAM
575	2	NISHNA SILTY CLAY LOAM
639B	1	RIDGEPORT SANDY LOAM, 1 TO 6 PERCENT SLOPES
654	2	REVERE CLAY LOAM
668	1	CORWITH SILT LOAM
789B2	1	GROGAN-LASA VARIANT COMPLEX, 2 TO 6 PERCENT SLOPES, ERODED
790B	1	GROGAN-DICKINSON COMPLEX, 1 TO 4 PERCENT SLOPES
887B	1	CLARION-SWANLAKE LOAMS, 1 TO 4 PERCENT SLOPES
921B2	1	CLARION-STORDEN LOAMS, 3 TO 6 PERCENT SLOPES, ERODED
929	2	FIELDON-CANISTEO COMPLEX
954B2	1	VES-STORDEN LOAMS, 3 TO 6 PERCENT SLOPES, ERODED
956	2	CANISTEO-GLENCOE CLAY LOAMS

=====

Watonwan State-Wide Important Farmland List

Symbol	Mapunit Name
35	BLUE EARTH MUCKY SILT LOAM (where drained)
41B	ESTHERVILLE SANDY LOAM, 1 TO 6 PERCENT SLOPES
69B	FEDJI LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES
181	LITCHFIELD LOAMY FINE SAND
222B	LASA LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES
327A	DICKMAN SANDY LOAM, 0 TO 2 PERCENT SLOPES
327B	DICKMAN SANDY LOAM, 2 TO 6 PERCENT SLOPES
539	PALMS MUCK (where drained)
639B	RIDGEPORT SANDY LOAM, 1 TO 6 PERCENT SLOPES
789C2	LASA VARIANT-GROGAN COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
909C2	BOLD-TRUMAN COMPLEX, 6 TO 12 PERCENT SLOPES
920B2	CLARION-ESTHERVILLE COMPLEX, 2 TO 6 PERCENT SLOPES, ERODED
920C2	CLARION-ESTHERVILLE COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED
921C2	CLARION-STORDEN LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
954C2	STORDEN-VES LOAMS, 6 TO 15 PERCENT SLOPES, ERODED
999B2	VES-ESTHERVILLE COMPLEX, 2 TO 8 PERCENT SLOPES, ERODED

WILKIN COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
26	1	AAZDAHL CLAY LOAM
33B	1	BARNES LOAM, 1 TO 6 PERCENT SLOPES
33B2	1	BARNES LOAM, 2 TO 6 PERCENT SLOPES, ERODED
46	2	BORUP LOAM
47	2	COLVIN SILTY CLAY LOAM
50	5	CASHEL SILTY CLAY
52	2	AUGSBURG VERY FINE SANDY LOAM
56	2	FARGO SILTY CLAY LOAM
57A	2	FARGO SILTY CLAY, 0 TO 2 PERCENT SLOPES
57B	2	FARGO SILTY CLAY, 2 TO 6 PERCENT SLOPES
58	1	KITTSOON LOAM
59	1	GRIMSTAD FINE SANDY LOAM
60	1	GLYNDON VERY FINE SANDY LOAM
61	2	ARVESON LOAM
63	2	ROCKWELL LOAM
67A	1	BEARDEN SILT LOAM, 0 TO 2 PERCENT SLOPES
67B2	1	BEARDEN SILT LOAM, 2 TO 6 PERCENT SLOPES, ERODED
93	1	BEARDEN SILTY CLAY LOAM
107	2	WINGER SILT LOAM
108	1	MCINTOSH SILT LOAM
157A	1	WAHPETON CLAY, 0 TO 2 PERCENT SLOPES
157B	1	WAHPETON CLAY, 2 TO 6 PERCENT SLOPES
236	2	VALLERS LOAM
290B	1	ROTHSAY SILT LOAM, 2 TO 4 PERCENT SLOPES
290B2	1	ROTHSAY SILT LOAM, 2 TO 6 PERCENT SLOPES, ERODED
293B	1	SWENODA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES
343A	1	WHEATVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES
343B2	1	WHEATVILLE VERY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED
403	2	VIKING SILTY CLAY
418	5	LAMOURE SILTY CLAY LOAM, OCCASIONALLY FLOODED
425	1	DONALDSON VERY FINE SANDY LOAM
429	2	NORTHCOTE CLAY
494	1	DARNEN SILT LOAM
497	1	HANTHO SILT LOAM
508	1	WYNDMERE FINE SANDY LOAM
510	1	ELMVILLE VERY FINE SANDY LOAM
582	2	ROLISS CLAY LOAM
640	1	GALCHUTT SILT LOAM
642	2	CLEARWATER SANDY CLAY LOAM
645	2	ESPELIE FINE SANDY LOAM
698	1	DORAN CLAY LOAM
814	2	HAMERLY-LINDAAS SILTY CLAY LOAMS
821	2	DORAN-LINDAAS COMPLEX
903B2	1	BARNES-LANGHEI LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
908	2	BEARDEN-FARGO COMPLEX
957B2	1	ROTHSAY-ZELL SILT LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
969B	1	ZELL-ROTHSAY SILT LOAMS, 1 TO 4 PERCENT SLOPES
1819	1	GLYNDON SILTY CLAY LOAM
184A	1	HAMERLY CLAY LOAM, 0 TO 2 PERCENT SLOPES
184B	1	HAMERLY LOAM, 1 TO 4 PERCENT SLOPES
1872	2	FARGO SILTY CLAY, SILTY SUBSTRATUM
1916	2	LINDAAS SILT LOAM
1921	1	FOLDAHL VERY FINE SANDY LOAM

1944	2	PERELLA SILTY CLAY
1948	2	FARGO-ENLOE COMPLEX
1971	1	DIVIDE LOAM

=====

Wilkin State-Wide Important Farmland List

Symbol	Mapunit Name
-----	-----
34	PARNELL SILT LOAM
64	ULEN FINE SANDY LOAM
65	FOXHOME SANDY LOAM
335	URNESS MUCKY SILT LOAM
344	QUAM SILT LOAM
413	OSAKIS SANDY LOAM
426	FOLDAHL LOAMY FINE SAND
647	HILAIRE LOAMY FINE SAND
942C2	LANGHEI-BARNES LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
969C2	ZELL-ROTHSAY SILT LOAMS, 6 TO 12 PERCENT SLOPES, ERODED
987	ROCKWELL FINE SANDY LOAM, DEPRESSIONAL
1871	FARGO SILTY CLAY, SWALES

WINONA COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
19	1	CHASEBURG SILT LOAM
24	1	KASSON SILT LOAM
25	1	BECKER FINE SANDY LOAM
79B	1	BILLETT FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
99B	1	RACINE SILT LOAM, 2 TO 6 PERCENT SLOPES
103A	1	SEATON SILT LOAM, 1 TO 3 PERCENT SLOPES
103B	1	SEATON SILT LOAM, 3 TO 6 PERCENT SLOPES
176	2	GARWIN SILT LOAM
1830	1	EITZEN SILT LOAM
1936	1	HOOPESTON SANDY LOAM, BEDROCK SUBSTRATUM
1937	1	LAWLER LOAM, BEDROCK SUBSTRATUM
194	1	HUNTSVILLE SILT LOAM
1952B	1	KELTNER SILT LOAM, 3 TO 6 PERCENT SLOPES
1953	2	MARSHAN SILT LOAM, LOAMY SUBSTRATUM
1955A	1	WAUKEE LOAM, BEDROCK SUBSTRATUM, 0 TO 2 PERCENT SLOPES
1955B	1	WAUKEE LOAM, BEDROCK SUBSTRATUM, 2 TO 6 PERCENT SLOPES
215B	1	SOUTHRIDGE SILT LOAMS, 2 TO 6 PERCENT SLOPES
262B	1	MEDARY SILT LOAM, 1 TO 6 PERCENT SLOPES
285A	1	PORT BYRON SILT LOAM, 1 TO 3 PERCENT SLOPES
285B	1	PORT BYRON SILT LOAM, 3 TO 6 PERCENT SLOPES
299B	1	ROCKTON SILT LOAM, 1 TO 6 PERCENT SLOPES
301A	1	LINDSTROM SILT LOAM, 1 TO 3 PERCENT SLOPES
331	2	TRIPOLI SILTY CLAY LOAM
369B	1	WAUBEEK SILT LOAM, 2 TO 6 PERCENT SLOPES
401B	1	MT. CARROLL SILT LOAM, 3 TO 6 PERCENT SLOPES
455A	1	FESTINA SILT LOAM, 0 TO 2 PERCENT SLOPES
455B	1	FESTINA SILT LOAM, 2 TO 6 PERCENT SLOPES
468	2	OTTER SILT LOAM
476B	1	FRANKVILLE SILT LOAM, 2 TO 6 PERCENT SLOPES
477	1	LITTLETON SILT LOAM
483	1	WAUKEE LOAM
492B	1	NASSET SILT LOAM, 3 TO 6 PERCENT SLOPES
493B	1	ORONOCO FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES
501B	1	NEWGLARUS SILT LOAM, 3 TO 6 PERCENT SLOPES
576	2	NEWALBIN SILT LOAM
580B	1	BLACKHAMMER-SOUTHRIDGE SILT LOAMS, 2 TO 6 PERCENT SLOPE S
587B	1	PALSGROVE SILT LOAM, 2 TO 6 PERCENT SLOPES
826B	1	GALE-BLACKHAMMER SILT LOAMS, 2 TO 6 PERCENT SLOPES

=====

Winona State-Wide Important Farmland List

Symbol	Mapunit Name
99C	RACINE SILT LOAM, 6 TO 12 PERCENT SLOPES
103C	SEATON SILT LOAM, 6 TO 12 PERCENT SLOPES
198C	ROLLINGSTONE SILT LOAM, 3 TO 12 PERCENT SLOPES
215C	SOUTHRIDGE SILT LOAM, 6 TO 12 PERCENT SLOPES
285C	PORT BYRON SILT LOAM, 6 TO 12 PERCENT SLOPES
301C	LINDSTROM SILT LOAM, 6 TO 12 PERCENT SLOPES
322C2	TIMULA SILT LOAM, 6 TO 12 PERCENT SLOPES, ERODED
369C	WAUBEEK SILT LOAM, 6 TO 12 PERCENT SLOPES

388C	SEATON SILT LOAM, VALLEYS, 6 TO 12 PERCENT SLOPES
401C	MT. CARROLL SILT LOAM, 6 TO 12 PERCENT SLOPES
476C	FRANKVILLE SILT LOAM, 6 TO 12 PERCENT SLOPES
492C	NASSET SILT LOAM, 6 TO 12 PERCENT SLOPES
501C	NEWGLARUS SILT LOAM, 6 TO 12 PERCENT SLOPES
580C	BLACKHAMMER-SOUTHRIDGE SILT LOAMS, 6 TO 12 PERCENT SLOPES
586C	NODINE-ROLLINGSTONE SILT LOAMS, 4 TO 12 PERCENT SLOPES
587C	PALSGROVE SILT LOAM, 6 TO 12 PERCENT SLOPES
826C	GALE-BLACKHAMMER SILT LOAMS, 6 TO 12 PERCENT SLOPES
829C	SEATON-GALE SILT LOAMS, 6 TO 12 PERCENT SLOPES
1893B	BEAVERCREEK VARIANT LOAM, 1 TO 6 PERCENT SLOPES
1951A	FLAGLER SANDY LOAM, BEDROCK SUBSTRATUM, 0 TO 2 PERCENT SLOPES
1951B	FLAGLER SANDY LOAM, BEDROCK SUBSTRATUM, 2 TO 6 PERCENT SLOPES
1952C	KELTNER SILT LOAM, 6 TO 12 PERCENT SLOPES
1954B	SPINKS LOAMY FINE SAND, BEDROCK SUBSTRATUM, 1 TO 6 PERCENT SLOPES

WRIGHT COUNTY UPDATE, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
74B	1	DICKINSON FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES
86	2	CANISTEO CLAY LOAM, MODERATELY FINE SUBSTRATUM, 0 TO 2 PERCENT S LOPES
109	2	CORDOVA CLAY LOAM, 0 TO 2 PERCENT SLOPES
114	2	GLENCOE CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
138	1	LERDAL SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES
229	2	WALDORF SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
235	1	NESSSEL LOAM, 1 TO 3 PERCENT SLOPES
239	1	LE SUEUR CLAY LOAM, 1 TO 3 PERCENT SLOPES
247	1	LINDER LOAM, 0 TO 2 PERCENT SLOPES
255	2	MAYER LOAM, 0 TO 2 PERCENT SLOPES
256	2	MAZASKA SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES
286B	1	SHOREWOOD SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES
294A	1	RASSET SANDY LOAM, 0 TO 2 PERCENT SLOPES
323	2	SHIELDS SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES
375	2	FORADA LOAM, 0 TO 2 PERCENT SLOPES
392	2	BISCAY LOAM, 0 TO 2 PERCENT SLOPES
414	2	HAMEL LOAM, 1 TO 3 PERCENT SLOPES
441	1	ALMORA LOAM, 0 TO 2 PERCENT SLOPES
461B	1	KORONIS LOAM, 2 TO 6 PERCENT SLOPES
511	1	MARCELLON LOAM, MAP<30, 0 TO 3 PERCENT SLOPES
603	1	HANLON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
740	2	HAMEL-GLENCOE, DEPRESSIONAL, COMPLEX, 0 TO 3 PERCENT SLOPES
771	1	ELKRIVER FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED
804B	1	KORONIS-SUNBURG-HAWICK COMPLEX, 2 TO 6 PERCENT SLOPES
956	2	CANISTEO-GLENCOE, DEPRESSIONAL, COMPLEX, 0 TO 2 PERCENT SLOPES
978	2	CORDOVA-ROLFE, DEPRESSIONAL, COMPLEX, 0 TO 2 PERCENT SLOPES
1026B	1	LIZZIE SILT LOAM, MODERATELY WET, 1 TO 5 PERCENT SLOPES
1036B	1	ANGUS FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES
1094B	1	ANGUS-CORDOVA COMPLEX, 0 TO 5 PERCENT SLOPES
1156	2	CORDOVA LOAM, 0 TO 2 PERCENT SLOPES
1161	2	BARRY LOAM, 0 TO 2 PERCENT SLOPES
1165	2	LUNDLAKE SILTY CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES
1186	2	FORESTCITY-LUNDLAKE, DEPRESSIONAL, COMPLEX, 0 TO 3 PERCENT SLOPES
1197	3	SUCKERCREEK FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
1204B	1	REEDSLAKE LOAM, 2 TO 5 PERCENT SLOPES
1207B	1	REEDSLAKE-LE SUEUR COMPLEX, 1 TO 5 PERCENT SLOPES
1255	3	ELKRIVER FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED
1362B	1	ANGUS LOAM, 2 TO 5 PERCENT SLOPES
1368	1	SOUTHHAVEN LOAM, 0 TO 2 PERCENT SLOPES
1380A	1	BYGLAND SILT LOAM, MAP>25, 0 TO 2 PERCENT SLOPES
1380B	1	BYGLAND SILT LOAM, MAP>25, 2 TO 6 PERCENT SLOPES
1381	2	LINDAAS SILT LOAM, MORAINIC, 0 TO 2 PERCENT SLOPES
1383A	1	SHOREWOOD SILTY CLAY LOAM, MODERATELY WET, 0 TO 3 PERCENT SLOPES
1388B	1	TERRIL LOAM, MODERATELY WET, 2 TO 6 PERCENT SLOPES
1408B	1	ANGUS-KILKENNY COMPLEX, 2 TO 6 PERCENT SLOPES
1901B	1	ANGUS-LE SUEUR COMPLEX, 1 TO 5 PERCENT SLOPES

=====

Wright State-Wide Important Farmland List

8/99

Symbol	Mapunit Name
106C2	Lester loam, 6 to 12 percent slopes
231C	Lester fine sandy loam, 6 to 12 percent slopes
327A	Dickman sandy loam, 0 to 2 percent slopes
327B	Dickman sandy loam, 2 to 6 percent slopes
406	Dorset sandy loam, 0 to 2 percent slopes
461C2	Koronis loam, 6 to 12 percent slopes
768	Mosford sandy loam, 0 to 2 percent slopes
783C2	Lester-Kilkenny complex, 6 to 12 percent slopes, eroded
804C2	Koronis-Sunburg-Hawick complex, 6 to 12 percent slopes, eroded
875B	Estherville-Hawick complex, 2 to 6 percent slopes
896B	Kingsley-Gotham complex, 2 to 6 percent slopes
896C	Kingsley-Gotham complex, 6 to 12 percent slopes
945C2	Lester-Storden complex, 6 to 12 percent slopes, eroded
1000	Arvilla sandy loam, MAP>25, 0 to 2 percent slopes
1023C	Lester-Malardi complex, 6 to 12 percent slopes, eroded
1037	Eckvoll loamy fine sand, MAP>25, 0 to 3 percent slopes
1038A	Verndale sandy loam, acid substratum, 0 to 2 percent slopes
1038B	Verndale sandy loam, acid substratum, 2 to 6 percent slopes
1066B	Malardi-Hawick complex, 1 to 6 percent slopes
1087B	Angus-Malardi complex, 2 to 6 percent slopes
1196B	Lida-Two Inlets complex, 1 to 8 percent slopes
1213C	Cokato-Storden complex, 6 to 12 percent slopes, eroded
1220C	Cokato-Storden-Hawick complex, 6 to 12 percent slopes, eroded
1257B	Elkriver-Mosford complex, 0 to 6 percent slopes, rarely flooded
1377B	Dorset-Two Inlets complex, 2 to 6 percent slopes
1379B	Dorset-Almora complex, 1 to 4 percent slopes
1380C	Bygland silt loam, MAP>25, 6 to 12 percent slopes, eroded
1438B	Braham loamy fine sand, moderately wet, 2 to 5 percent slopes
1975	Oylen sandy loam, 0 to 2 percent slopes

YELLOW MEDICINE COUNTY, MINNESOTA

Map Symbol	Prime Farmland Code	Soil Mapunit Name
6	1	AASTAD CLAY LOAM, 0 TO 2 PERCENT SLOPES
33B	1	BARNES LOAM, 1 TO 4 PERCENT SLOPES
33B2	1	BARNES LOAM, 3 TO 6 PERCENT SLOPES, ERODED
36	2	FLOM CLAY LOAM
85	3	CALCO SILTY CLAY LOAM, OCCASIONALLY FLOODED
86	2	CANISTEO CLAY LOAM
94B	1	TERRIL LOAM, 2 TO 6 PERCENT SLOPES
108	1	MCINTOSH SILT LOAM, 1 TO 3 PERCENT SLOPES
113	2	WEBSTER CLAY LOAM
114	2	GLENCOE CLAY LOAM
134	2	OKOBOJI SILTY CLAY LOAM
137	2	DOVRAY SILTY CLAY
140	2	SPICER SILTY CLAY LOAM
141A	1	EGELAND LOAM, 0 TO 2 PERCENT SLOPES
141B	1	EGELAND LOAM, 2 TO 6 PERCENT SLOPES
160	2	FIELDON FINE SANDY LOAM
168B	1	FORMAN CLAY LOAM, 2 TO 4 PERCENT SLOPES
168B2	1	FORMAN CLAY LOAM, 3 TO 6 PERCENT, ERODED
184	1	HAMERLY LOAM, 1 TO 3 PERCENT SLOPES
210	2	FULDA SILTY CLAY
212	1	SINAI SILTY CLAY, 1 TO 3 PERCENT SLOPES
236	2	VALLERS CLAY LOAM
246	2	MARYSLAND CLAY LOAM
276	2	OLDHAM SILTY CLAY LOAM
284B	1	POINSETT CLAY LOAM, 2 TO 6 PERCENT SLOPES
290B	1	ROTHSAY SILT LOAM, 1 TO 4 PERCENT SLOPES
290B2	1	ROTHSAY SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED
319	2	BARBERT SILT LOAM
338	1	WAUBAY CLAY LOAM, 1 TO 3 PERCENT SLOPES
339A	1	FORDVILLE LOAM, 0 TO 2 PERCENT SLOPES
339B	1	FORDVILLE LOAM, 2 TO 6 PERCENT SLOPES
347	1	MALACHY LOAM
371	1	CLONTARF SANDY LOAM, 1 TO 3 PERCENT SLOPES
421B	1	VES LOAM, 1 TO 4 PERCENT SLOPES
423	1	SEAFORTH LOAM, 1 TO 3 PERCENT SLOPES
434	2	PERELLA SILTY CLAY LOAM
444	2	CANISTEO SILTY CLAY LOAM
446	1	NORMANIA CLAY LOAM, 1 TO 3 PERCENT SLOPES
574	3	DU PAGE LOAM, OCCASIONALLY FLOODED
575	5	NISHNA SILTY CLAY, OCCASIONALLY FLOODED
591B	1	DOLAND SILT LOAM, 1 TO 4 PERCENT SLOPES
591B2	1	DOLAND SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED
597	1	TARA SILT LOAM, 1 TO 3 PERCENT SLOPES
883	3	ZUMBRO-DU PAGE COMPLEX, OCCASIONALLY FLOODED
954B2	1	VES-STORDEN LOAMS, 3 TO 6 PERCENT SLOPES, ERODED
969B2	1	ZELL-ROTHSAY SILT LOAMS, 2 TO 6 PERCENT SLOPES, ERODED
1869	3	DU PAGE-MCINTOSH VARIANT LOAMS
1870	5	BURR-CALCO SILTY CLAY LOAMS

=====

Yellow Medicine State-Wide Important Farmland List

Symbol	Mapunit Name
94C	Terril loam, 6 to 12 percent slopes
127A	Sverdrup fine sandy loam, 0 to 2 percent slopes
127B	Sverdrup fine sandy loam, 2 to 6 percent slopes
341A	Arvilla sandy loam, 0 to 2 percent slopes
341B	Arvilla sandy loam, 2 to 6 percent slopes
876C2	Nutley-sinai complex, 6 to 12 percent slopes, eroded
902C2	Barnes-buse loams, 6 to 12 percent slopes, eroded
904B2	Arvilla-barnes-buse complex, 2 to 6 percent slopes, eroded
904C	Arvilla-buse-barnes complex, 6 to 12 percent slopes
915C2	Forman-buse complex, 6 to 12 percent slopes, eroded
953C	Arvilla-storden-ves complex, 6 to 15 percent slopes
954C2	Storden-ves loams, 5 to 12 percent slopes, eroded
969C2	Zell-rothsay silt loams, 6 to 12 percent slopes, eroded

PRIME and STATEWIDE FARMLAND CODE DESCRIPTIONS

-
- 0 Not Prime
 - 1 All areas are PRIME FARMLAND.
 - 2 Only drained areas are PRIME FARMLAND.*
 - 3 Only areas protected from flooding or not frequently flooded during the growing season are PRIME FARMLAND.
 - 4 Only irrigated areas in MLRA's 56 and 102A are PRIME FARMLAND.
 - 5 Only drained areas that are either protected from flooding or not frequently flooded during the growing season are PRIME FARMLAND.
 - 30 State Wide Important farmlands

* Drained areas refers to drainage adequate enough to sustain a high level of production.